MAIL SEALED BIDS TO: 678 W 18th St Merced CA 95340

SEALED BIDS DUE:

CITY OF MERCED PURCHASING DEPARTMENT

purchasing@cityofmerced.org
REQUEST FOR BIDS
THIS IS NOT AN ORDER

PARCEL POST OR HAND
DELIVER BIDS TO:
2525 "O" ST MERCED CA
95340

DEPT: Fleet



QUOTE HEREON YOUR LOWEST PRICE F.O.B. MERCED (INCLUDE TAXES [8.25%], DISCOUNTS, REBATES, AND FEES IN UNIT PRICE) FOR THE FOLLOWING EQUIPMENT, MATERIALS, SUPPLIES OR SERVICES. NO ALLOWANCE FOR FREIGHT, CARTAGE, PACKING, OR POSTAGE UNLESS SPECIFIED ON THIS BID. WHERE BRAND OR MAKE IS SPECIFIED, SIMILAR OR EQUAL WILL BE CONSIDERED.

| Tuesday, November 28, 2023 at 2:30 P.M. | | | | | REQUISITION NO: 11282023A | | |
|---|-------|-------------------|---|--------------|----------------------------------|--|--|
| Quantit | y UOM | Part Number | Description | Unit Price | Extension | | |
| 6 | ea | Brand new, four-d | oor police interceptor SUVs. | \$49,335 | \$296,010 | | |
| | | Notice: S | ubmit one original bid package and one copy | | • | | |
| | | Traffunked No | nety-six thousand Ten dollars | TOTAL AMOUNT | \$296,010 | | |

*** BID OPENING WILL BE HELD IN THE PURCHASING OFFICE CONFERENCE ROOM AT 2525 "O" STREET, MERCED, CA ***

We have stated hereon the prices at which we will furnish and deliver the equipment, materials, supplies or services as specified above.

Delivery will be made in ______ days after receipt of order (A.R.O.), except as otherwise indicated.

DATE: Notember 28, 2013
PHONE: (203) 826 c (452)

Note: The City reserves the right to reject any and or all bids, split the bid award, or to accept the bid that best serves the public purpose, even though it may not be the lowest.

CITY OFFICERS AND EMPLOYEES INELIGIBLE TO BID

Bidders are advised that under Government Code Section 1126 officers and employees of the City of Merced are **not eligible** to bid on City contracts (to provide equipment, materials, supplies, or services to the City) or to enter into a lease or other agreements with the City. Any bid submitted by a City officer or employee, either individually or through a partnership, corporation, or other form of business entity or association, will be rejected and may subject the employee to discipline under the City's Personnel Rules, Article XIX Section 19.02.

NOTICE ALL BIDS MUST BE SIGNED

CITY OF MERCED DEPARTMENT OF PUBLIC WORKS OPERATIONS EQUIPMENT SPECIFICATIONS POLICE PURSUIT SPORT UTILITY VEHICLE

PART I - BID INSTRUCTIONS

It is the intention of the City of Merced (City) to purchase up to six (6) new, 4-door police interceptor sport utility vehicles. The equipment specified shall be the manufacturer's current production model and shall be bid with all the standard equipment as specified in the manufacturer's printed literature. In addition, the bid shall include the attached City specifications.

A. <u>Instructions to Bidders:</u> The complete bid package must be returned intact. Missing pages or incomplete information may be construed by the City to constitute a non-responsive bid. Non-responsive bids may be rejected.

A place has been provided for each section for which the bidder must enter either "Yes", No" or "Alternate". Specific sections include the make, model, and other descriptive information needed to clearly describe any alternative offered. If additional spaces are needed, securely attach additional page(s) "Statement of Exception" sheet. Additional pages must be numbered clearly and consecutively, include the section number and signed by a responsible company official on the last page submitted.

B. <u>Bid Evaluation:</u> Units offered will be subject to analysis and evaluation by the Public Works Department for quality, construction, material, performance characteristics, and compliance with City's specifications. In evaluating the bids, the City intends to make such comparisons, as it may deem appropriate in order to select the bid, which will result in obtaining the unit that best meets its needs.

The bid evaluation will include, but not necessarily limited to, the following factors:

- Purchase price.
- 2. Delivery time (in calendar days).
- 3. Warranty.
- 4. Past Performance.
- C. <u>Bid Response:</u> The bidder shall submit to the City, a complete bid response package detailing the equipment proposed to meet these specifications. It shall also include warranty, product support information, and delivery time in calendar days.

Note: Bids submitted without a clear statement of delivery time may be rejected.

PART II- GENERAL SPECIFICATIONS

| Yes/No/Alternate | A. <u>Books, Manuals, and Technical Information</u> Complete and accurate copies of the following items shall be furnished at the time of delivery to the City |
|----------------------------|--|
| Alternate | Operator's instruction manual, complete set of shop maintenance, repair and emission manuals including wiring diagrams, Illustrated |
| 11st attached | parts book or parts CD; 2. Lubrication instructions; 3. Original dealer's report of sale; |
| | 4. Vehicle to be licensed by vendor;5. Six sets of keys w/6-FOBs |
| Yes/No/Alternate | B. Warranty / Product Support: The warranty and product support information requested below is important and will be used in evaluating the bids. Bidders are required to address each of the items below and provide the information with the bid. |
| Alternate 115 tattached | The complete unit shall be guaranteed against defects in material and workmanship for a minimum: |
| listattached | Bumper-to-Bumper Limited Warranty - 3 years/36,000 miles Powertrain Limited Warranty - 5 years/100,000 miles |
| | Roadside Assistance - 5 years/100,000 miles |
| | Corrosion Coverage - 3 years/36,000 miles |
| | 2. Warranty to start upon acceptance of completed unit by the City. |
| Yes/No/Alternate | C. <u>Safety</u> |
| Yes | The unit shall be equipped with all safety markings required. The safety markings shall be color-coded in compliance with the American National Standard Safety Color Code for Marking Physical Hazards, (current edition). In addition, any applicable American National Standard Specifications for Accident Prevention Signs, 235.1 (current edition) shall be installed. The vehicle shall meet or exceed all applicable State & Federal requirements. |
| Yes/No/Alternate | D. <u>Miscellaneous</u> |
| Yes | Prior to delivery, vehicle(s) shall be completely serviced as prescribed by the manufacturer including, but not limited to, engine, transmission, differential, radiator, windshield washer, and tire pressure. |

PART III - VEHICLE SPECIFICATIONS

| Yes/No/Alternate | A. Exterior and Running Gear. |
|------------------------------|--|
| Alternation List affached | Color: Main Body – Police Interceptor SUV's the Main body shall be solid black, white top, white doors(4). |
| Yes | Basic Construction: Shall be body on frame with a wheelbase of not less than 116.0 inches. All-Wheel Drive, GVWR 6465 lbs., min payload 1550 lbs. |
| Yes | 3. Glass: The windows to be tinted and powered. |
| Yes | Windshield Wipers: Dual- electric mechanism with intermittent feature. |
| Yes | 5. <u>Mirrors</u> : Outside rear view mirrors, right and left front door-mounted. Mirrors to be remote-controlled electric type and inside rear view mirror is to have manual day/night control. |
| Yes | 6. Engine: 3.3 direct injection V6. |
| Ust a Hacked | 7. Exhaust System: Aluminized stainless steel muffler and tail pipe. |
| 4.23 | 8. <u>Battery</u> : 12-volt 720 CCA main battery, 730 CCA auxiliary battery. |
| Alternate List Altached | 9. <u>Charging System</u> : High output 170 amp. alternator. |
| Alternate List Attacked | 10. <u>Transmission:</u> 6-speed automatic transmission. |
| Yes | 11. Suspension: Police rated suspension with stability control system. |
| les | 12. <u>Brakes</u> : Power 4-wheel disc with Anti-lock Braking System (ABS). Police Calibrated. |
| Yes | 13. Steering: To be factory power steering with column mounted shifter. |
| Alternate List Altached | Headlamps: Bi-functional projector beam halogen. Light package shall include factory installed fog Lamps |
| Yes | 15. Entry: Remote Keyless Entry |
| Alternate List a Hached | 16. <u>Fuel capacity (gal.)</u> – 26 gallon Minimum. |

| Yes/No/Alternate | B. <u>Interior</u> |
|----------------------------------|--|
| Yes | 1. <u>Color</u> : Black |
| 9cs Alternate Ust Affached | <u>Dimensions</u> - The follow minimum dimensions/capacities must be met, <u>no exceptions</u> . |
| USF Attached | Head Room - First Row [in] 40.7" |
| | Head Room - Second Row [in] 40.4" |
| | Leg Room - First Row [in] 40.9" |
| | Leg Room - Second Row [in] 30.7" |
| | Hip Room - First Row [in] 59.3" |
| | Hip Room - Second Row [in] 59.1" |
| | Shoulder Room - First Row [in] 61.8" |
| | Shoulder Room - Second Row [in] 61.3" |
| Yes | Seating: Standard cloth font buckets and cloth second row seat, Front bucket reclining (power seats), individually adjustable, Driver's seat to be equipped with a power lumbar support feature. Comfortable cloth foam-padded seat cushions and backs. No 3rd row seating. |
| Yes | 4. Console: Front mounting plate |
| Yes | 5. <u>Seat Belts:</u> All Seats. |
| Yes | Air Bags: Airbags – Front-seat side, side-curtain airbags & rollover sensor, Front-passenger knee protection. |
| des | 7. Floor Covering: Vinyl flooring, w/door sill scuff plates all doors |
| Les | Air Conditioning: Factory installed. Air conditioning, dual-zone automatic climate control to include rear A/C controlled at front. |
| Yes | 9. Rear Window Defogger: To be electric |
| Yes | 10. <u>Radio</u> : Audio premium sound, Bluetooth compatible, rear view camera display. |
| Yes " | 11. <u>Lights:</u> Map light front row only. Red/white dome light – 1st row |
| 423 | Power Windows: Power windows controlled from driver's door. Power windows with one-touch-down driver's side with disable feature. |

4

| Yes | 13. Glass: Solar-tinted 1st row; privacy glass 2nd row and rear quarter and lift gate. | | | |
|---------------------------|---|--|--|--|
| 405 | 14. <u>Locks:</u> Power lock to be operable from front driver. Rear door locks hidden but operated by driver controls, child-safety rear door locks. | | | |
| yes | 15. Cargo Storage: Factory installed cargo shade. | | | |
| Yes | 16. Spot Lamps: Right and left L.E.D. spot lamps | | | |
| Yes | 17. <u>Tire Pressure Monitoring:</u> Tire Pressure Monitoring System. | | | |
| No | 18. <u>Pedals</u> : Power-adjustable pedals. | | | |
| Alternate USt Attached | C. Upfitters wiring provisions: Wire Harness includes the following provisions: A. 6J7 Exterior lamp emergency flashing system. B. 6C7 Auxiliary dome light. C. 6J3 Grill lamps and speaker/ siren. D. 6J4 Horn siren circuit. E. 7X6 Spot lamps. | | | |
| Yes | D. Additional Emergency Equipment: Please add optional ballistic panels for driver and passenger front doors | | | |

APPROVED:

Kén Elwin, Director of Public Works

APPROVED;

Wally Broughton, PWM Operations

SANTOS FORD BID (6ea Brand new, four-door police interceptor SUV) ALTERNATE LIST

GENERAL SPECIFICATIONS:

A5. Four sets of keys w/4-FOBs

B1. Roadside Assistance – 5 years/60,000 miles Corrosion Coverage – 5 years/Unlimited miles

VEHICLE SPECIFICATIONS

- A1. NO White Top and NO white doors
- A7. True Dual /(Downturned)
- A9. 220 Amp Alternator
- A10. 10 Speed Automatic
- A14. LED High/Low Beam No Fog Lights
- A16. 21.4 Gallon
- B2. Leg Room Second Row (in) 40.7"

C <u>Upfitters wiring provisions:</u>

- ___For connectivity to Ford Police Interceptor Package solutions and includes:
 - Front
- (2) male 4-pin connectors for siren
- (5) female 4-pin connectors for lighting/siren/speaker
- (1) 4-pin IP connector for speakers
- (1) 4-pin IP connector for siren controller connectivity
- (1) 8-pin sealed connector
- (1) 14-pin IP connector
- Rear
- (2) male 4-pin connectors for siren
- (5) female 4-pin connectors for lighting/siren/speaker
- (1) 4-pin IP connector for speakers
- (1) 4-pin IP connector for siren controller connectivity
- (1) 8-pin sealed connector
- (1) 14-pin IP connector

| SF- | -FI WAQ | Qı | uote Wkst-P | MER | CED.CTTY OF | | chrisl 3160 |
|------|---|------|-------------|-----|--------------------------------|------|-------------|
| 1) | Contract Date: | ` | 11/28/23 | | Quote No.: | | 14712 |
| | Bank (W): | | NONE | 18) | Portfolio VSC: | | T-1 TC |
| | Customer: | CITY | OF MERCED | 19) | Express GAP: | | |
| 4) | Buyers County (W): | | | 20) | <pre>Key Replacement(W):</pre> | | |
| 5) | Stock Number: | | | 21) | Dent Care (W): | | |
| 6) | M.S.R.P.: | | | 22) | SalesTax %/Amt: 8.2 | 500% | \$ 3 756 76 |
| 7) | M.S.R.P.: Selling Price: A.M.O./WeOwes(W) Rebate: | \$ | 45,451.49 | 23) | APR: | | 4 3,730170 |
| 8) | A.M.O./WeOwes(W) | : | • | 24) | TERM: | | |
| 9) | Rebate: | | | 25) | DaysTo/1stPmtDate: | | 11/28/23 |
| 10) | Cash Down: | | | 26) | Odd Days: | | 11/10/15 |
| 11) | Ttl Deferred Down (V | v): | | 27) | >>P A Y M E N T<<: | \$ | 49,335.00 |
| 12) | Trade(s) 1 & 2 (w): | | | - | Sale Subtotal: | Š | 45,451.49 |
| | Total Down: | | | | Total Financed: | Š | 49,335.00 |
| | DOC Fee: | \$ | 85.00 | | Finance Charge: | • | , |
| 14) | CA Tire Fee: | \$ | 8.75 | | Total Other Charges: | : | |
| 15) | DMV/SmgExempt (W): | | | | Total of Payments: | \$ | 49,335.00 |
| 16) | Smog/Wt. Fees (W): | | | | Deferred Price: | - | , |
| | Total Fees (W): | \$ | 126.75 | | Unpaid Balance: | \$ | 49,335.00 |
| Comn | nand (?): | | | | | - | , |

Enter a command, a field number, or press a function key. Enter ? for help. F3=Sv/Ex F5=RRecall F6=Cust F7=Veh F8=Trd F10=Misc SF11=>

V4.60 6007 EN

| CNGP ==> | 2530 | | | | 11/28/23 11:52:39 |
|----------------------------|--|--|-------------------|------------------------------------|------------------------------------|
| | | 2024 | EXPLORER 4- | DOOR | Dealer: F72467 Page: 1 of 2 |
| 0rde | er No: 2400 - Pri | oritv: A4 (| ord FIN: OC4 | .45 Order Tyne: | 5B Price Level: 415 |
| 0rd | Code: 500A Cust/F | lt Name: CII | Y MERCED | PO Number: | |
| | 4DR AWD POLICE .119" WHEELBASE AGATE BLACK CLTH BUCKETS/RR | RETAIL | | i o ivallibet . | PΕΤΔΤΙ |
| K8A | 4DR AWD POLICE | \$47165 | 55F | KEVLESS _ / EOR | 4310 |
| | .119" WHEELBASE | 7 (7 100 | 59M | FCC WIET HCDOT | 4240 (20) |
| UM | AGATE BLACK | | 65Y | FILE CVD CDEULL | (20) |
| F | CLTH BUCKETS/RR | 60 | 67V | CONNECTOD VIT | (30) |
| 6 | EBONY | 00 | 077 | CONNECTOR VII | 185 |
| 500Δ | | | | WIKING KIT FOT | |
| JOON | EQUIP GRP .AM/FM STEREO | | 606 | .WIKING KII-FKI | N.C |
| 000 | AWI/ FWI STEKEU | (0000) | 686 | RR DR/LK INOP | NC |
| 998 | 3.3L V6 11-VC1 | (2830) | 90E | LH/RH PNLS III | 3170 |
| 440 | TUSPD AUTO TRAN | NC | | | |
| 52P | DR LOCK PLUNGER | 160 | TOTAL | BASE AND OPTIONS | S 51005 |
| | JOB #2 ORDER | | TOTAL | | 51005 |
| | DR LOCK PLUNGER JOB #2 ORDER CA BOARD FEES | NC | *THIS | IS NOT AN INVOICE | |
| 17A | AUX CLIMATE CTL | 610 | | | |
| 425 | 50 STATE EMISS | NC | * MOR | F ORDER THEO NEXT | T PAGE * |
| | | 620 | | F8=Next | , ,,,,,, |
| | | F2=Return | to Order | F3. | /E12=Vah Ord Manu |
| F4=S | ubmit F5=Add t | o Library | co or acr | 1 37 | r 12-ven ord wend |
| | | | | | 0001754 |
| 5000 | MONE DIVIN ID AV | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | | | QCU1/54 |
| 425 51S F1=H F4=S | AUX CLIMATE CTL 50 STATE EMISS DUAL LED LAMPS elp ubmit F5=Add t - MORE DATA IS AV | NC 620 F2=Return o Library | * MOR to Order | E ORDER INFO NEX F8=Next F3, | T PAGE * /F12=Veh Ord Menu QC01754 |

V1DP0468

2,6

: 1120120, 0.02 / NYI

VEHICLE ORDER CONFIRMATION

11/28/23 11:52:50

Dealer: F7246;

2024 EXPLORER 4-DOOR

Page: 2 of 2

Priority: A4 Ord FIN: QC445 Order Type: 5B Price Level: 415 Order No: 2400

Ord Code: 500A Cust/Flt Name: CITY MERCED

PO Number:

RETAIL

RETAIL

FLEX-FUEL

CNGP530

==>

153 FRT LICENSE BKT

NC

SP FLT ACCT CR

FUEL CHARGE DEST AND DELIV

1595

TOTAL BASE AND OPTIONS 51005

TOTAL

51005

THIS IS NOT AN INVOICE

F7=Prev

F1=Help

F2=Return to Order

F4=Submit F5=Add to Library

S099 - PRESS F4 TO SUBMIT

F3/F12=Veh Ord Menu

QC01754

V1DP0468

2,6

CITY OF MERCED PUBLIC WORKS Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023

Santos Ford | 617 West Pacheco Hwy Los Banos California | 936353936

2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs

Dimensions

Conventional Capacity: 5,000 lbs.

• Vehicle body width: 78.9"

• Wheelbase: 119.1"

Rear track: 66.9"

• Interior rear cargo volume with seats folded: 90.3

cu.ft.

Total passenger volume: 118.0 cu.ft.

Headroom second-row: 40.4"

Leg room second-row: 40.7"

Shoulder room second-row: 61.3"

Hip room second-row: 59.1"

Powertrain

 3.3L V-6 gasoline direct injection, DOHC, variable valve control, engine with 285HP

Spark ignition system

Torque: 260 lb.-ft.@4000 RPM

Heavy-duty radiator

Automatic full-time AWD

Recommended fuel: regular unleaded

All-speed ABS and driveline traction control

Fuel Economy and Emissions

Gasoline secondary fuel type

* E85 additional fuel types

Suspension and Handling

Standard ride suspension

· Gas-pressurized rear shock absorbers

Driveability

· 4-wheel disc brakes

· 4-wheel antilock (ABS) brakes

Brake assist system

Independent front suspension

Front anti-roll bar

Independent rear suspension

Rear anti-roll bar

· Rack-pinion steering

Vehicle body length: 198.8"

• Vehicle body height: 69.3"

• Front track: 66.9"

Interior rear cargo volume: 52.0 cu.ft.

Max interior rear cargo volume: 90.3 cu.ft.

• Headroom first-row: 40.7"

• Leg room first-row: 40,9"

Shoulder room first-row: 61.8"

• Hip room first-row: 59.3"

Engine cylinders: V-6

Horsepower: 285 HP@6500 RPM

· Engine oil cooler

10-speed automatic

· All-wheel drive

· Easy Fuel capless fuel filler

Permanent locking hub control

ULEV II emissions

· Gas-pressurized front shock absorbers

Front and rear ventilated disc brakes

· Four channel ABS brakes

· Hill start assist

· Strut front suspension

· Front coil springs

Multi-link rear suspension

· Electric power-assist steering system


2-wheel steering system

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

CITY OF MERCED PUBLIC WORKS
Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023

Santos Ford | 617 West Pacheco Hwy Los Banos California | 936353936



Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Body Exterior

- · Trailer wiring harness
- Clearcoat paint
- Body-coloured bodyside cladding
- Black side window trim
- Black door handles
- Black front bumper rub strip
- Body-coloured rear bumper
- Black grille
- * Exterior mirror LED spot lights
- Convex spotter in driver and passenger side door mirrors
- · Conventional right rear passenger door
- P255/60RW18 AS BSW front and rear tires

Convenience

- · Power door locks
- Power tailgate/rear door lock
- Day/Night rearview mirror
- Cargo area tray/organizer
- Power cargo area access release
- Heated rear wiper park
- Fixed rear windshield
- 2 beverage holders
- Dashboard storage
- PRND in IP


Comfort

- Automatic climate control
- * Rear climate control system
- Rear under seat climate control ducts
- Cloth headliner material
- Full vinyl floor covering
- * Cloth rear seat upholstery
- Manual tilting steering wheel
- · Urethane steering wheel

Seats and Trim

- Seating capacity: 5
- Driver seat with 8-way directional controls

- 4 doors
- Monotone paint
- · Black wheel well trim
- · Black windshield trim
- Body-coloured front bumper
- · Front tow hook
- · Black rear bumper rub strip
- Black door mirrors
- · Standard style side mirrors
- · Conventional left rear passenger door
- · Liftgate rear cargo door
- 18 x 8-inch front and rear black steel wheels
- * Keyfob activated door locks
- · Cruise control with steering wheel mounted controls
- · Power first-row windows
- Driver foot rest
- Fixed interval rear windshield wipers
- · Rear window defroster
- · Locking glove box
- · Driver and passenger door bins
- · Retained accessory power
- Trip computer
- · Dual-zone front climate control
- · Cabin air filter
- * Rear headliner/pillar climate control ducts
- · Full headliner coverage
- Full floor coverage
- · Carpet rear seatback upholstery
- Manual telescopic steering wheel
- · Bucket front seats
- Front passenger seat with 4-way directional controls



CITY OF MERCED PUBLIC WORKS
Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023

Santos Ford | 617 West Pacheco Hwy Los Banos California | 936353936

2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

- · Height adjustable front seat head restraints
- · Manual reclining driver seat
- · Power driver seat fore/aft control
- Manual reclining passenger seat
- Fixed rear seats
- Height adjustable rear seat head restraints
- · Cloth front seat upholstery

Entertainment Features

- 1 total number of 1st row displays
- · AM/FM stereo radio
- AM radio
- Seek scan
- Speakers number: 4
- Steering wheel mounted audio controls
- Integrated roof audio antenna

Lighting, Visibility and Instrumentation

- Metal-look instrument panel insert
- Trip odometer
- Driver information center
- Tachometer
- Engine hour meter
- · Deep tinted windows
- LED low and high beam headlights
- Multiple enclosed headlights
- Speed sensitive wipers
- Rear reading lights
- High mounted center stop light
- · Fade interior courtesy lights

Technology and Telematics


- · Bluetooth handsfree wireless device connectivity
- 1 USB port

Safety and Security

- Driver front impact airbag
- · Curtain first and second-row overhead airbags
- · Seat mounted side impact front passenger airbag
- Passenger side knee airbag


- Manual front seat head restraint control
- · Power height adjustable driver seat
- · Power driver seat cushion tilt
- Manual passenger seat fore/aft control
- · Split-bench rear seat
- · Manual driver seat lumbar
- 4.2 inch primary LCD display
- In-vehicle audio
- FM radio
- External memory control
- · Standard grade speakers
- · Speed sensitive volume
- Analog instrumentation display
- In-radio display clock
- · Redundant digital speedometer
- · Engine/electric motor temperature gauge
- · Traction battery level gauge
- · Projector beam headlights
- Auto on/off headlight control
- · Variable intermittent front windshield wipers
- · Front reading lights
- · Variable instrument panel light
- LED brake lights
- Fleet Telematics Modem selective service internet access
- Seat mounted side impact driver airbag
- · Passenger front impact airbag
- Airbag occupancy sensor
- 7 airbags

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing



CITY OF MERCED PUBLIC WORKS Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023





2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd) Rear seat center 3-point seatbelt

- Front seatbelt pretensioners
- External acoustic pedestrian alert
- Electronic stability control system with anti-roll
- Front height adjustable seatbelts
- 2 seatbelt pre-tensioners
- · Rear camera with washer
- · Manual rear child safety door locks

Dimensions

| General Weights ∗GVWR | 6,465 lbs. | Payload | 1,670 lbs. |
|-------------------------------|--------------|--------------------------------------|---------------|
| Trailering Weights | | · | · |
| Conventional capacity | 5,000 lbs. | | |
| Off Road | | | |
| * Min ground clearance | 7.6" | Loading floor height | 30.9 " |
| Exterior Measurements | | | |
| Vehicle body length | 198.8" | Vehicle body width | 78.9" |
| Vehicle body height | 69.3" | Wheelbase | 119.1" |
| Front track | 66.9" | Rear track | 66.9" |
| Interior Measurements | | | |
| Interior rear cargo volume | 52.0 cu.ft. | Max interior rear cargo volume | 90.3 cu.ft. |
| Interior cargo area max width | 47.9 " | Interior rear cargo volume with seat | s folded 90.3 |
| Length to rear seat | 46.2 " | | |
| Interior Volume | | | |
| Total passenger volume | 118.0 cu.ft. | | |
| Headroom | | | |
| Headroom first-row | 40.7" | Headroom second-row | 40.4" |
| Legroom | | | |
| Leg room first-row | 40.9" | Leg room second-row | 40.7" |
| Shoulder Room | | | |
| Shoulder room first-row | 61.8" | Shoulder room second-row | 61.3" |
| Hip Room | | | |
| Hip room first-row | 59.3" | Hip room second-row | 59.1" |
| | | | |

Powertrain

Engine

CITY OF MERCED PUBLIC WORKS
Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023

Santos Ford | 617 West Pacheco Hwy Los Banos California | 936353936



2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

| * Engine 3.3L V-6 | & Specs (cont'd) gasoline direct injection, alve control, engine with | Valves per cylinder | 4 |
|---|---|---|--|
| Engine cylinders Ignition | V-6 Spark ignition system | Engine location Engine mounting direct engine | Front mounted engine tion Longitudinal mounted |
| Engine block material | Iron engine block | _ | Aluminum cylinder head |
| Engine Specs | | | · |
| Displacement Bore Compression ratio | 3.3L 3.56" 12.0 | cc Stroke | 204 cu.in. 3.41" |
| Engine Power | | | |
| Horsepower | 285 HP@6500 RPM | Torque | 260 lbft.@4000 RPM |
| Alternator | | 4.3 | 200 15.41. @ 4000 111 10 |
| * Alternator amps | 250A | * Alternator type | Regular duty alternator |
| Battery | | .,,,,, | riogalar daty alternator |
| Battery amps | 80Ah | . Date | |
| * Battery rating | 730CCA | * Battery type | Lead acid battery |
| Engine Extras | | | |
| Engine cooler | Engine oil cooley | | |
| | Engine oil cooler | Radiator | Heavy-duty radiator |
| Transmission | 40 | | |
| Transmission | 10-speed automatic | Transmission electronic electronic | control Transmission |
| Overdrive transmission | | Lock-up transmission | Lock-up transmission |
| First gear ratio | 4.696 | Second gear ratio | 2.985 |
| Third gear ratio Fifth gear ratio | 2.146 | Fourth gear ratio | 1.769 |
| Reverse gear ratio | 1.52 | Sixth gear ratio | 1.275 |
| Eighth gear ratio | 4.866 | Seventh gear ratio | 1 |
| Tenth gear ratio | 0.854 0.636 | Ninth gear ratio | 0.689 |
| Drive Type | 0.030 | Transmission oil cooler | Transmission oil cooler |
| 4WD type | Automatic full-time AWD | Delice | A 11 |
| Drivetrain | Additionate fair-time AVVD | Drive type | All-wheel drive |
| Axle ratio | 2.70 | | |
| | 3.73 | | |
| Exhaust Str | ainless steel deal de la company | | |
| Tailpipe Sta | ainless steel dual exhaust | | |

CITY OF MERCED PUBLIC WORKS

Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023

Santos Ford | 617 West Pacheco Hwy Los Banos California | 936353936

2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Fuel

Fuel type

regular unleaded

Fuel Tank

Capless fuel filler

Easy Fuel capless fuel filler

* Fuel tank capacity

21.40 gal.

Drive Feature

Traction control traction control All-speed ABS and driveline

Locking hub control

Permanent locking hub

control

Electric Powertrain

Number of electric motors

1

Provisions

Provisions

Police/fire provisions

Fuel Economy and Emissions

Fuel Economy

Secondary fuel type

Gasoline secondary fuel

type

Emissions

Emissions

ULEV II emissions

Emissions tiers

Tier 2 Bin 5 emissions

Fuel Economy (Alternate 1)

* Additional fuel types

E85 additional fuel

types

Suspension and Handling

Suspension

Suspension

Standard ride suspension

Front shock absorbers shock absorbers

Gas-pressurized front

Rear shock absorbers

Gas-pressurized rear

shock absorbers

Driveability

Brakes

Brake type

4-wheel disc brakes

Ventilated brakes Front and rear ventilated disc

brakes

ABS brakes

Four channel ABS brakes

ABS brakes

4-wheel antilock (ABS) brakes

Brake Assistance

Hill start assist

Hill start assist

Brake assist system


Brake assist system


Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

CITY OF MERCED PUBLIC WORKS


Prepared by: CHRISTOPHER LAVEGLIA







Price Level: 415 | Quote ID: 24K8AMERCE



Front Suspension

Anti-roll bar front

Front anti-roll bar

Suspension ride type front

Independent front

suspension

Suspension type front

Strut front suspension

Front Spring

Regular front springs

Regular front springs

Springs front

Front coil springs

Rear Spring

Springs rear

Rear coil springs

Rear springs

Regular grade rear springs

Rear Suspension

Anti-roll bar rear

Suspension ride type rear

Rear anti-roll bar Independent rear

Suspension type rear Multi-link rear suspension

suspension

Steering

Steering Electric power-assist steering system

Steering type number of wheels 2-wheel steering

system

Steering type

Rack-pinion steering

Exterior

Front Wheels

Front wheels diameter

18"

Front wheels width

8"

Rear Wheels

Rear wheels diameter

18"

Rear wheels width

8"

Front And Rear Wheels

Appearance

black

Material

steel

Front Tires

Aspect Sidewalls

60 **BSW** Diameter

Type

Type

Tread Width

AS 255mm Speed

18" W

Rear Tires

Aspect Sidewalls Tread

60 **BSW**

AS

255mm

Diameter Speed

18" W

Р

Width


Body Exterior Trailering

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

CITY OF MERCED PUBLIC WORKS

Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023



2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Towing capability
Towing hitch

Trailer towing capability
Trailer hitch

Towing class
Towing wiring harness

Class III tow rating Trailer wiring harness

Exterior Features

Number of doors

4 doors

Body

Body panels Galvanized steel and aluminum body panels with side impact beams

Mirrors

Convex spotter Convex spotter in driver and passenger side door mirrors

Spare Tire

Spare tire Full-size spare tire with steel wheel

Spare tire locationSpare tire mounted under the

cargo floor

Aerodynamics

Spoiler

Rear lip spoiler

Wheels

Wheel covers

Wheel hub covers

Convenience

Door Locks

Door locks

Power door locks

* Keyfob door locks

Keyfob activated door

Tailgate control

Power tailgate/rear door lock

Cruise Control

Cruise control

Cruise control with steering

wheel mounted controls

Rear View Mirror

Day/Night rearview mirror

Day/Night rearview

mirror

Exterior Mirrors

Door mirrors

Power door mirrors

Folding door mirrors Manual folding door mirrors

Front Side Windows

First-row windows

Power first-row windows

Overhead Console

Overhead console

Mini overhead console

Overhead console storage

Overhead console


storage

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

CITY OF MERCED PUBLIC WORKS

Prepared by: CHRISTOPHER LAVEGLIA





2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Driver Visor

Visor driver mirror

Driver visor mirror

Passenger Visor

Visor passenger mirror

Passenger visor mirror

Power Outlets

12V power outlets

2 12V power outlets

Cargo Features

Cargo tie downs

Cargo area tie downs

Cargo light

Cargo area light

Cargo Trim

Cargo floor type

Carpet cargo area floor

Trunk lid trim

Plastic trunk lid trim

Pedals

Driver foot rest

Driver foot rest

Remote Releases

Cargo access

Power cargo area access

release

Rear Windshield

Rear window defroster Rear windshield wipers Rear window defroster Fixed interval rear

Rear windshield Heated wiper area

Fixed rear windshield Heated rear wiper park

windshield wipers

Storage

Door bins front Driver and passenger door bins

Glove box

Locking glove box

Number of beverage holders 2 beverage holders Dashboard storage

Dashboard storage

Windows Feature

One-touch up window one-touch up windows

Driver and passenger

One-touch down window

Driver and passenger

one-touch down windows

Windows Rear Side

Second-row windows

Power second-row

Third-row windows

Fixed third-row windows

windows Miscellaneous

> Trip computer Accessory power

Trip computer Retained accessory power PRND in IP

PRND in IP

Comfort

Climate Control

Climate control

Automatic climate control

* Rear headliner/pillar ducts


Rear

headliner/pillar climate control ducts

CITY OF MERCED PUBLIC WORKS

Prepared by: CHRISTOPHER LAVEGLIA





2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Dual-zone front climate control climate control

Dual-zone front

Cabin air filter

Cabin air filter

* Rear climate control

Rear climate control

Rear under seat ducts

Rear under seat climate

control ducts

Headliner

system

Headliner material

Cloth headliner material

Headliner coverage

Full headliner coverage

Door Trim

Door panel insert

Metal-look door panel insert

Floor Trim

Floor covering

Full vinyl floor covering

Floor coverage

Full floor coverage

Second-Row Seat Trim

* Rear seat upholstery upholstery

Cloth rear seat

Rear seatback upholstery

Carpet rear seatback

upholsterv

Steering Wheel

Steering wheel telescopic

Manual telescopic

Steering wheel material Urethane steering wheel

steering wheel

Steering wheel tilt Manual tilting steering wheel

Seats and Trim

Seat Capacity

Seating capacity

5

Front Seats

Driver seat direction

Driver seat with 8-way

Height adjustable driver seat Power height

directional controls Driver seat fore/aft control

Power driver seat

adjustable driver seat Driver seat cushion tilt Power driver seat cushion

fore/aft control

tilt

Passenger seat direction with 4-way directional controls

Front passenger seat

Split front seats Bucket front seats

Reclining passenger seat

Manual reclining

Passenger seat fore/aft control Manual passenger seat fore/aft control

passenger seat Front head restraints

Height adjustable front Front head restraint control

Manual front seat head restraint control

seat head restraints Reclining driver seatManual reclining driver seat

Rear Seats


Bench seats Folding second-row seats

Split-bench rear seat 35-30-35 folding rear

Rear seats fixed or removable Fixed rear seats Rear seat direction Front facing rear seat

seats

CITY OF MERCED PUBLIC WORKS Prepared by: CHRISTOPHER LAVEGLIA



11/28/2023

2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Rear seat folding position seatback

Rear head restraint control

head restraint control

Fold forward rear

Rear head restraints Height adjustable rear seat

head restraints

Manual rear seat Number of rear head restraints 3 rear seat head

restraints

Lumbar Seats

Driver lumbar

Manual driver seat lumbar

Front Seat Trim

Front seat upholstery Cloth front seat upholstery

Front seatback upholstery Vinyl front seatback

upholstery

Interior Accents

Interior accents

Metal-look interior accents

Gearshifter Material

Gearshifter material

Urethane gear shifter

material

Entertainment Features

LCD Displays

Number of first-row LCD displays 1 total number of

1st row displays

LCD primary display size 4.2 inch primary LCD

display

Radio Features

External memory

External memory control

Seek scan

Seek scan

Speakers

Speakers

Standard grade speakers

Speakers number

4

Audio Features

Steering mounted audio control mounted audio controls

Steering wheel

Speed sensitive volume Speed sensitive volume

Lighting, Visibility and Instrumentation

Instrument Panel Trim

Panel insert Metal-look instrument panel insert

Instrumentation

Trip odometer

Trip odometer

Instrumentation display Analog instrumentation

display

center

Instrumentation Displays

Speedometer Redundant digital speedometer

Driver information center

Driver information


Clock In-radio display clock

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

CITY OF MERCED PUBLIC WORKS

Prepared by: CHRISTOPHER LAVEGLIA





2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Instrumentation Gauges

Tachometer

Tachometer

Traction battery level gauge Traction battery level

gauge

Engine/electric motor temperature

gauge gauge Engine/electric motor temperature

Engine hour meter

Engine hour meter

Instrumentation Warnings

Engine temperature warning Engine temperature

warning

Low fuel warning

Low fuel warning

Oil pressure warning

Oil pressure warning

Low brake fluid warning Low brake fluid warning

Door ajar warning

Headlights on reminder Headlights on reminder Door ajar warning

Service interval warningService interval indicator

Low washer fluid warning

Low washer fluid

warning

Battery charge warning Key in vehicle warning

Battery charge warning Key in vehicle warning Rear cargo ajar warning

Trunk warning Low tire pressure warning

Tire specific low air

pressure warning

Glass

Tinted windows

Deep tinted windows

Headlights

Headlights LED low and high beam headlights Auto headlights

Auto on/off headlight control

Headlight type Projector beam headlights Multiple headlights Multiple enclosed headlights

Front Windshield

Variable intermittent front windshield

wipers

light

Speed sensitive wipers Speed sensitive wipers

Interior Lighting

Variable panel light

Variable instrument panel

Rear reading lights

Front reading lights Front reading lights

Lights

Interior courtesy lights

Rear reading lights

Fade interior courtesy

High mount stop light High mounted center stop

light

liahts

LED brake lights

LED brake lights

Technology and Telematics

Connectivity

Handsfree

Bluetooth handsfree wireless

device connectivity

CITY OF MERCED PUBLIC WORKS
Prepared by: CHRISTOPHER LAVEGLIA

11/28/2023

Santos Ford | 617 West Pacheco Hwy Los Banos California | 936353936

2024 Police Interceptor Utility AWD Base (K8A)

Price Level: 415 | Quote ID: 24K8AMERCE

Selected Equip & Specs (cont'd)

Internet Access

Internet access Fleet Telematics Modem selective service internet access

USB Ports

USB ports

1 USB port

Safety and Security

Airbags

Front impact airbag driver Driver front impact

airbag

Front impact airbag passenger Passenger front

impact airbag

Front side impact airbag driver Seat mounted side

impact driver airbag

Occupancy sensor Airbag occupancy sensor

Seatbelts

3-point seatbelt

Rear seat center 3-point

seatbelt

Seatbelt pretensioners

Front seatbelt

External

pretensioners

Active Driving Assistance

External acoustic pedestrian alert

acoustic pedestrian alert

Cameras

Rear camera

Rear camera with washer

Traction Control

Electronic stability control

entrol Electronic stability

control system with anti-roll

Occupant Safety

Child door locks Manual rear child safety door

locks

Number of airbags

7 airbags

Knee airbag

Passenger side knee airbag

Front side impact airbag passenger Seat mounted side impact front passenger airbag

Overhead airbags Curtain first and second-row

overhead airbags

Height adjustable seatbelts adjustable seatbelts

Front height

Seatbelt pretensioners number

2 seatbelt pre-

tensioners




2024 Police Interceptor Utility > Safety and Security > Occupant Protection

Ballistic Door Panels

Available on:

- Driver front door only (Level III+)
- Driver and passenger front doors (Level III+)
- Driver front door only (Level IV+)
- Driver and passenger front doors (Level IV+)
- Level III+ and IV+ are tested to NIJ and beyond, as the "+" indicates



BALLISTIC DOOR PANELS - LEVEL III+ (90D/90E)

Tested and meets the requirements of NIJ Standard 0108.01 Level III

7.62 x 51 mm 9.7 gram M80 (.308 Winchester 150 grain)

Per Los Angeles Police Department (LAPD) requirements, Level III+ door panels are also designed to withstand special threat rounds

- 7.62 x 39 mm MSC 7.9 gram (Type 56)
- 5.56 x 45 mm M193 3.36 gram
- 5.56 x 45 mm M855 4gram
- Weigh approximately 42.5 lbs. installed

BALLISTIC DOOR PANELS — LEVEL IV+ (90F/90G)

Protection against armor-piercing rifle ammunition

Tested and meets the requirements of NIJ Standard 0108.01 Level IV

.30-06 M2 AP 166 grain (7.62 x 63 APM2 10.8 gram)

Designed to also withstand special threat rounds

- 7.62 x 54R LPS 9.65 gram
- 7.62 x 51 mm M61 9.75 gram (.308 Winchester 150.5 grain)
- In addition, Level IV+ includes all of the NIJ Level III and LAPD rounds above in Level III+
- Weigh approximately 49.5 lbs. installed

For availability of product features, please see Availability by Model and/or the Dealer Ordering Guide.

® 2023 Ford Motor Company | Rights are granted to dealership personnel to download the contents of this web page in electronic or paper form. All other rights are reserved, including the rights to create derivative works and/or other web pages. Content is confidential and not to be posted on other sites or shared.