CONSTRUCTION CONTRACT

#121045 - CMAQ 5085 (057) MERCED NORTH TRANSIT HUB

1. Parties and Date.

This Contract is made and entered into this	day of,
by and between the City of Merced, a public ag	ency of the State of California ("City")
and Dirt Dynasty, Inc., a California Stock Corporation with i	ts principal place of business at 4110
Meadow Oaks Dr., Valley Springs, CA 95252 ("Contractor")	City and Contractor are sometimes
individually referred to as "Party" and collectively as "Parties" i	n this Contract.

2. Recitals.

- 2.1 <u>City</u>. City is a public agency organized under the laws of the State of California, with power to contract for services necessary to achieve its purpose.
- 2.2 <u>Contractor</u>. Contractor desires to perform and assume responsibility for the provision of certain construction services required by the City on the terms and conditions set forth in this Contract. Contractor represents that it is duly licensed and experienced in providing services such as: cement treatment of subgrade, installing an asphalt parking lot, new roadway, sidewalks, bus stop provisions, parking lot lighting, and installing accessible curb ramps.

Such other items or details, not mentioned above, that are required by the Plans, Standard Specifications, City of Merced Standard Designs and the Special Provisions.

Related construction services to public clients, that it and its employees or subcontractors have all necessary licenses and permits to perform the services in the State of California, and that it is familiar with the plans of City. The following license classifications are required for this Project: Class A

- 2.3 <u>Project</u>. City desires to engage Contractor to render such services for the **#121045 CMAQ 5085 (057) MERCED NORTH TRANSIT HUB** as set forth in this Contract.
- 2.4 <u>Project Documents & Certifications</u>. Contractor has obtained, and delivers concurrently herewith, a performance bond, a payment bond, and all insurance documentation, as required by the Contract.

3. Terms

- 3.1 <u>Incorporation of Documents</u>. This Contract includes and hereby incorporates in full by reference the following documents, including all exhibits, drawings, specifications and documents therein, and attachments and addenda thereto:
 - Services/Schedule (Exhibit "A")
 - Plans and Specifications (Exhibit "B")
 - Special Conditions (Exhibit "C")
 - Contractor's Certificate Regarding Workers' Compensation (Exhibit "D")
 - Public Works Contractor Registration Certification (Exhibit "E")

- Payment and Performance Bonds (Exhibit "F")
- Federal Requirements (Exhibit "G")
- Addenda
- Change Orders executed by the City
- Latest Edition of the Standard Specifications for Public Works Construction (Green Book), Exxcluding Sections 1-9
- Notice Inviting Bids, if any
- Instructions to Bidders, if any
- Contractor's Bid
- 3.2 Contractor's Basic Obligation; Scope of Work. Contractor promises and agrees, at its own cost and expense, to furnish to the City all labor, materials, tools, equipment, services, and incidental and customary work necessary to fully and adequately complete the Project, including all structures and facilities necessary for the Project or described in the Contract (hereinafter sometimes referred to as the "Work"), for a Total Contract Price as specified pursuant to this Contract. All Work shall be subject to, and performed in accordance with the above referenced documents, as well as the exhibits attached hereto and incorporated herein by reference. The plans and specifications for the Work are further described in Exhibit "B" attached hereto and incorporated herein by this reference. Special Conditions, if any, relating to the Work are described in Exhibit "C" attached hereto and incorporated herein by this reference.
- 3.2.1 Change in Scope of Work. Any change in the scope of the Work, method of performance, nature of materials or price thereof, or any other matter materially affecting the performance or nature of the Work shall not be paid for or accepted unless such change, addition or deletion is approved in writing by a valid change order executed by the City. Should Contractor request a change order due to unforeseen circumstances affecting the performance of the Work, such request shall be made within five (5) business days of the date such circumstances are discovered or shall waive its right to request a change order due to such circumstances. If the Parties cannot agree on any change in price required by such change in the Work, the City may direct the Contractor to proceed with the performance of the change on a time and materials basis.
- 3.2.2 <u>Substitutions/"Or Equal"</u>. Pursuant to Public Contract Code Section 3400(b), the City may make a finding that designates certain products, things, or services by specific brand or trade name. Unless specifically designated in this Contract, whenever any material, process, or article is indicated or specified by grade, patent, or proprietary name or by name of manufacturer, such Specifications shall be deemed to be used for the purpose of facilitating the description of the material, process or article desired and shall be deemed to be followed by the words "or equal."

Contractor may, unless otherwise stated, offer for substitution any material, process or article which shall be substantially equal or better in every respect to that so indicated or specified in this Contract. However, the City may have adopted certain uniform standards for certain materials, processes and articles. Contractor shall submit requests, together with substantiating data, for substitution of any "or equal" material, process or article no later than thirty-five (35) days after award of the Contract. To facilitate the construction schedule and sequencing, some requests may need to be submitted before thirty-five (35) days after award of Contract. Provisions regarding submission of "or equal" requests shall not in any way authorize an extension of time for performance of this Contract. If a proposed "or equal" substitution request is rejected, Contractor shall be responsible for providing

the specified material, process or article. The burden of proof as to the equality of any material, process or article shall rest with Contractor.

The City has the complete and sole discretion to determine if a material, process or article is an "or equal" material, process or article that may be substituted. Data required to substantiate requests for substitutions of an "or equal" material, process or article data shall include a signed affidavit from Contractor stating that, and describing how, the substituted "or equal" material, process or article is equivalent to that specified in every way except as listed on the affidavit. Substantiating data shall include any and all illustrations, specifications, and other relevant data including catalog information which describes the requested substituted "or equal" material, process or article, and substantiates that it is an "or equal" to the material, process or article. The substantiating data must also include information regarding the durability and lifecycle cost of the requested substituted "or equal" material, process or article. Failure to submit all the required substantiating data, including the signed affidavit, to the City in a timely fashion will result in the rejection of the proposed substitution.

Contractor shall bear all of the City's costs associated with the review of substitution requests. Contractor shall be responsible for all costs related to a substituted "or equal" material, process or article. Contractor is directed to the Special Conditions (if any) to review any findings made pursuant to Public Contract Code section 3400.

- 3.3 Period of Performance and Liquidated Damages. Contractor shall perform and complete all Work under this Contract within **60 working days**, beginning the effective date of the Notice to Proceed ("Contract Time"). Contractor shall perform its Work in strict accordance with any completion schedule, construction schedule or project milestones developed by the City. Such schedules or milestones may be included as part of Exhibits "A" or "B" attached hereto, or may be provided separately in writing to Contractor. Contractor agrees that if such Work is not completed within the aforementioned Contract Time and/or pursuant to any such completion schedule, construction schedule or project milestones developed pursuant to provisions of the Contract, it is understood, acknowledged and agreed that the City will suffer damage. Pursuant to Government Code Section 53069.85, Contractor shall pay to the City as fixed and liquidated damages the sum of **\$4,000 per day** for each and every calendar day of delay beyond the Contract Time or beyond any completion schedule, construction schedule or Project milestones established pursuant to the Contract.
- 3.4 <u>Standard of Performance; Performance of Employees.</u> Contractor shall perform all Work under this Contract in a skillful and workmanlike manner, and consistent with the standards generally recognized as being employed by professionals in the same discipline in the State of California. Contractor represents and maintains that it is skilled in the professional calling necessary to perform the Work. Contractor warrants that all employees and subcontractors shall have sufficient skill and experience to perform the Work assigned to them. Finally, Contractor represents that it, its employees and subcontractors have all licenses, permits, qualifications and approvals of whatever nature that are legally required to perform the Work, including any required business license, and that such licenses and approvals shall be maintained throughout the term of this Contract. As provided for in the indemnification provisions of this Contract, Contractor shall perform, at its own cost and expense and without reimbursement from the City, any work necessary to correct errors or omissions which are caused by Contractor's failure to comply with the standard of care provided for herein. Any employee who is determined by the City to be uncooperative, incompetent, a threat to the safety of persons or the Work, or any employee who fails or refuses to perform the

Work in a manner acceptable to the City, shall be promptly removed from the Project by Contractor and shall not be re-employed on the Work.

- 3.5 Control and Payment of Subordinates; Contractual Relationship. City retains Contractor on an independent contractor basis and Contractor is not an employee of City. Any additional personnel performing the work governed by this Contract on behalf of Contractor shall at all times be under Contractor's exclusive direction and control. Contractor shall pay all wages, salaries, and other amounts due such personnel in connection with their performance under this Contract and as required by law. Contractor shall be responsible for all reports and obligations respecting such additional personnel, including, but not limited to: social security taxes, income tax withholding, unemployment insurance, and workers' compensation insurance.
- 3.6 <u>City's Basic Obligation</u>. City agrees to engage and does hereby engage Contractor as an independent contractor to furnish all materials and to perform all Work according to the terms and conditions herein contained for the sum set forth above. Except as otherwise provided in the Contract, the City shall pay to Contractor, as full consideration for the satisfactory performance by Contractor of the services and obligations required by this Contract, the below-referenced compensation in accordance with compensation provisions set forth in the Contract.

3.7 Compensation and Payment.

- 3.7.1 Amount of Compensation. As consideration for performance of the Work required herein, City agrees to pay Contractor the Total Contract Price of **one million six hundred sixty-six thousand two hundred ninety six and twenty five cents** Dollars (\$1,666,296.25) ("Total Contract Price") provided that such amount shall be subject to adjustment pursuant to the applicable terms of this Contract or written change orders approved and signed in advance by the City.
- 3.7.2 Payment of Compensation. If the Work is scheduled for completion in thirty (30) or less calendar days, City will arrange for payment of the Total Contract Price upon completion and approval by City of the Work. If the Work is scheduled for completion in more than thirty (30) calendar days, City will pay Contractor on a monthly basis as provided for herein. On or before the fifth (5th) day of each month, Contractor shall submit to the City an itemized application for payment in the format supplied by the City indicating the amount of Work completed since commencement of the Work or since the last progress payment. These applications shall be supported by evidence which is required by this Contract and such other documentation as the City may require. The Contractor shall certify that the Work for which payment is requested has been done and that the materials listed are stored where indicated. Contractor may be required to furnish a detailed schedule of values upon request of the City and in such detail and form as the City shall request, showing the quantities, unit prices, overhead, profit, and all other expenses involved in order to provide a basis for determining the amount of progress payments.
- 3.7.3 <u>Prompt Payment</u>. City shall review and pay all progress payment requests in accordance with the provisions set forth in Section 20104.50 of the California Public Contract Code. However, no progress payments will be made for Work not completed in accordance with this Contract. Contractor shall comply with all applicable laws, rules and regulations relating to the proper payment of its employees, subcontractors, suppliers or others.

- 3.7.4 <u>Contract Retentions</u>. From each approved progress estimate, five percent (5%) will be deducted and retained by the City, and the remainder will be paid to Contractor. All Contract retention shall be released and paid to Contractor and subcontractors pursuant to California Public Contract Code Section 7107.
- 3.7.5 Other Retentions. In addition to Contract retentions, the City may deduct from each progress payment an amount necessary to protect City from loss because of: (1) liquidated damages which have accrued as of the date of the application for payment; (2) any sums expended by the City in performing any of Contractor's obligations under the Contract which Contractor has failed to perform or has performed inadequately; (3) defective Work not remedied; (4) stop notices as allowed by state law; (5) reasonable doubt that the Work can be completed for the unpaid balance of the Total Contract Price or within the scheduled completion date; (6) unsatisfactory prosecution of the Work by Contractor; (7) unauthorized deviations from the Contract; (8) failure of Contractor to maintain or submit on a timely basis proper and sufficient documentation as required by the Contract or by City during the prosecution of the Work; (9) erroneous or false estimates by Contractor of the value of the Work performed; (10) any sums representing expenses, losses, or damages as determined by the City, incurred by the City for which Contractor is liable under the Contract; and (11) any other sums which the City is entitled to recover from Contractor under the terms of the Contract or pursuant to state law, including Section 1727 of the California Labor Code. The failure by the City to deduct any of these sums from a progress payment shall not constitute a waiver of the City's right to such sums.
- 3.7.6 <u>Substitutions for Contract Retentions</u>. In accordance with California Public Contract Code Section 22300, the City will permit the substitution of securities for any monies withheld by the City to ensure performance under the Contract. At the request and expense of Contractor, securities equivalent to the amount withheld shall be deposited with the City, or with a state or federally chartered bank in California as the escrow agent, and thereafter the City shall then pay such monies to Contractor as they come due. Upon satisfactory completion of the Contract, the securities shall be returned to Contractor. For purposes of this Section and Section 22300 of the Public Contract Code, the term "satisfactory completion of the contract" shall mean the time the City has issued written final acceptance of the Work and filed a Notice of Completion as required by law and provisions of this Contract. Contractor shall be the beneficial owner of any securities substituted for monies withheld and shall receive any interest thereon. The escrow agreement used for the purposes of this Section shall be in the form provided by the City.
- 3.7.7 <u>Title to Work.</u> As security for partial, progress, or other payments, title to Work for which such payments are made shall pass to the City at the time of payment. To the extent that title has not previously been vested in the City by reason of payments, full title shall pass to the City at delivery of the Work at the destination and time specified in this Contract. Such transferred title shall in each case be good, free and clear from any and all security interests, liens, or other encumbrances. Contractor promises and agrees that it will not pledge, hypothecate, or otherwise encumber the items in any manner that would result in any lien, security interest, charge, or claim upon or against said items. Such transfer of title shall not imply acceptance by the City, nor relieve Contractor from the responsibility to strictly comply with the Contract, and shall not relieve Contractor of responsibility for any loss of or damage to items.

- 3.7.8 <u>Labor and Material Releases</u>. Contractor shall furnish City with labor and material releases from all subcontractors performing work on, or furnishing materials for, the Work governed by this Contract prior to final payment by City.
- 3.7.9 Prevailing Wages. Contractor is aware of the requirements of California Labor Code Section 1720 et seq., and 1770 et seq., as well as California Code of Regulations, Title 8, Section 16000 et seq., ("Prevailing Wage Laws"), which require the payment of prevailing wage rates and the performance of other requirements on "public works" and "maintenance" projects. Since the Services are being performed as part of an applicable "public works" or "maintenance" project, as defined by the Prevailing Wage Laws, and since the total compensation is \$1,000 or more, Contractor agrees to fully comply with such Prevailing Wage Laws. City shall provide Contractor with a copy of the prevailing rates of per diem wages in effect at the commencement of this Contract upon request. Contractor shall make copies of the prevailing rates of per diem wages for each craft, classification or type of worker needed to execute the Services available to interested parties upon request, and shall post copies at Contractor's principal place of business and at the project site. Contractor shall defend, indemnify and hold the City, its officials, officers, employees and agents free and harmless from any claim or liability arising out of any failure or alleged failure to comply with the Prevailing Wage Laws. Contractor and any subcontractor shall forfeit a penalty of up to \$200 per calendar day or portion thereof for each worker paid less than the prevailing wage rates.
- 3.7.10 Apprenticeable Crafts. When Contractor employs workmen in an apprenticeable craft or trade, Contractor shall comply with the provisions of Section 1777.5 of the California Labor Code with respect to the employment of properly registered apprentices upon public works. The primary responsibility for compliance with said section for all apprenticeable occupations shall be with Contractor. The Contractor or any subcontractor that is determined by the Labor Commissioner to have knowingly violated Section 1777.5 shall forfeit as a civil penalty an amount not exceeding \$100 for each full calendar day of noncompliance, or such greater amount as provided by law.
- 3.7.11 <u>Hours of Work</u>. Contractor is advised that eight (8) hours labor constitutes a legal day's work. Pursuant to Section 1813 of the California Labor Code, Contractor shall forfeit a penalty of \$25.00 per worker for each day that each worker is permitted to work more than eight (8) hours in any one calendar day and forty (40) hours in any one calendar week, except when payment for overtime is made at not less than one and one-half (1-1/2) times the basic rate for that worker.
- 3.7.12 Payroll Records. Contractor and each subcontractor shall keep an accurate payroll record, showing the name, address, social security number, work classification, straight time and overtime hours worked each day and week, and the actual per diem wages paid to each journeyman, apprentice, worker, or other employee employed by him or her in connection with the public work. The payroll records shall be certified and shall be available for inspection at all reasonable hours at the principal office of Contractor in the manner provided in Labor Code section 1776. In the event of noncompliance with the requirements of this section, Contractor shall have 10 days in which to comply subsequent to receipt of written notice specifying in what respects such Contractor must comply with this section. Should noncompliance still be evident after such 10-day period, Contractor shall, as a penalty to City, forfeit not more than \$100.00 for each calendar day or portion thereof, for each worker, until strict compliance is effectuated. The amount of the forfeiture is to be determined by the Labor Commissioner. A contractor who is found to have violated the

provisions of law regarding wages on Public Works with the intent to defraud shall be ineligible to bid on Public Works contracts for a period of one to three years as determined by the Labor Commissioner. Upon the request of the Division of Apprenticeship Standards or the Division of Labor Standards Enforcement, such penalties shall be withheld from progress payments then due. The responsibility for compliance with this section is on Contractor. The requirement to submit certified payroll records directly to the Labor Commissioner under Labor Code section 1771.4 shall not apply to work performed on a public works project that is exempt pursuant to the small project exemption specified in Labor Code Section 1771.4.

- 3.7.13 Contractor and Subcontractor Registration. Pursuant to Labor Code sections 1725.5 and 1771.1, all contractors and subcontractors that wish to bid on, be listed in a bid proposal, or enter into a contract to perform public work must be registered with the Department of Industrial Relations. No bid will be accepted nor any contract entered into without proof of the contractor's and subcontractors' current registration with the Department of Industrial Relations to perform public work. Contractor is directed to review, fill out and execute the Public Works Contractor Registration Certification attached hereto as Exhibit "E" prior to contract execution. Notwithstanding the foregoing, the contractor registration requirements mandated by Labor Code Sections 1725.5 and 1771.1 shall not apply to work performed on a public works project that is exempt pursuant to the small project exemption specified in Labor Code Sections 1725.5 and 1771.1.
- 3.7.14 <u>Labor Compliance</u>; <u>Stop Orders</u>. This Project is subject to compliance monitoring and enforcement by the Department of Industrial Relations. It shall be the Contractor's sole responsibility to evaluate and pay the cost of complying with all labor compliance requirements under this Contract and applicable law. Any stop orders issued by the Department of Industrial Relations against Contractor or any subcontractor that affect Contractor's performance of Work, including any delay, shall be Contractor's sole responsibility. Any delay arising out of or resulting from such stop orders shall be considered Contractor caused delay subject to any applicable liquidated damages and shall not be compensable by the City. Contractor shall defend, indemnify and hold the City, its officials, officers, employees and agents free and harmless from any claim or liability arising out of stop orders issued by the Department of Industrial Relations against Contractor or any subcontractor.

3.8 Performance of Work; Jobsite Obligations.

3.8.1 Water Quality Management and Compliance.

- 3.8.1.1 Water Quality Management and Compliance. Contractor shall keep itself and all subcontractors, staff, and employees fully informed of and in compliance with all local, state and federal laws, rules and regulations that may impact, or be implicated by the performance of the Work including, without limitation, all applicable provisions of the Federal Water Pollution Control Act (33 U.S.C. §§ 1300); the California Porter-Cologne Water Quality Control Act (Cal Water Code §§ 13000-14950); local ordinances regulating discharges of storm water; and any and all regulations, policies, or permits issued pursuant to any such authority regulating the discharge of pollutants, as that term is used in the Porter-Cologne Water Quality Control Act, to any ground or surface water in the State.
- 3.8.1.2 Compliance with the Statewide Construction General Permit. Contractor shall comply with all conditions of the most recent iteration of the National

Pollutant Discharge Elimination System General Permit for Storm Water Discharges Associated with Construction Activity, issued by the California State Water Resources Control Board ("Permit"). It shall be Contractor's sole responsibility to file a Notice of Intent and procure coverage under the Permit for all construction activity which results in the disturbance of more than one acre of total land area or which is part of a larger common area of development or sale. Prior to initiating work, Contractor shall be solely responsible for preparing and implementing a Storm Water Pollution Prevention Plan (SWPPP) as required by the Permit. Contractor shall be responsible for procuring, implementing and complying with the provisions of the Permit and the SWPPP, including the standard provisions, and monitoring and reporting requirements as required by the Permit. The Permit requires the SWPPP to be a "living document" that changes as necessary to meet the conditions and requirements of the job site as it progresses through difference phases of construction and is subject to different weather conditions. It shall be Contractor's sole responsibility to update the SWPPP as necessary to address conditions at the project site.

- 3.8.1.3 Other Water Quality Rules Regulations and Policies. Contractor shall comply with the lawful requirements of any applicable municipality, drainage City, or local agency regarding discharges of storm water to separate storm drain systems or other watercourses under their jurisdiction, including applicable requirements in municipal storm water management programs.
- 3.8.1.4 Cost of Compliance. Storm, surface, nuisance, or other waters may be encountered at various times during construction of The Work. Therefore, the Contractor, by submitting a Bid, hereby acknowledges that it has investigated the risk arising from such waters, has prepared its Bid accordingly, and assumes any and all risks and liabilities arising therefrom.
- 3.8.1.5 Liability for Non-Compliance. Failure to comply with the Permit is a violation of federal and state law. Pursuant to the indemnification provisions of this Contract, Contractor hereby agrees to defend, indemnify and hold harmless the City and its officials, officers, employees, volunteers and agents for any alleged violations. In addition, City may seek damages from Contractor for any delay in completing the Work in accordance with the Contract, if such delay is caused by or related to Contractor's failure to comply with the Permit.
- 3.8.1.6 Reservation of Right to Defend. City reserves the right to defend any enforcement action brought against the City for Contractor's failure to comply with the Permit or any other relevant water quality law, regulation, or policy. Pursuant to the indemnification provisions of this Contract, Contractor hereby agrees to be bound by, and to reimburse the City for the costs (including the City's attorney's fees) associated with, any settlement reached between the City and the relevant enforcement entity.
- 3.8.1.7 Training. In addition to the standard of performance requirements set forth in paragraph 3.4, Contractor warrants that all employees and subcontractors shall have sufficient skill and experience to perform the Work assigned to them without impacting water quality in violation of the laws, regulations and policies described in paragraph 3.8.1. Contractor further warrants that it, its employees and subcontractors will receive adequate training, as determined by City, regarding the requirements of the laws, regulations and policies described in paragraph 3.8.1 as they may relate to the Work provided under this Agreement. Upon request, City will provide the Contractor with a list of training programs that meet the requirements of this paragraph.

- 3.8.2 Safety. Contractor shall execute and maintain its work so as to avoid injury or damage to any person or property. Contractor shall comply with the requirements of the specifications relating to safety measures applicable in particular operations or kinds of work. In carrying out its Work, Contractor shall at all times be in compliance with all applicable local, state and federal laws, rules and regulations, and shall exercise all necessary precautions for the safety of employees appropriate to the nature of the Work and the conditions under which the Work is to be performed. Safety precautions as applicable shall include, but shall not be limited to, adequate life protection and lifesaving equipment; adequate illumination for underground and night operations; instructions in accident prevention for all employees, such as machinery guards, safe walkways, scaffolds, ladders, bridges, gang planks, confined space procedures, trenching and shoring, fall protection and other safety devices, equipment and wearing apparel as are necessary or lawfully required to prevent accidents or injuries; and adequate facilities for the proper inspection and maintenance of all safety measures. Furthermore, Contractor shall prominently display the names and telephone numbers of at least two medical doctors practicing in the vicinity of the Project, as well as the telephone number of the local ambulance service, adjacent to all telephones at the Project site.
- 3.8.3 Laws and Regulations. Contractor shall keep itself fully informed of and in compliance with all local, state and federal laws, rules and regulations in any manner affecting the performance of the Contract or the Work, including all Cal/OSHA requirements, and shall give all notices required by law. Contractor shall be liable for all violations of such laws and regulations in connection with Work. If Contractor observes that the drawings or specifications are at variance with any law, rule or regulation, it shall promptly notify the City in writing. Any necessary changes shall be made by written change order. If Contractor performs any work knowing it to be contrary to such laws, rules and regulations and without giving written notice to the City, Contractor shall be solely responsible for all costs arising therefrom. City is a public entity of the State of California subject to certain provisions of the Health & Safety Code, Government Code, Public Contract Code, and Labor Code of the State. It is stipulated and agreed that all provisions of the law applicable to the public contracts of a municipality are a part of this Contract to the same extent as though set forth herein and will be complied with. Contractor shall defend, indemnify and hold City, its officials, officers, employees and agents free and harmless, pursuant to the indemnification provisions of this Contract, from any claim or liability arising out of any failure or alleged failure to comply with such laws, rules or regulations.
- 3.8.4 <u>Permits and Licenses</u>. Contractor shall be responsible for securing City permits and licenses necessary to perform the Work described herein, including, but not limited to, any required business license. While Contractor will not be charged a fee for any City permits, Contractor shall pay the City's business license fee, if any. Any ineligible contractor or subcontractor pursuant to Labor Code Sections 1777.1 and 1777.7 may not perform work on this Project.
- 3.8.5 <u>Trenching Work</u>. If the Total Contract Price exceeds \$25,000 and if the Work governed by this Contract entails excavation of any trench or trenches five (5) feet or more in depth, Contractor shall comply with all applicable provisions of the California Labor Code, including Section 6705. To this end, Contractor shall submit for City's review and approval a detailed plan showing the design of shoring, bracing, sloping, or other provisions to be made for worker protection from the hazard of caving ground during the excavation of such trench or trenches. If such plan varies

from the shoring system standards, the plan shall be prepared by a registered civil or structural engineer.

- 3.8.6 <u>Hazardous Materials and Differing Conditions</u>. As required by California Public Contract Code Section 7104, if this Contract involves digging trenches or other excavations that extend deeper than four (4) feet below the surface, Contractor shall promptly, and prior to disturbance of any conditions, notify City of: (1) any material discovered in excavation that Contractor believes to be a hazardous waste that is required to be removed to a Class I, Class II or Class III disposal site; (2) subsurface or latent physical conditions at the site differing from those indicated by City; and (3) unknown physical conditions of an unusual nature at the site, significantly different from those ordinarily encountered in such contract work. Upon notification, City shall promptly investigate the conditions to determine whether a change order is appropriate. In the event of a dispute, Contractor shall not be excused from any scheduled completion date and shall proceed with all Work to be performed under the Contract, but shall retain all rights provided by the Contract or by law for making protests and resolving the dispute.
- 3.8.7 <u>Underground Utility Facilities</u>. To the extent required by Section 4215 of the California Government Code, City shall compensate Contractor for the costs of: (1) locating and repairing damage to underground utility facilities not caused by the failure of Contractor to exercise reasonable care; (2) removing or relocating underground utility facilities not indicated in the construction drawings; and (3) equipment necessarily idled during such work. Contractor shall not be assessed liquidated damages for delay caused by failure of City to provide for removal or relocation of such utility facilities.
- 3.8.8 <u>Air Quality</u>. Contractor must fully comply with all applicable laws, rules and regulations in furnishing or using equipment and/or providing services, including, but not limited to, emissions limits and permitting requirements imposed by the California Air Resources Board (CARB). Although CARB limits and requirements are more broad, Contractor shall specifically be aware of their application to "portable equipment", which definition is considered by CARB to include any item of equipment with a fuel-powered engine. Contractor shall indemnify City against any fines or penalties imposed by CARB, or any other governmental or regulatory agency for violations of applicable laws, rules and/or regulations by Contractor, its subcontractors, or others for whom Contractor is responsible under its indemnity obligations provided for in this Agreement.
- 3.8.9 <u>State Recycling Mandates</u>. Contractor shall comply with State Recycling Mandates. Any recyclable materials/debris collected by the contractor that can be feasibly diverted via reuse or recycling must be hauled by the appropriate handler for reuse or recycling.
- 3.9 <u>Completion of Work.</u> When Contractor determines that it has completed the Work required herein, Contractor shall so notify City in writing and shall furnish all labor and material releases required by this Contract. City shall thereupon inspect the Work. If the Work is not acceptable to the City, the City shall indicate to Contractor in writing the specific portions or items of Work which are unsatisfactory or incomplete. Once Contractor determines that it has completed the incomplete or unsatisfactory Work, Contractor may request a reinspection by the City. Once the Work is acceptable to City, City shall pay to Contractor the Total Contract Price remaining to be paid, less any amount which City may be authorized or directed by law to retain. Payment of retention proceeds due to Contractor shall be made in accordance with Section 7107 of the California Public Contract Code.

3.10 Claims; Government Code Claim Compliance.

3.10.1 Intent. Effective January 1, 1991, Section 20104 et seq., of the California Public Contract Code prescribes a process utilizing informal conferences, non-binding judicial supervised mediation, and judicial arbitration to resolve disputes on construction claims of \$375,000 or less. Effective January 1, 2017, Section 9204 of the Public Contract Code prescribes a process for negotiation and mediation to resolve disputes on construction claims. The intent of this Section is to implement Sections 20104 et seq. and Section 9204 of the California Public Contract Code. This Section shall be construed to be consistent with said statutes.

3.10.2 Claims. For purposes of this Section, "Claim" means a separate demand by the Contractor, after a change order duly requested in accordance with the terms of this Contract has been denied by the City, for (A) a time extension, (B) payment of money or damages arising from Work done by or on behalf of the Contractor pursuant to the Contract, or (C) an amount the payment of which is disputed by the City. Claims governed by this Section may not be filed unless and until the Contractor completes all procedures for giving notice of delay or change and for the requesting of a time extension or change order, including but not necessarily limited to the change order procedures contained herein, and Contractor's request for a change has been denied in whole or in part. Claims governed by this Section must be filed no later than fourteen (14) days after a request for change has been denied in whole or in part or after any other event giving rise to the Claim. The Claim shall be submitted in writing to the City and shall include on its first page the following in 16 point capital font: "THIS IS A CLAIM." Furthermore, the claim shall include the documents necessary to substantiate the claim. Nothing in this Section is intended to extend the time limit or supersede notice requirements otherwise provided by contract for the filing of claims, including all requirements pertaining to compensation or payment for extra Work, disputed Work, and/or changed conditions. Failure to follow such contractual requirements shall bar any claims or subsequent lawsuits for compensation or payment thereon.

 $3.10.3 \ \underline{\text{Supporting Documentation}}.$ The Contractor shall submit all claims in the following format:

3.10.3.1 Summary of claim merit and price, reference Contract Document provisions pursuant to which the claim is made

3.10.3.2 List of documents relating to claim:

- (A) Specifications
- (B) Drawings
- (C) Clarifications (Requests for Information)
- (D) Schedules
- (E) Other
- 3.10.3.3 Chronology of events and correspondence

- 3.10.3.4 Analysis of claim merit
 3.10.3.5 Analysis of claim cost
 3.10.3.6 Time impact analysis in CPM format
- 3.10.3.7 If Contractor's claim is based in whole or in part on an allegation of errors or omissions in the Drawings or Specifications for the Project, Contractor shall provide a summary of the percentage of the claim subject to design errors or omissions and shall obtain a certificate of merit in support of the claim of design errors and omissions.
- 3.10.3.8 Cover letter and certification of validity of the claim, including any claims from subcontractors of any tier, in accordance with Government Code section 12650 *et seq*.
- 3.10.4 <u>City's Response</u>. Upon receipt of a claim pursuant to this Section, City shall conduct a reasonable review of the claim and, within a period not to exceed 45 days, shall provide the Contractor a written statement identifying what portion of the claim is disputed and what portion is undisputed. Any payment due on an undisputed portion of the claim will be processed and made within 60 days after the public entity issues its written statement.
- 3.10.4.1 If City needs approval from its governing body to provide the Contractor a written statement identifying the disputed portion and the undisputed portion of the claim, and the governing body does not meet within the 45 days or within the mutually agreed to extension of time following receipt of a claim sent by registered mail or certified mail, return receipt requested, City shall have up to three days following the next duly publicly noticed meeting of the governing body after the 45-day period, or extension, expires to provide the Contractor a written statement identifying the disputed portion and the undisputed portion.
- 3.10.4.2 Within 30 days of receipt of a claim, City may request in writing additional documentation supporting the claim or relating to defenses or claims City may have against the Contractor. If additional information is thereafter required, it shall be requested and provided pursuant to this subdivision, upon mutual agreement of City and the Contractor.
- 3.10.4.3 City's written response to the claim, as further documented, shall be submitted to the Contractor within 30 days (if the claim is less than \$50,000, within 15 days) after receipt of the further documentation, or within a period of time no greater than that taken by the Contractor in producing the additional information or requested documentation, whichever is greater.
- 3.10.5 Meet and Confer. If the Contractor disputes City's written response, or City fails to respond within the time prescribed, the Contractor may so notify City, in writing, either within 15 days of receipt of City's response or within 15 days of City's failure to respond within the time prescribed, respectively, and demand an informal conference to meet and confer for settlement of the issues in dispute. Upon receipt of a demand, City shall schedule a meet and confer conference within 30 days for settlement of the dispute.

- 3.10.6 Mediation. Within 10 business days following the conclusion of the meet and confer conference, if the claim or any portion of the claim remains in dispute, City shall provide the Contractor a written statement identifying the portion of the claim that remains in dispute and the portion that is undisputed. Any payment due on an undisputed portion of the claim shall be processed and made within 60 days after City issues its written statement. Any disputed portion of the claim, as identified by the Contractor in writing, shall be submitted to nonbinding mediation, with City and the Contractor sharing the associated costs equally. City and Contractor shall mutually agree to a mediator within 10 business days after the disputed portion of the claim has been identified in writing, unless the parties agree to select a mediator at a later time.
- 3.10.6.1 If the Parties cannot agree upon a mediator, each Party shall select a mediator and those mediators shall select a qualified neutral third party to mediate with regard to the disputed portion of the claim. Each Party shall bear the fees and costs charged by its respective mediator in connection with the selection of the neutral mediator.
- 3.10.6.2 For purposes of this section, mediation includes any nonbinding process, including, but not limited to, neutral evaluation or a dispute review board, in which an independent third party or board assists the Parties in dispute resolution through negotiation or by issuance of an evaluation. Any mediation utilized shall conform to the timeframes in this section.
- 3.10.6.3 Unless otherwise agreed to by City and the Contractor in writing, the mediation conducted pursuant to this section shall excuse any further obligation under Section 20104.4 to mediate after litigation has been commenced.
- 3.10.6.4 The mediation shall be held no earlier than the date the Contractor completes the Work or the date that the Contractor last performs Work, whichever is earlier. All unresolved claims shall be considered jointly in a single mediation, unless a new unrelated claim arises after mediation is completed.
- 3.10.7 Procedures After Mediation. If following the mediation, the claim or any portion remains in dispute, the Contractor must file a claim pursuant to Chapter 1 (commencing with Section 900) and Chapter 2 (commencing with Section 910) of Part 3 of Division 3.6 of Title 1 of the Government Code. For purposes of those provisions, the running of the period of time within which a claim must be filed shall be tolled from the time the Contractor submits his or her written claim pursuant to subdivision (a) until the time the claim is denied, including any period of time utilized by the meet and confer conference or mediation.
- 3.10.8 <u>Civil Actions</u>. The following procedures are established for all civil actions filed to resolve claims subject to this Section:
- 3.10.8.1 Within 60 days, but no earlier than 30 days, following the filing or responsive pleadings, the court shall submit the matter to non-binding mediation unless waived by mutual stipulation of both parties or unless mediation was held prior to commencement of the action in accordance with Public Contract Code section 9204 and the terms of these procedures.. The mediation process shall provide for the selection within 15 days by both parties of a disinterested third person as mediator, shall be commenced within 30 days of the submittal, and

shall be concluded within 15 days from the commencement of the mediation unless a time requirement is extended upon a good cause showing to the court.

- 3.10.8.2 If the matter remains in dispute, the case shall be submitted to judicial arbitration pursuant to Chapter 2.5 (commencing with Section 1141.10) of Title 3 of Part 3 of the Code of Civil Procedure, notwithstanding Section 1114.11 of that code. The Civil Discovery Act of 1986 (Article 3 (commencing with Section 2016) of Chapter 3 of Title 3 of Part 4 of the Code of Civil Procedure) shall apply to any proceeding brought under this subdivision consistent with the rules pertaining to judicial arbitration.
- 3.10.8.3 In addition to Chapter 2.5 (commencing with Section 1141.10) of Title 3 of Part 3 of the Code of Civil Procedure, (A) arbitrators shall, when possible, be experienced in construction law, and (B) any party appealing an arbitration award who does not obtain a more favorable judgment shall, in addition to payment of costs and fees under that chapter, also pay the attorney's fees on appeal of the other party.
- 3.10.9 Government Code Claims. In addition to any and all contract requirements pertaining to notices of and requests for compensation or payment for extra work, disputed work, claims and/or changed conditions, Contractor must comply with the claim procedures set forth in Government Code sections 900 et seq. prior to filing any lawsuit against the City. Such Government Code claims and any subsequent lawsuit based upon the Government Code claims shall be limited to those matters that remain unresolved after all procedures pertaining to extra work, disputed work, claims, and/or changed conditions have been followed by Contractor. If no such Government Code claim is submitted, or if any prerequisite contractual requirements are not otherwise satisfied as specified herein, Contractor shall be barred from bringing and maintaining a valid lawsuit against the City. A Government Code claim must be filed no earlier than the date the work is completed or the date the Contractor last performs work on the Project, whichever occurs first. A Government Code claim shall be inclusive of all unresolved claims unless a new unrelated claim arises after the Government Code claim is submitted.
- 3.10.10 <u>Non-Waiver</u>. City's failure to respond to a claim from the Contractor within the time periods described in this Section or to otherwise meet the time requirements of this Section shall result in the claim being deemed rejected in its entirety. City's failure to respond shall not waive City's rights to any subsequent procedures for the resolution of disputed claims.
- 3.11 <u>Loss and Damage</u>. Except as may otherwise be limited by law, Contractor shall be responsible for all loss and damage which may arise out of the nature of the Work agreed to herein, or from the action of the elements, or from any unforeseen difficulties which may arise or be encountered in the prosecution of the Work until the same is fully completed and accepted by City.

3.12 <u>Indemnification</u>.

3.12.1 Scope of Indemnity. To the fullest extent permitted by law, Contractor shall defend, indemnify and hold the City, its officials, employees, agents and authorized volunteers free and harmless from any and all claims, demands, causes of action, suits, actions, proceedings, costs, expenses, liability, judgments, awards, decrees, settlements, loss, damage or injury of any kind, in law or equity, to property or persons, including wrongful death, (collectively, "Claims") in any manner arising out of, pertaining to, or incident to any alleged acts, errors or omissions, or willful

misconduct of Contractor, its officials, officers, employees, subcontractors, consultants or agents in connection with the performance of the Contractor's services, the Project or this Agreement, including without limitation the payment of all consequential damages, expert witness fees and attorneys' fees and other related costs and expenses. Notwithstanding the foregoing, to the extent required by Civil Code section 2782, Contractor's indemnity obligation shall not apply to liability for damages for death or bodily injury to persons, injury to property, or any other loss, damage or expense arising from the sole or active negligence or willful misconduct of the City or the City's agents, servants, or independent contractors who are directly responsible to the City, or for defects in design furnished by those persons.

3.12.2 Additional Indemnity Obligations. Contractor shall defend, with counsel of City's choosing and at Contractor's own cost, expense and risk, any and all Claims covered by this section that may be brought or instituted against City or its officials, employees, agents and authorized volunteers. In addition, Contractor shall pay and satisfy any judgment, award or decree that may be rendered against City or its officials, employees, agents and authorized volunteers as part of any such claim, suit, action or other proceeding. Contractor shall also reimburse City for the cost of any settlement paid by City or its officials, employees, agents and authorized volunteers as part of any such claim, suit, action or other proceeding. Such reimbursement shall include payment for City's attorney's fees and costs, including expert witness fees. Contractor shall reimburse City and its officials, employees, agents and authorized volunteers, for any and all legal expenses and costs incurred by each of them in connection therewith or in enforcing the indemnity herein provided. Contractor's obligation to indemnify shall not be restricted to insurance proceeds, if any, received by the City, its officials, employees, agents and authorized volunteers.

3.13 Insurance.

- 3.13.1 <u>Time for Compliance</u>. Contractor shall not commence Work under this Contract until it has provided evidence satisfactory to the City that it has secured all insurance required under this section. In addition, Contractor shall not allow any subcontractor to commence work on any subcontract until it has provided evidence satisfactory to the City that the subcontractor has secured all insurance required under this section. Failure to provide and maintain all required insurance shall be grounds for the City to terminate this Contract for cause.
- 3.13.2 <u>Minimum Requirements</u>. Contractor shall, at its expense, procure and maintain for the duration of the Contract insurance against claims for injuries to persons or damages to property which may arise from or in connection with the performance of the Work hereunder by Contractor, its agents, representatives, employees or subcontractors. Contractor shall also require all of its subcontractors to procure and maintain the same insurance for the duration of the Contract. Such insurance shall meet at least the following minimum levels of coverage:
- 3.13.2.1 Minimum Scope of Insurance. Coverage shall be at least as broad as the latest version of the following: (1) General Liability: Insurance Services Office Commercial General Liability coverage (occurrence form CG 00 01) OR Insurance Services Office Owners and Contractors Protective Liability Coverage Form (CG 00 09 11 88) (coverage for operations of designated contractor); (2) Automobile Liability: Insurance Services Office Business Auto Coverage form number CA 00 01, code 1 (any auto); and (3) Workers' Compensation and Employer's Liability: Workers' Compensation insurance as required by the State of California and Employer's Liability Insurance. Policies shall not contain exclusions contrary to this Contract.

15

- 3.13.2.2 <u>Minimum Limits of Insurance.</u> Contractor shall maintain limits no less than: (1) *General Liability:* \$5,000,000 per occurrence and \$5,000,000 aggregate for bodily injury, personal injury and property damage; (2) *Automobile Liability:* \$5,000,000 per accident for bodily injury and property damage; and (3) *Workers' Compensation and Employer's Liability:* Workers' compensation limits as required by the Labor Code of the State of California. Employer's Liability limits of \$1,000,000 each accident, policy limit bodily injury or disease, and each employee bodily injury or disease. Defense costs shall be available in addition to the limits. Notwithstanding the minimum limits specified herein, any available coverage shall be provided to the parties required to be named as additional insureds pursuant to this Contract.
- 3.13.3 <u>Insurance Endorsements</u>. The insurance policies shall contain the following provisions, or Contractor shall provide endorsements (amendments) on forms supplied or approved by the City to add the following provisions to the insurance policies:
- 3.13.3.1 <u>General Liability</u>. (1) Such policy shall give the City, its officials, employees, agents and authorized volunteers additional insured status using ISO endorsements CG20 10 10 01 plus CG20 37 10 01, or endorsements providing the exact same coverage, with respect to the Work or operations performed by or on behalf of Contractor, including materials, parts or equipment furnished in connection with such work; (2) all policies shall waive or shall permit Contractor to waive all rights of subrogation which may be obtained by the Contractor or any insurer by virtue of payment of any loss or any coverage provided to any person named as an additional insured pursuant to this Contract, and Contractor agrees to waive all such rights of subrogation; and (3) the insurance coverage shall be primary insurance as respects the City, its officials, employees, agents and authorized volunteers, or if excess, shall stand in an unbroken chain of coverage excess of Contractor's scheduled underlying coverage. Any insurance or self-insurance maintained by the City, its officials, employees, agents and authorized volunteers shall be excess of Contractor's insurance and shall not be called upon to contribute with it.
- 3.13.3.2 <u>Automobile Liability</u>. (1) Such policy shall give the City, its officials, employees, agents and authorized volunteers additional insured status with respect to the ownership, operation, maintenance, use, loading or unloading of any auto owned, leased, hired or borrowed by Contractor or for which Contractor is responsible; (2) all policies shall waive or shall permit Contractor to waive all rights of subrogation which may be obtained by the Contractor or any insurer by virtue of payment of any loss or any coverage provided to any person named as an additional insured pursuant to this Contract, and Contractor agrees to waive all such rights of subrogation; and (3) the insurance coverage shall be primary insurance as respects the City, its officials, employees, agents and authorized volunteers, or if excess, shall stand in an unbroken chain of coverage excess of Contractor's scheduled underlying coverage. Any insurance or self-insurance maintained by the City, its officials, employees, agents and authorized volunteers shall be excess of Contractor's insurance and shall not be called upon to contribute with it in any way.
- 3.13.3.3 <u>Workers' Compensation and Employer's Liability Coverage.</u> The insurer shall agree to waive all rights of subrogation against the City, its officials, employees, agents and authorized volunteers for losses paid under the terms of the insurance policy which arise from work performed by Contractor.
- 3.13.3.4 <u>All Coverages</u>. Each insurance policy required by this Contract shall be endorsed to state that: (1) coverage shall not be suspended, voided, reduced or

canceled except after thirty (30) days prior written notice by certified mail, return receipt requested, has been given to the City; and (2) any failure to comply with reporting or other provisions of the policies, including breaches of warranties, shall not affect coverage provided to the City, its officials, employees, agents and authorized volunteers.

- 3.13.4 <u>Separation of Insureds; No Special Limitations</u>. All insurance required by this Section shall contain standard separation of insureds provisions. In addition, such insurance shall not contain any special limitations on the scope of protection afforded to the City, its officials, employees, agents and authorized volunteers.
- 3.13.5 <u>Deductibles and Self-Insurance Retentions</u>. Any deductibles or self-insured retentions must be declared to and approved by the City. Contractor shall guarantee that, at the option of the City, either: (1) the insurer shall reduce or eliminate such deductibles or self-insured retentions as respects the City, its officials, employees, agents and authorized volunteers; or (2) the Contractor shall procure a bond or other financial guarantee acceptable to the City guaranteeing payment of losses and related investigation costs, claims and administrative and defense expenses.
- 3.13.6 <u>Acceptability of Insurers</u>. Insurance is to be placed with insurers with a current A.M. Best's rating no less than A:VII, licensed to do business in California, and satisfactory to the City. Exception may be made for the State Compensation Insurance Fund when not specifically rated.
- 3.13.7 <u>Verification of Coverage</u>. Contractor shall furnish City with original certificates of insurance and endorsements effecting coverage required by this Contract on forms satisfactory to the City. The certificates and endorsements for each insurance policy shall be signed by a person authorized by that insurer to bind coverage on its behalf, and shall be on forms supplied or approved by the City. All certificates and endorsements must be received and approved by the City before work commences. The City reserves the right to require complete, certified copies of all required insurance policies, at any time.
- 3.13.8 <u>Subcontractors</u>. All subcontractors shall meet the requirements of this Section before commencing Work. Contractor shall furnish separate certificates and endorsements for each subcontractor. Subcontractor policies of General Liability insurance shall name the City, its officials, employees, agents and authorized volunteers as additional insureds using form ISO 20 38 04 13 or endorsements providing the exact same coverage. All coverages for subcontractors shall be subject to all of the requirements stated herein except as otherwise agreed to by the City in writing.
- 3.13.9 <u>Reporting of Claims</u>. Contractor shall report to the City, in addition to Contractor's insurer, any and all insurance claims submitted by Contractor in connection with the Work under this Contract.

3.14 Bond Requirements.

3.14.1 <u>Payment Bond</u>. If required by law or otherwise specifically requested by City in Exhibit "C" attached hereto and incorporated herein by reference, Contractor shall execute and provide to City concurrently with this Contract a Payment Bond in an amount required by the City

and in a form provided or approved by the City. If such bond is required, no payment will be made to Contractor until the bond has been received and approved by the City.

- 3.14.2 <u>Performance Bond</u>. If specifically requested by City in Exhibit "C" attached hereto and incorporated herein by reference, Contractor shall execute and provide to City concurrently with this Contract a Performance Bond in an amount required by the City and in a form provided or approved by the City. If such bond is required, no payment will be made to Contractor until the bond has been received and approved by the City.
- 3.14.3 <u>Bond Provisions</u>. Should, in City's sole opinion, any bond become insufficient or any surety be found to be unsatisfactory, Contractor shall renew or replace the effected bond within (ten) 10 days of receiving notice from City. In the event the surety or Contractor intends to reduce or cancel any required bond, at least thirty (30) days prior written notice shall be given to the City, and Contractor shall post acceptable replacement bonds at least ten (10) days prior to expiration of the original bonds. No further payments shall be deemed due or will be made under this Contract until any replacement bonds required by this Section are accepted by the City. To the extent, if any, that the Total Contract Price is increased in accordance with the Contract, Contractor shall, upon request of the City, cause the amount of the bond to be increased accordingly and shall promptly deliver satisfactory evidence of such increase to the City. If Contractor fails to furnish any required bond, the City may terminate the Contract for cause.
- 3.14.4 <u>Surety Qualifications</u>. Only bonds executed by an admitted surety insurer, as defined in California Code of Civil Procedure Section 995.120, shall be accepted. If a California-admitted surety insurer issuing bonds does not meet these requirements, the insurer will be considered qualified if it is in conformance with Section 995.660 of the California Code of Civil Procedure, and proof of such is provided to the City.
- Warranty. Contractor warrants all Work under the Contract (which for purposes of this Section shall be deemed to include unauthorized work which has not been removed and any non-conforming materials incorporated into the Work) to be of good quality and free from any defective or faulty material and workmanship. Contractor agrees that for a period of one year (or the period of time specified elsewhere in the Contract or in any guarantee or warranty provided by any manufacturer or supplier of equipment or materials incorporated into the Work, whichever is later) after the date of final acceptance, Contractor shall within ten (10) days after being notified in writing by the City of any defect in the Work or non-conformance of the Work to the Contract, commence and prosecute with due diligence all Work necessary to fulfill the terms of the warranty at its sole cost and expense. Contractor shall act sooner as requested by the City in response to an emergency. In addition, Contractor shall, at its sole cost and expense, repair and replace any portions of the Work (or work of other contractors) damaged by its defective Work or which becomes damaged in the course of repairing or replacing defective Work. For any Work so corrected, Contractor's obligation hereunder to correct defective Work shall be reinstated for an additional one year period, commencing with the date of acceptance of such corrected Work. Contractor shall perform such tests as the City may require to verify that any corrective actions, including, without limitation, redesign, repairs, and replacements comply with the requirements of the Contract. All costs associated with such corrective actions and testing, including the removal, replacement, and reinstitution of equipment and materials necessary to gain access, shall be the sole responsibility of Contractor. All warranties and guarantees of subcontractors, suppliers and manufacturers with respect to any portion of the Work, whether express or implied, are deemed to be obtained by

Contractor for the benefit of the City, regardless of whether or not such warranties and guarantees have been transferred or assigned to the City by separate agreement and Contractor agrees to enforce such warranties and guarantees, if necessary, on behalf of the City. In the event that Contractor fails to perform its obligations under this Section, or under any other warranty or guaranty under this Contract, to the reasonable satisfaction of the City, the City shall have the right to correct and replace any defective or non-conforming Work and any work damaged by such work or the replacement or correction thereof at Contractor's sole expense. Contractor shall be obligated to fully reimburse the City for any expenses incurred hereunder upon demand.

3.16 Employee/Labor Certifications.

- 3.16.1 Contractor's Labor Certification. By its signature hereunder, Contractor certifies that he is aware of the provisions of Section 3700 of the California Labor Code which require every employer to be insured against liability for Worker's Compensation or to undertake self-insurance in accordance with the provisions of that Code, and agrees to comply with such provisions before commencing the performance of the Work. A certification form for this purpose, which is attached to this Contract as Exhibit "D" and incorporated herein by reference, shall be executed simultaneously with this Contract.
- 3.16.2 Equal Opportunity Employment. Contractor represents that it is an equal opportunity employer and that it shall not discriminate against any employee or applicant for employment because of race, religion, color, national origin, ancestry, sex, age or other interests protected by the State or Federal Constitutions. Such non-discrimination shall include, but not be limited to, all activities related to initial employment, upgrading, demotion, transfer, recruitment or recruitment advertising, layoff or termination.
- 3.16.3 <u>Verification of Employment Eligibility</u>. By executing this Contract, Contractor verifies that it fully complies with all requirements and restrictions of state and federal law respecting the employment of undocumented aliens, including, but not limited to, the Immigration Reform and Control Act of 1986, as may be amended from time to time, and shall require all subcontractors and sub-subcontractors to comply with the same.

3.17 General Provisions.

- 3.17.1 <u>City's Representative</u>. The City hereby designates the General Manager, or his or her designee, to act as its representative for the performance of this Contract ("City's Representative"). City's Representative shall have the power to act on behalf of the City for all purposes under this Contract. Contractor shall not accept direction or orders from any person other than the City's Representative or his or her designee.
- 3.17.2 Contractor's Representative. Before starting the Work, Contractor shall submit in writing the name, qualifications and experience of its proposed representative who shall be subject to the review and approval of the City ("'Contractor's Representative"). Following approval by the City, Contractor's Representative shall have full authority to represent and act on behalf of Contractor for all purposes under this Contract. Contractor's Representative shall supervise and direct the Work, using his best skill and attention, and shall be responsible for all construction means, methods, techniques, sequences and procedures and for the satisfactory

coordination of all portions of the Work under this Contract. Contractor's Representative shall devote full time to the Project and either he or his designee, who shall be acceptable to the City, shall be present at the Work site at all times that any Work is in progress and at any time that any employee or subcontractor of Contractor is present at the Work site. Arrangements for responsible supervision, acceptable to the City, shall be made for emergency Work which may be required. Should Contractor desire to change its Contractor's Representative, Contractor shall provide the information specified above and obtain the City's written approval.

- 3.17.3 <u>Termination</u>. This Contract may be terminated by City at any time, either with our without cause, by giving Contractor three (3) days advance written notice. In the event of termination by City for any reason other than the fault of Contractor, City shall pay Contractor for all Work performed up to that time as provided herein. In the event of breach of the Contract by Contractor, City may terminate the Contract immediately without notice, may reduce payment to Contractor in the amount necessary to offset City's resulting damages, and may pursue any other available recourse against Contractor. Contractor may not terminate this Contract except for cause. In the event this Contract is terminated in whole or in part as provided, City may procure, upon such terms and in such manner as it may determine appropriate, services similar to those terminated. Further, if this Contract is terminated as provided, City may require Contractor to provide all finished or unfinished documents, data, diagrams, drawings, materials or other matter prepared or built by Contractor in connection with its performance of this Contract.
- 3.17.4 <u>Contract Interpretation</u>. Should any question arise regarding the meaning or import of any of the provisions of this Contract or written or oral instructions from City, the matter shall be referred to City's Representative, whose decision
- 3.17.5 <u>Anti-Trust Claims</u>. This provision shall be operative if this Contract is applicable to California Public Contract Code Section 7103.5. In entering into this Contract to supply goods, services or materials, Contractor hereby offers and agrees to assign to the City all rights, title, and interest in and to all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Section 15) or under the Cartwright Act (Chapter 2, commencing with Section 16700, of Part 2 of Division 7 of the Business and Professions Code) arising from purchases of goods, services, or materials pursuant to the Contract. This assignment shall be made and become effective at the time the City tender final payment to Contractor, without further acknowledgment by the Parties.
- 3.17.6 <u>Notices</u>. All notices hereunder and communications regarding interpretation of the terms of the Contract or changes thereto shall be provided by the mailing thereof by registered or certified mail, return receipt requested, postage prepaid and addressed as follows:

CONTRACTOR:

Dirt Dynsasty, Inc. P. O. Box 67 Farmington, CA 95230

Stephen McPeak, Secretary/Treasurer

CITY:

City of Merced 2525 "O" Street Merced, California 95340 Attn: Mr. Michael R. Beltran II, PE City Engineer

Any notice so given shall be considered received by the other Party three (3) days after deposit in the U.S. Mail as stated above and addressed to the Party at the above address. Actual notice shall be deemed adequate notice on the date actual notice occurred, regardless of the method of service.

- 3.17.7 <u>Time of Essence</u>. Time is of the essence in the performance of this Contract.
- 3.17.8 <u>Assignment Forbidden</u>. Contractor shall not, either voluntarily or by action of law, assign or transfer this Contract or any obligation, right, title or interest assumed by Contractor herein without the prior written consent of City. If Contractor attempts an assignment or transfer of this Contract or any obligation, right, title or interest herein, City may, at its option, terminate and revoke the Contract and shall thereupon be relieved from any and all obligations to Contractor or its assignee or transferee.
- 3.17.9 <u>No Third Party Beneficiaries</u>. There are no intended third party beneficiaries of any right or obligation assumed by the Parties.
- 3.17.10 <u>Laws, Venue, and Attorneys' Fees.</u> This Agreement shall be interpreted in accordance with the laws of the State of California. If any action is brought to interpret or enforce any term of this Agreement, the action shall be brought in a state or federal court situated in the County of Merced, State of California.
- 3.17.11 <u>Counterparts</u>. This Contract may be executed in counterparts, each of which shall constitute an original.
- 3.17.12 <u>Successors</u>. The Parties do for themselves, their heirs, executors, administrators, successors, and assigns agree to the full performance of all of the provisions contained in this Contract.

3.17.13 [Reserved]

- 3.17.14 <u>Solicitation</u>. Contractor maintains and warrants that it has not employed nor retained any company or person, other than a bona fide employee working solely for Contractor, to solicit or secure this Contract. Further, Contractor warrants that it has not paid nor has it agreed to pay any company or person, other than a bona fide employee working solely for Contractor, any fee, commission, percentage, brokerage fee, gift or other consideration contingent upon or resulting from the award or making of this Contract. For breach or violation of this warranty, City shall have the right to terminate this Contract without liability.
- 3.17.15 <u>Conflict of Interest</u>. Contractor maintains and warrants that it has not employed nor retained any company or person, other than a bona fide employee working solely for Contractor, to solicit or secure this Agreement. Further, Contractor warrants that it has not paid nor has it agreed to pay any company or person, other than a bona fide employee working

solely for Contractor, any fee, commission, percentage, brokerage fee, gift or other consideration contingent upon or resulting from the award or making of this Agreement. For breach or violation of this warranty, City shall have the right to rescind this Agreement without liability. For the term of this Contract, no official, officer or employee of City, during the term of his or her service with City, shall have any direct interest in this Contract, or obtain any present or anticipated material benefit arising therefrom. In addition, Contractor agrees to file, or to cause its employees or subcontractors to file, a Statement of Economic Interest with the City's Filing Officer as required under state law in the performance of the Work.

3.17.16 Certification of License.

- 3.17.16.1 Contractor certifies that as of the date of execution of this Contract, Contractor has a current contractor's license of the classification indicated below under Contractor's signature.
- 3.17.16.2 Contractors are required by law to be licensed and regulated by the Contractors' State License Board which has jurisdiction to investigate complaints against contractors if a complaint regarding a patent act or omission is filed within four (4) years of the date of the alleged violation. A complaint regarding a latent act or omission pertaining to structural defects must be filed within ten (10) years of the date of the alleged violation. Any questions concerning a contractor may be referred to the Registrar, Contractors' State License Board, P.O. Box 26000, Sacramento, California 95826.
- 3.17.17 <u>Authority to Enter Contract</u>. Each Party warrants that the individuals who have signed this Contract have the legal power, right and authority to make this Contract and bind each respective Party.
- 3.17.18 <u>Entire Contract; Modification</u>. This Contract contains the entire agreement of the Parties with respect to the subject matter hereof, and supersedes all prior negotiations, understandings or agreements. This Contract may only be modified by a writing signed by both Parties.
- 3.17.19 <u>Non-Waiver</u>. None of the provisions of this Agreement shall be considered waived by either party, unless such waiver is specifically specified in writing.
- 3.17.20 <u>City's Right to Employ Other Contractors</u>. City reserves right to employ other contractors in connection with this Project or other projects.

SIGNATURE PAGE FOR CONSTRUCTION CONTRACT BETWEEN THE CITY OF MERCED AND DIRT DYNASTY, INC.

CITY OF MERCED	Dirt Dynasty, Inc.
By: Stephanie Dietz City Manager	By: Sm3/ Its: Secretary / Teasurer Printed Name: Stephen McPeak
ATTEST:	
By:	(SEAL)
APPROVED AS TO FORM:	<u>Dirty Dynasty, Inc.</u> Contractor Printed Name
By:City Attorney	By: Jason Alurcon, President Contractor licensed in accordance with an act providing for the registration of contractors.

ACCOUNT DATA:	Taxpayer	ID No.: 46-5704806
Project No.: 121045	Vendor N	0.:
Project Account Number(s) / Amount:	Address:	P. O. Box 67 Farmington, CA 95230
	Phone:	209-623-1141
	Fax: Email:	estimating@dirtdynastyinc.com
Ву:		

Finance Officer Verification

REQUIRED FEDERAL AID CONTRACT LANGUAGE

EXHIBIT 12-G: REQUIRED FEDERAL-AID CONTRACT LANGUAGE

(For Local Assistance Construction Projects)

The following language must be incorporated into all Local Assistance Federal-aid construction contracts. The following language, with minor edits, was taken from the Code of Federal Regulations.

MAINTAIN RECORDS AND SUBMIT REPORTS DOCUMENTING YOUR PERFORMANCE UNDER THIS SECTION

1.	DIS	ADVANTAGED BUSINESS ENTERPRISES (DBE)	2
	A.	NONDISCRIMINATION STATEMENT	2
	B.	CONTRACT ASSURANCE	3
	C.	PROMPT PROGRESS PAYMENT	3
	D.	PROMPT PAYMENT OF WITHHELD FUNDS TO SUBCONTRACTORS	3
	E.	TERMINATION AND SUBSTITUTION OF DBE SUBCONTRACTORS	4
	F.	COMMITMENT AND UTILIZATION	5
	G.	DBE RUNNING TALLY OF ATTAINMENTS	6
2.	BID	OPENING	6
3.	BID	RIGGING	6
4.	COI	NTRACT AWARD	6
5.	COI	NTRACTOR LICENSE	6
6.	CHA	ANGED CONDITIONS	6
	A.	DIFFERING SITE CONDITIONS	6
	B.	SUSPENSIONS OF WORK ORDERED BY THE ENGINEER	6
	C.	SIGNIFICANT CHANGES IN THE CHARACTER OF WORK	7
7.	BEC	GINNING OF WORK, TIME OF COMPLETION AND LIQUIDATED DAMAGES	7
8.	BU	Y AMERICA	7
9.	QU	ALITY ASSURANCE	8
10	. PRO	OMPT PAYMENT FROM THE AGENCY TO THE CONTRACTORS	8
11	. FOF	RM FHWA-1273 REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONTRACTS	8
12	. FEN	MALE AND MINORITY GOALS	. 22
13	. TITI	LE VI ASSURANCES	. 23
		E OF UNITED STATES-FLAG VESSELS (CARGO PREFERENCE ACT)	
15	. FEC	DERAL TRAINEE PROGRAM	. 27
16	. PRO	DHIBITIONS OF CERTAIN TELECOMMUNICATIONS AND VIDEO SURVEILLANCE	
	FOI	IIPMENT AND SERVICES	29

1. DISADVANTAGED BUSINESS ENTERPRISES (DBE)

The contractor, subrecipient or subcontractor shall take necessary and reasonable steps to ensure that DBEs have opportunity to participate in the contract (49 CFR 26). To ensure equal participation of DBEs provided in 49 CFR 26.5, the Agency shows a contract goal for DBEs. The prime contractor shall make work available to DBEs and select work parts consistent with available DBE subcontractors and suppliers.

The prime contractor shall meet the DBE goal shown elsewhere in these special provisions or demonstrate that they made adequate good faith efforts to meet this goal.

It is the prime contractor's responsibility to verify that at date of bid opening the DBE firm is certified as a DBE by using the California Unified Certification Program (CUCP) database and possesses the most specific available North American Industry Classification System (NAICS) codes and work code applicable to the type of work the firm will perform on the contract. Additionally, the prime contractor is responsible to document the verification record by printing out the CUCP data for each DBE firm. A list of DBEs certified by the CUCP can be found at: https://dot.ca.gov/programs/civil-rights/dbe-search.

All DBE participation will count toward the California Department of Transportation's federally mandated statewide overall DBE goal.

Credit for materials or supplies the prime contractor purchases from DBEs counts towards the goal in the following manner:

- 100 percent counts if the materials or supplies are obtained from a DBE manufacturer.
- 60 percent counts if the materials or supplies are obtained from a DBE regular dealer.
- Only fees, commissions, and charges for assistance in the procurement and delivery of materials or supplies count if obtained from a DBE that is neither a manufacturer nor regular dealer. 49 CFR 26.55 defines "manufacturer" and "regular dealer."

The prime contractor receives credit towards the goal if they employ a DBE trucking company that performs a commercially useful function as defined in 49 CFR 26.55(d)(1) as follows:

- The DBE must be responsible for the management and supervision of the entire trucking operation for which it is responsible on a particular contract, and there cannot be a contrived arrangement for the purpose of meeting DBE goals.
- The DBE must itself own and operate at least one fully licensed, insured, and operational truck used on the contract.
- The DBE receives credit for the total value of the transportation services it provides on the Contract using trucks it owns, insures, and operates using drivers it employs.
- The DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE.
 The DBE who leases trucks from another DBE receives credit for the total value of the transportation services the lessee DBE provides on the Contract.
- The DBE may lease trucks without drivers from a non-DBE truck leasing company. If the DBE leases trucks
 from a non-DBE truck leasing company and uses its own employees as drivers, it is entitled to credit for the
 total value of these hauling services.
- A lease must indicate that the DBE has exclusive use of and control over the truck. This does not preclude
 the leased truck from working for others during the term of the lease with the consent of the DBE, so long as
 the lease gives the DBE absolute priority for use of the leased truck. Leased trucks must display the name
 and identification number of the DBE.

A. Nondiscrimination Statement

The contractor, subrecipient or subcontractor will never exclude any person from participation in, deny person the benefits of, or otherwise discriminate against anyone in connection with the award and performance of any contract covered by 49 CFR 26 on the basis of race, color, sex, or national origin. In administering the Local Agency components of the DBE Program Plan, the contractor, subrecipient or subcontractor will not, directly, or through contractual or other arrangements, use criteria or methods of administration that have the effect of defeating or substantially impairing accomplishment of the objectives of the DBE Program Plan with respect to individuals of a particular race, color, sex, or national origin.

B. Contract Assurance

Under 49 CFR 26.13(b):

The contractor, subrecipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR 26 in the award and administration of federal-aid contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to:

- (1) Withholding monthly progress payments;
- (2) Assessing sanctions;
- (3) Liquidated damages; and/or
- (4) Disqualifying the contractor from future bidding as non-responsible.

C. Prompt Progress Payment

The prime contractor or subcontractor shall pay to any subcontractor, not later than <u>seven days</u> after receipt of each progress payment, unless otherwise agreed to in writing, the respective amounts allowed the contractor on account of the work performed by the subcontractors, to the extent of each subcontractor's interest therein. In the event that there is a good faith dispute over all or any portion of the amount due on a progress payment from the prime contractor or subcontractor to a subcontractor, the prime contractor or subcontractor may withhold no more than 150 percent of the disputed amount. Any violation of this requirement shall constitute a cause for disciplinary action and shall subject the licensee to a penalty, payable to the subcontractor, of 2 percent of the amount due per month for every month that payment is not made.

In any action for the collection of funds wrongfully withheld, the prevailing party shall be entitled to his or her attorney's fees and costs. The sanctions authorized under this requirement shall be separate from, and in addition to, all other remedies, either civil, administrative, or criminal. This clause applies to both DBE and non-DBE subcontractors.

D. Prompt Payment of Withheld Funds to Subcontractors

The Agency may hold retainage from the prime contractor and shall make prompt and regular incremental acceptances of portions, as determined by the Agency, of the contract work, and pay retainage to the prime contractor based on these acceptances. The Agency shall designate one of the methods below in the contract to ensure prompt and full payment of any retainage kept by the prime contractor or subcontractor to a subcontractor. The Agency shall include either Method 1, Method 2, or Method 3 below and delete the other two.

Method 1: No retainage will be held by the Agency from progress payments due to the prime contractor. Prime contractors and subcontractors are prohibited from holding retainage from subcontractors. Any delay or postponement of payment may take place only for good cause and with the Agency's prior written approval. Any violation of these provisions shall subject the violating contractor or subcontractor to the penalties, sanctions, and other remedies specified in Section 7108.5 of the California Business and Professions Code and Section 10262 of the California Public Contract Code. This requirement shall not be construed to limit or impair any contractual, administrative or judicial remedies, otherwise available to the contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the contractor, deficient subcontractor performance and/or noncompliance by a subcontractor. This clause applies to both DBE and non-DBE subcontractors.

Method 2: No retainage will be held by the Agency from progress payments due to the prime contractor. Any retainage kept by the prime contractor or by a subcontractor must be paid in full to the earning subcontractor within seven (7) days after the subcontractor's work is satisfactorily completed. Any delay or postponement of payment may take place only for good cause and with the Agency's prior written approval. Any violation of these provisions shall subject the violating contractor or subcontractor to the penalties, sanctions, and remedies specified in Section 7108.5 of the California Business and Professions Code and Section 10262 of the California Public Contract Code. This requirement shall not be construed to limit or impair any contractual, administrative or judicial remedies, otherwise available to the contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the contractor, deficient subcontractor performance and/or noncompliance by a subcontractor. This clause applies to both DBE and non-DBE subcontractors.

Method 3: The Agency shall hold retainage from the prime contractor and shall make prompt and regular incremental acceptances of portions, as determined by the Agency of the contract work and pay retainage to the

prime contractor based on these acceptances. The prime contractor or subcontractor shall return all monies withheld in retention from all subcontractors within seven (7) days after receiving payment for work satisfactorily completed and accepted including incremental acceptances of portions of the contract work by the Agency. Any delay or postponement of payment may take place only for good cause and with the Agency's prior written approval. Any violation of these provisions shall subject the violating prime contractor or subcontractor to the penalties, sanctions, and other remedies specified in Section 7108.5 of the California Business and Professions Code and Section 10262 of the California Public Contract Code. This requirement shall not be construed to limit or impair any contractual, administrative or judicial remedies otherwise available to the contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the contractor; deficient subcontractor performance and/or noncompliance by a subcontractor. This clause applies to both DBE and non-DBE subcontractors.

Any violation of these provisions of Prompt Progress Payment and Prompt Payment of Withheld Funds to Subcontractors shall subject the violating prime contractor or subcontractor to the penalties, sanctions and other remedies specified therein. These requirements shall not be construed to limit or impair any contractual, administrative, or judicial remedies otherwise available to the prime contractor or subcontractor in the event of a dispute involving late payment or nonpayment by the prime contractor, deficient subcontract performance, or noncompliance by a subcontractor.

E. Termination and Substitution of DBE Subcontractors

The prime contractor shall utilize the specific DBEs listed to perform the work and supply the materials for which each is listed unless the contractor obtains the Agency's written consent. The prime contractor shall not terminate or substitute a listed DBE for convenience and perform the work with their own forces or obtain materials from other sources without prior written authorization from the Agency. Unless the Agency's prior written consent is provided, the contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the listed DBE on the Exhibit 15-G Construction Contract DBE Commitment form, included in the Bid.

The Agency authorizes a request to use other forces or sources of materials if the bidder shows any of the following justifications:

- 1. Listed DBE fails or refuses to execute a written contract based on plans and specifications for the project.
- 2. The Local Agency stipulated that a bond is a condition of executing the subcontract and the listed DBE fails to meet the Local Agency's bond requirements.
- 3. Work requires a contractor's license and listed DBE does not have a valid license under Contractors License Law.
- 4. Listed DBE fails or refuses to perform the work or furnish the listed materials (failing or refusing to perform is not an allowable reason to remove a DBE if the failure or refusal is a result of bad faith or discrimination).
- 5. Listed DBE's work is unsatisfactory and not in compliance with the contract.
- 6. Listed DBE is ineligible to work on the project because of suspension or debarment.
- 7. Listed DBE becomes bankrupt or insolvent.
- 8. Listed DBE voluntarily withdraws with written notice from the Contract
- 9. Listed DBE is ineligible to receive credit for the type of work required.
- 10. Listed DBE owner dies or becomes disabled resulting in the inability to perform the work on the Contract.
- 11. The Agency determines other documented good cause.

The prime contractor shall notify the original DBE of the intent to use other forces or material sources and provide the reasons, allowing the DBE 5 days to respond to the notice and advise the prime contractor and the Agency of the reasons why the use of other forces or sources of materials should not occur.

The prime contractor's request to use other forces or material sources must include:

1. One or more of the reasons listed in the preceding paragraph.

- 2. Notices from the prime contractor to the DBE regarding the request.
- 3. Notices from the DBEs to the prime contractor regarding the request.

If the Agency authorizes the termination or substitution of a listed DBE, the prime contractor must make good faith efforts to find another DBE to substitute for the original DBE. The substitute DBE must (1) perform at least the same amount of work as the original DBE under the contract to the extent needed to meet or exceed the DBE goal, and (2) be certified as a DBE with the most specific available NAICS codes and work codes applicable to the type of work the DBE will perform on the contract at the time of the prime contractor's request for substitution. The prime contractor shall submit their documentation of good faith efforts within 7 days of their request for authorization of the substitution. The Agency may authorize a 7- day extension of this submittal period at the prime contractor's request. More guidance can be found at 49 CFR 26 app A regarding evaluation of good faith efforts to meet the DBE goal.

F. Commitment and Utilization

Note: In the Agency's reports of DBE participation to Caltrans, the Agency must display both commitments and attainments.

The Agency's DBE program must include a monitoring and enforcement mechanism to ensure that DBE commitments reconcile to DBE utilization.

The bidder shall submit the Exhibit 15-G Construction Contract DBE Commitment, included in the Bid book. This exhibit is the bidder's DBE commitment form. If the form is not submitted with the bid, the bidder must remove the form from the Bid book before submitting their bid.

The bidder shall complete and sign Exhibit 15-G Construction Contract DBE Commitment included in the contract documents regardless of whether DBE participation is reported. The bidder shall provide written confirmation from each DBE that the DBE is participating in the Contract. A copy of a DBE's quote serves as written confirmation. If a DBE is participating as a joint venture partner, the bidder shall submit a copy of the joint venture agreement.

If the DBE Commitment form, Exhibit 15-G, is not submitted with the bid, it must be completed and submitted by all bidders to the Agency within five (5) days of bid opening. If the bidder does not submit the DBE Commitment from within the specified time, the Agency will find the bidder's bid nonresponsive.

The prime contractor shall use each DBE subcontractor as listed on Exhibit 12-B Bidder's List of Subcontractors (DBE and Non-DBE), and Exhibit 15-G Construction Contract DBE Commitment form unless they receive authorization for a substitution.

The Agency shall request the prime contractor to:

- 1. Notify the Resident Engineer or Inspector of any changes to its anticipated DBE participation
- 2. Provide this notification before starting the affected work
- 3. Maintain records including:
 - Name and business address of each 1st-tier subcontractor
 - Name and business address of each DBE subcontractor, DBE vendor, and DBE trucking company, regardless of tier
 - Date of payment and total amount paid to each business (see Exhibit 9-F Monthly Disadvantaged Business Enterprise Payment)

If the prime contractor is a DBE contractor, they shall include the date of work performed by their own forces and the corresponding value of the work.

Before the 15th of each month, the prime contractor shall submit a Monthly DBE Trucking Verification (LAPM Exhibit 16-Z1) form.

If a DBE is decertified before completing its work, the DBE must notify the prime contractor in writing of the decertification date. If a business becomes a certified DBE before completing its work, the business must notify the prime contractor in writing of the certification date. The prime contractor shall submit the notifications. Upon work completion, the prime contractor shall complete a Disadvantaged Business Enterprises (DBE) Certification Status Change, Exhibit 17-O, form and submit the form within 30 days of contract acceptance.

Upon work completion, the prime contractor shall complete Exhibit 17-F Final Report – Utilization of Disadvantaged Business Enterprises (DBE), First-Tier Subcontractors and submit it within 90 days of contract acceptance. The Agency will withhold \$10,000 until the form is submitted. The Agency releases the withhold upon submission of the completed form.

G. DBE RUNNING TALLY OF ATTAINMENTS

After submitting an invoice for reimbursement that includes a payment to a DBE, but no later than the 10th of the following month, the prime contractor/consultant shall complete and email the Exhibit 9- F: Disadvantaged Business Enterprise Running Tally of Payments to business.support.unit@dot.ca.gov with a copy to the Agency.

- BID OPENING The Agency publicly opens and reads bids at the time and place shown on the Notice to Contractors.
- **3. BID RIGGING** The U.S. Department of Transportation (DOT) provides a toll-free hotline to report bid rigging activities. Use the hotline to report bid rigging, bidder collusion, and other fraudulent activities. The hotline number is (800) 424-9071. The service is available 24 hours 7 days a week and is confidential and anonymous. The hotline is part of the DOT's effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General.
- **4. CONTRACT AWARD** If the Agency awards the contract, the award is made to the lowest responsible and responsive bidder.

5. CONTRACTOR LICENSE

The Contractor must be properly licensed as a contractor from contract award through Contract acceptance (Public Contract Code § 10164).

6. CHANGED CONDITIONS

A. Differing Site Conditions

- 1. During the progress of the work, if subsurface or latent physical conditions are encountered at the site differing materially from those indicated in the contract or if unknown physical conditions of an unusual nature, differing materially from those ordinarily encountered and generally recognized as inherent in the work provided for in the contract, are encountered at the site, the party discovering such conditions shall promptly notify the other party in writing of the specific differing conditions before the site is disturbed and before the affected work is performed.
- 2. Upon written notification, the engineer will investigate the conditions, and if it is determined that the conditions materially differ and cause an increase or decrease in the cost or time required for the performance of any work under the contract, an adjustment, excluding anticipated profits, will be made and the contract modified in writing accordingly. The engineer will notify the contractor of the determination whether or not an adjustment of the contract is warranted.
- 3. No contract adjustment which results in a benefit to the contractor will be allowed unless the contractor has provided the required written notice.
- 4. No contract adjustment will be allowed under this clause for any effects caused on unchanged work. (This provision may be omitted by the Local Agency, at their option.)

B. Suspensions of Work Ordered by the Engineer

- 1. If the performance of all or any portion of the work is suspended or delayed by the engineer in writing for an unreasonable period of time (not originally anticipated, customary, or inherent to the construction industry) and the contractor believes that additional compensation and/or contract time is due as a result of such suspension or delay, the contractor shall submit to the engineer in writing a request for adjustment within 7 calendar days of receipt of the notice to resume work. The request shall set forth the reasons and support for such adjustment.
- 2. Upon receipt, the engineer will evaluate the contractor's request. If the engineer agrees that the cost and/or time required for the performance of the contract has increased as a result of such suspension

and the suspension was caused by conditions beyond the control of and not the fault of the contractor, its suppliers, or subcontractors at any approved tier, and not caused by weather, the engineer will make an adjustment (excluding profit) and modify the contract in writing accordingly. The contractor will be notified of the engineer's determination whether or not an adjustment of the contract is warranted.

- 3. No contract adjustment will be allowed unless the contractor has submitted the request for adjustment within the time prescribed.
- 4. No contract adjustment will be allowed under this clause to the extent that performance would have been suspended or delayed by any other cause, or for which an adjustment is provided or excluded under any other term or condition of this contract.

C. Significant Changes in the Character of Work

- 1. The engineer reserves the right to make, in writing, at any time during the work, such changes in quantities and such alterations in the work as are necessary to satisfactorily complete the project. Such changes in quantities and alterations shall not invalidate the contract nor release the surety, and the contractor agrees to perform the work as altered.
- 2. If the alterations or changes in quantities significantly change the character of the work under the contract, whether such alterations or changes are in themselves significant changes to the character of the work or by affecting other work cause such other work to become significantly different in character, an adjustment, excluding anticipated profit, will be made to the contract. The basis for the adjustment shall be agreed upon prior to the performance of the work. If a basis cannot be agreed upon, then an adjustment will be made either for or against the contractor in such amount as the engineer may determine to be fair and equitable.
- 3. If the alterations or changes in quantities do not significantly change the character of the work to be performed under the contract, the altered work will be paid for as provided elsewhere in the contract.
- 4. The term "significant change" shall be construed to apply only to the following circumstances:
 - When the character of the work as altered differs materially in kind or nature from that involved or included in the original proposed construction; or
 - When a major item of work, as defined elsewhere in the contract, is increased in excess of 125 percent or decreased below 75 percent of the original contract quantity. Any allowance for an increase in quantity shall apply only to that portion in excess of 125 percent of original contract item quantity, or in case of a decrease below 75 percent, to the actual amount of work performed.

7. BEGINNING OF WORK, TIME OF COMPLETION AND LIQUIDATED DAMAGES

The Contractor shall begin work within 15 calendar days after the issuance of the Notice to Proceed.

This work shall be diligently prosecuted to completion before the expiration of **80 WORKING DAYS** beginning on the fifteenth calendar day after the date shown on the Notice to Proceed.

The Contractor shall pay to the City of Merced the sum of \$ 3,500 per day, for each and every calendar days' delay in finishing the work in excess of the number of working days prescribed above.

8. BUY AMERICA

Furnish steel and iron materials to be incorporated into the work with certificates of compliance and certified mill test reports. Mill test reports must indicate where the steel and iron were melted and manufactured. Steel and iron materials must be produced in the U.S. except:

- 1. Foreign pig iron and processed, pelletized, and reduced iron ore may be used in the domestic production of the steel and iron materials [60 Fed Reg 15478 (03/24/1995)];
- 2. If the total combined cost of the materials does not exceed the greater of 0.1 percent of the total bid or \$2,500, materials produced outside the U.S. may be used.

Production includes:

1. Processing steel and iron materials, including smelting or other processes that alter the physical form or shape (such as rolling, extruding, machining, bending, grinding, and drilling) or chemical composition;

2. Coating application, including epoxy coating, galvanizing, and painting, that protects or enhances the value of steel and iron materials.

9. QUALITY ASSURANCE

The Local Agency uses a Quality Assurance Program (QAP) to ensure a material is produced to comply with the Contract. The Local Agency may examine the records and reports of tests the prime contractor performs if they are available at the job site. Schedule work to allow time for QAP.

10. PROMPT PAYMENT FROM THE AGENCY TO THE CONTRACTORS

The Agency shall make any progress payment within 30 days after receipt of an undisputed and properly submitted payment request from a contractor on a construction contract. If the Agency fails to pay promptly, the Agency shall pay interest to the contractor, which accrues at the rate of 10 percent per annum on the principal amount of a money judgment remaining unsatisfied. Upon receipt of a payment request, the Agency shall act in accordance with both of the following:

- 1. Each payment request shall be reviewed by the Agency as soon as practicable after receipt for the purpose of determining that it is a proper payment request.
- 2. Any payment request determined not to be a proper payment request suitable for payment shall be returned to the contractor as soon as practicable, but not later than seven (7) days, after receipt. A request returned pursuant to this paragraph shall be accompanied by a document setting forth in writing the reasons why the payment request is not proper.

11. FORM FHWA-1273 REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONTRACTS

(Excluding ATTACHMENT A - EMPLOYMENT AND MATERIALS PREFERENCE FOR APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS ROAD CONTRACTS)

[The following 12 pages must be physically inserted into the contract without modification.]

FHWA-1273 -- Revised May 1, 2012

REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- General
- II. Nondiscrimination
- No segregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- Implementation of Clean Air Act and Federal Water Pollution Control Act
- X. Compliance with Government wide Suspension and Debarment Requirements
- XI. Certification Regarding Use of Contract Funds for Lobbying

ATTACHMENTS

 A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

 Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

- Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.
- 3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.
- 4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

- 1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:
- a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.
- The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

FHWA-1273 -- Revised May 1, 2012

- 2. EEO Officer: The contractor will designate and make known to the contracting officers and EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting and active EEO program and who must be assigned adequate authority and responsibility to do so.
- 3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
- a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.
- b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.
- c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.
- d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
- e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.
- 4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.
- a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.
- b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

- c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.
- 5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:
- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
- The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

- a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.
- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

- 7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:
 - a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.
 - b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.
 - c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.
 - d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.
- Reasonable Accommodation for Applicants / Employees
 with Disabilities: The contractor must be familiar with the
 requirements for and comply with the Americans with Disabilities
 Act and all rules and regulations established there under.
 Employers must provide reasonable accommodation in all
 employment activities unless to do so would cause an undue
 hardship.
- 9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.
- The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.
- The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurance Required by 49 CFR 26.13(b):

- a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.
- b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.
- 11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA
- a. The records kept by the contractor shall document the following:
- The number and work hours of minority and non-minority group members and women employed in each work classification on the project;
- (2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and
- (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women.
- b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed. without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b. (1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:

- The work to be performed by the classification requested is not performed by a classification in the wage determination; and
- (ii) The classification is utilized in the area by the construction industry; and
- (iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
- (2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
- (3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
- (4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

2. Withholding

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

3. Payrolls and basic records

- Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.
- b. (1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH–347 is available for this purpose from the Wage and Hour Division Web site at

http://www.dol.gov/esa/whd/forms/wh347instr.htm or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and

current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency.

- (2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
- (i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
- (ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;
- (iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.
- (3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.
- (4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
- c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and trainees

a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

- c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.
- d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

- Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.
- 6. Subcontracts. The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

- Compliance with Davis-Bacon and Related Act requirements.
 All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- 9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility.

- a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

- 1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
- 2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth inparagraph(1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.

- 3. Withholding for unpaid wages and liquidated damages. The FHWA or the contacting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.
- 4. Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

- 1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).
- a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:
- the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees:
- (2) the prime contractor remains responsible for the quality of the work of the leased employees;
- (3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and
- (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.
- b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.

- The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.
- 4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.
- The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

- 1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.
- 2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).
- Pursuant to 29 CFR 1926.3, it is a condition of this contract that
 the Secretary of Labor or authorized representative thereof, shall
 have right of entry to any site of contract performance to inspector
 investigate the matter of compliance with the construction safety
 and health standards and to carry out the duties of the Secretary
 under Section 107 of the Contract Work Hours and Safety
 Standards Act (40 U.S.C.3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation: or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.
- That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

1. Instructions for Certification - First Tier Participants:

- By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.
- c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.
- d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- e. The terms "covered transaction," "debarred," "suspended,"
 "ineligible," "participant," "person," "principal," and "voluntarily
 excluded," as used in this clause, are defined in 2 CFR Parts 180
 and 1200. "First Tier Covered Transactions" refers to any covered
 transaction between a grantee or subgrantee of Federal funds and
 a participant (such as the prime or general contract). "Lower Tier
 Covered Transactions" refers to any covered transaction under a
 First Tier Covered Transaction (such as subcontracts). "First Tier
 Participant" refers to the participant who has entered into a
 covered transaction with a grantee or subgrantee of Federal funds
 (such as the prime or general contractor). "Lower Tier Participant"
 refers any participant who has entered into a covered transaction
 with a First Tier Participant or other Lower Tier Participants (such
 as subcontractors and suppliers).
- f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
- g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered

- transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epis.gov/), which is compiled by the General Services Administration.
- i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

- a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:
- Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency:
- (2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and
- (4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

2. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

- By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.
- b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
- c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.
- d. The terms "covered transaction," "debarred," "suspended,"
 "ineligible," "participant," "person," "principal," and "voluntarily
 excluded," as used in this clause, are defined in 2 CFR Parts 180
 and 1200. You may contact the person to which this proposal is
 submitted for assistance in obtaining a copy of those regulations.
 "First Tier Covered Transactions" refers to any covered
 transaction between a grantee or subgrantee of Federal funds
 and a participant (such as the prime or general contract). "Lower
 Tier Covered Transactions" refers to any covered transaction
 under a First Tier Covered Transaction (such as subcontracts).
 "First Tier Participant" refers to the participant who has entered
 into a covered transaction with a grantee or subgrantee of
 Federal funds (such as the prime or general contractor). "Lower
 Tier Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website

(https://www.epis.gov/), which is compiled by the General Services Administration.

- h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and normally possessed by a prudent person in the ordinary course of business dealings.
- i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

- The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.
- Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

- The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:
- a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

- 2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed information of participant is not required to exceed that which is \$100,000 and that all such recipients shall certify and disclose accordingly.

12. FEMALE AND MINORITY GOALS

To comply with Section II, "Nondiscrimination," of "Required Contract Provisions Federal-Aid Construction Contracts," the following are for female and minority utilization goals for Federal-aid construction contracts and subcontracts that exceed \$10,000:

The nationwide goal for female utilization is 6.9 percent.

The goals for minority utilization [45 Fed Reg 65984 (10/3/1980)] are as follows:

MINORITY UTILIZATION GOALS

		Goal (Percent)
	Economic Area	
174	Redding CA: Non-SMSA (Standard Metropolitan Statistical Area) Counties: CA Lassen; CA Modoc; CA Plumas; CA Shasta; CA Siskiyou; CA Tehama	6.8
175	Eureka, CA Non-SMSA Counties: CA Del Norte; CA Humboldt; CA Trinity	6.6
	San Francisco-Oakland-San Jose, CA: SMSA Counties: 7120 Salinas-Seaside-Monterey, CA CA Monterey 7360 San Francisco-Oakland	28.9 25.6
176	CA Alameda; CA Contra Costa; CA Marin; CA San Francisco; CA San Mateo 7400 San Jose, CA CA Santa Clara, CA 7485 Santa Cruz, CA CA Santa Cruz	19.6 14.9
	7500 Santa Rosa CA Sonoma	9.1
	8720 Vallejo-Fairfield-Napa, CA CA Napa; CA Solano	17.1
	Non-SMSA Counties: CA Lake; CA Mendocino; CA San Benito	23.2
177	Sacramento, CA: SMSA Counties: 6920 Sacramento, CA CA Placer; CA Sacramento; CA Yolo Non-SMSA Counties CA Butte; CA Colusa; CA El Dorado; CA Glenn; CA Nevada; CA Sierra; CA Sutter; CA Yuba	16.1 14.3
	Stockton-Modesto, CA: SMSA Counties: 5170 Modesto, CA	12.3
178	CA Stanislaus 8120 Stockton, CA CA San Joaquin	24.3
	Non-SMSA Counties CA Alpine; CA Amador; CA Calaveras; CA Mariposa; CA Merced; CA Tuolumne	19.8
470	Fresno-Bakersfield, CA SMSA Counties:	
179	0680 Bakersfield, CA CA Kern	19.1
	2840 Fresno, CA	26.1

	CA Fresno Non-SMSA Counties: CA Kings; CA Madera; CA Tulare	23.6
180	CA Los Angeles	11.9 28.3 21.5 19.0 19.7 24.6
181	San Diego, CA: SMSA Counties 7320 San Diego, CA CA San Diego Non-SMSA Counties CA Imperial	16.9 18.2

For the last full week of July during which work is performed under the contract, the prime contractor and each non material-supplier subcontractor with a subcontract of \$10,000 or more must complete Form FHWA PR-1391 (Appendix C to 23 CFR 230). Submit the forms by August 15.

13. TITLE VI ASSURANCES

The U.S. Department of Transportation Order No.1050.2A requires all federal-aid Department of Transportation contracts between an agency and a contractor to contain Appendix A and E. Appendix B only requires inclusion if the contract impacts deeds effecting or recording the transfer of real property, structures, or improvements thereon, or granting interest therein. Appendices C and D only require inclusion if the contract impacts deeds, licenses, leases, permits, or similar instruments entered into by the recipient.

APPENDIX A

During the performance of this Agreement, the contractor, for itself, its assignees and successors in interest (hereinafter collectively referred to as CONTRACTOR) agrees as follows:

- a. <u>Compliance with Regulations</u>: CONTRACTOR shall comply with the regulations relative to nondiscrimination in federally assisted programs of the Department of Transportation, Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time, (hereinafter referred to as the REGULATIONS), which are herein incorporated by reference and made a part of this agreement.
- b. Nondiscrimination: CONTRACTOR, with regard to the work performed by it during the AGREEMENT, shall not discriminate on the grounds of race, color, sex, national origin, religion, age, or disability in the selection and retention of sub-applicants, including procurements of materials and leases of equipment. CONTRACTOR shall not participate either directly or indirectly in the discrimination prohibited by Section 21.5 of the Regulations, including employment practices when the agreement covers a program set forth in Appendix B of the Regulations.
- c. <u>Solicitations for Sub-agreements, Including Procurements of Materials and Equipment</u>: In all solicitations either by competitive bidding or negotiation made by CONTRACTOR for work to be performed under a Sub- agreement, including procurements of materials or leases of equipment, each potential sub-applicant or supplier shall be notified by CONTRACTOR of the CONTRACTOR'S

- obligations under this Agreement and the Regulations relative to nondiscrimination on the grounds of race, color, or national origin.
- d. <u>Information and Reports</u>: CONTRACTOR shall provide all information and reports required by the Regulations, or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the recipient or FHWA to be pertinent to ascertain compliance with such Regulations or directives. Where any information required of CONTRACTOR is in the exclusive possession of another who fails or refuses to furnish this information, CONTRACTOR shall so certify to the recipient or FHWA as appropriate, and shall set forth what efforts CONTRACTOR has made to obtain the information.
- e. <u>Sanctions for Noncompliance</u>: In the event of CONTRACTOR's noncompliance with the nondiscrimination provisions of this agreement, the recipient shall impose such agreement sanctions as it or the FHWA may determine to be appropriate, including, but not limited to:
 - i. withholding of payments to CONTRACTOR under the Agreement within a reasonable period of time, not to exceed 90 days; and/or
 - ii. cancellation, termination or suspension of the Agreement, in whole or in part.
- f. <u>Incorporation of Provisions</u>: CONTRACTOR shall include the provisions of paragraphs (1) through (6) in every sub-agreement, including procurements of materials and leases of equipment, unless exempt by the Regulations, or directives issued pursuant thereto.

CONTRACTOR shall take such action with respect to any sub-agreement or procurement as the recipient or FHWA may direct as a means of enforcing such provisions including sanctions for noncompliance, provided, however, that, in the event CONTRACTOR becomes involved in, or is threatened with, litigation with a sub-applicant or supplier as a result of such direction, CONTRACTOR may request the recipient enter into such litigation to protect the interests of the State, and, in addition, CONTRACTOR may request the United States to enter into such litigation to protect the interests of the United States.

APPENDIX B CLAUSES FOR DEEDS TRANSFERRING UNITED STATES PROPERTY

The following clauses will be included in deeds effecting or recording the transfer of real property, structures, or improvements thereon, or granting interest therein from the United States pursuant to the provisions of Assurance 4:

NOW THEREFORE, the U.S. Department of Transportation as authorized by law and upon the condition that the recipient will accept title to the lands and maintain the project constructed thereon in accordance with Title 23 U.S.C., the regulations for the administration of the preceding statute, and the policies and procedures prescribed by the FHWA of the U.S. Department of Transportation in accordance and in compliance with all requirements imposed by Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation pertaining to and effectuating the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. § 2000d to 2000d-4), does hereby remise, release, quitclaim and convey unto the recipient all the right, title and interest of the U.S. Department of Transportation in and to said lands described in Exhibit A attached hereto and made a part hereof.

(HABENDUM CLAUSE)

TO HAVE AND TO HOLD said lands and interests therein unto the recipient and its successors forever, subject, however, to the covenants, conditions, restrictions and reservations herein contained as follows, which will remain in effect for the period during which the real property or structures are used for a purpose for which Federal financial assistance is extended or for another purpose involving the provision of similar services or benefits and will be binding on the recipient, its successors and assigns. The recipient, in consideration of the conveyance of said lands and interest in lands, does hereby covenant and agree as a covenant running with the land for itself, its successors and assigns, that (1) no person

will on the grounds of race, color, or national origin, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination with regard to any facility located wholly or in part on, over, or under such lands hereby conveyed [,] [and]* (2) that the recipient will use the lands and interests in lands and interest in lands so conveyed, in compliance with all requirements imposed by or pursuant to Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21, Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation, Effectuation of Title VI of the Civil Rights Act of 1964, and as said Regulations and Acts may be amended[, and (3) that in the event of breach of any of the above-mentioned non-discrimination conditions, the Department will have a right to enter or re-enter said lands and facilities on said lands, and that above described land and facilities will thereon revert to and vest in and become the absolute property of the U.S. Department of Transportation and its assigns as such interest existed prior to this instruction].*

(*Reverter clause and related language to be used only when it is determined that such a clause is necessary in order to make clear the purpose of Title VI.)

APPENDIX C

CLAUSES FOR TRANSFER OF REAL PROPERTY ACQUIRED OR IMPROVED UNDER THE ACTIVITY, FACILITY, OR PROGRAM

The following clauses will be included in deeds, licenses, leases, permits, or similar instruments entered into by the recipient pursuant to the provisions of Assurance 7(a):

- A. The (grantee, lessee, permittee, etc. as appropriate) for himself/herself, his/her heirs, personal representatives, successors in interest, and assigns, as a part of the consideration hereof, does hereby covenant and agree [in the case of deeds and leases add "as a covenant running with the land"] that:
 - 1. In the event facilities are constructed, maintained, or otherwise operated on the property described in this (deed, license, lease, permit, etc.) for a purpose for which a U.S. Department of Transportation activity, facility, or program is extended or for another purpose involving the provision of similar services or benefits, the (grantee, licensee, lessee, permittee, etc.) will maintain and operate such facilities and services in compliance with all requirements imposed by the Acts and Regulations (as may be amended) such that no person on the grounds of race, color, or national origin, will be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination in the use of said facilities.
- B. With respect to licenses, leases, permits, etc., in the event of breach of any of the above Nondiscrimination covenants, the recipient will have the right to terminate the (lease, license, permit, etc.) and to enter, re-enter, and repossess said lands and facilities thereon, and hold the same as if the (lease, license, permit, etc.) had never been made or issued. *
- C. With respect to a deed, in the event of breach of any of the above Non-discrimination covenants, the recipient will have the right to enter or re-enter the lands and facilities thereon, and the above described lands and facilities will there upon revert to and vest in and become the absolute property of the recipient and its assigns. *

(*Reverter clause and related language to be used only when it is determined that such a clause is necessary to make clear the purpose of Title VI.)

APPENDIX D

CLAUSES FOR CONSTRUCTION/USE/ACCESS TO REAL PROPERTY ACQUIRED UNDER THE ACTIVITY, FACILITY OR PROGRAM

The following clauses will be included in deeds, licenses, permits, or similar instruments/agreements entered into by the recipient pursuant to the provisions of Assurance 7(b):

- A. The (grantee, licensee, permittee, etc., as appropriate) for himself/herself, his/her heirs, personal representatives, successors in interest, and assigns, as a part of the consideration hereof, does hereby covenant and agree (in the case of deeds and leases add, "as a covenant running with the land") that (1) no person on the ground of race, color, or national origin, will be excluded from participation in, denied the benefits of, or be otherwise subjected to discrimination in the use of said facilities, (2) that in the construction of any improvements on, over, or under such land, and the furnishings of services thereon, no person on the ground of race, color, or national origin, will be excluded from participation in, denied the benefits or, or otherwise be subjected to discrimination, (3) that the (grantee, licensee, lessee, permittee, etc.) will use the premises in compliance with all other requirements imposed by or pursuant to the Acts and Regulations, as amended, set forth in this Assurance.
- B. With respect to (licenses, leases, permits, etc.) in the event of breach of any of the above of the above Nondiscrimination covenants, the recipient will have the right to terminate the (license, permits, etc., as appropriate) and to enter or re-enter and repossess said land and the facilities thereon, and hold the same as if said (license, permit, etc., as appropriate) had never been made or issued.*
- C. With respect to deeds, in the event of breach of any of the above Non-discrimination covenants, the recipient will there upon revert to and vest in and become the absolute property of the recipient and its assigns.

(*Reverter clause and related language to be used only when it is determined that such a clause is necessary to make clear the purpose of Title VI.)

APPENDIX E

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees to comply with the following non-discrimination statutes and authorities, including, but not limited to:

Pertinent Non-Discrimination Authorities:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. §
 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of
 Federal or Federal-aid programs and projects);
- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), prohibits discrimination on the basis of sex;
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability); and 49 CR Part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 U.S.C. § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);

- Titles II and III of the Americans with Disabilities Act, which prohibit discrimination of the basis of disability in the operation of public entities, public and private transportation systems, places of public, and certain testing entities (42 U.S.C. §§ 12131 – 12189) as implemented by Department of Transportation regulations 49 C.F.R. parts 37 and 38;
- The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);
- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and
 resulting agency guidance, national origin discrimination includes discrimination because of limited
 English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to
 ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 7410
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

14. USE OF UNITED STATES-FLAG VESSELS (CARGO PREFERENCE ACT)

The CONTRACTOR agrees-

- 1. To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carries, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.
- 2. To Furnish within 20 days following the date of loading for shipments originating within the United State or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated "on-board" commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.
- To insert the substance of the provisions of this clause in all subcontracts issued pursuant to this contract.

Federal Trainee Program Special Provisions (to be used when applicable)

15. FEDERAL TRAINEE PROGRAM

For the Federal training program, the number of trainees or apprentices is

This section applies if a number of trainees or apprentices is specified in the special provisions.

As part of the prime contractor's equal opportunity affirmative action program, provide on-the-job training to develop full journeymen in the types of trades or job classifications involved.

The prime contractor has primary responsibility for meeting this training requirement.

If the prime contractor subcontracts a contract part, they shall determine how many trainees or apprentices are to be trained by the subcontractor. Include these training requirements in each subcontract.

Where feasible, 25 percent of apprentices or trainees in each occupation must be in their 1st year of apprenticeship or training.

Distribute the number of apprentices or trainees among the work classifications on the basis of the prime contractor's needs and the availability of journeymen in the various classifications within a reasonable recruitment area.

Before starting work, the prime contractor shall submit to the City of Merced:

- 1. Number of apprentices or trainees to be trained for each classification
- 2. Training program to be used
- 3. Training starting date for each classification

The prime contractor shall obtain the City of Merced approval for this submitted information before the prime contractor starts work. The City of Merced credits the prime contractor for each apprentice or trainee the prime contractor employs on the job who is currently enrolled or becomes enrolled in an approved program.

The primary objective of this section is to train and upgrade minorities and women toward journeyman status. The prime contractor shall make every effort to enroll minority and women apprentices or trainees, such as conducting systematic and direct recruitment through public and private sources likely to yield minority and women apprentices or trainees, to the extent they are available within a reasonable recruitment area and show that they have made the efforts. In making these efforts, the prime contractor shall not discriminate against any applicant for training.

The prime contractor shall not employ as an apprentice or trainee an employee:

- 1. In any classification in which the employee has successfully completed a training course leading to journeyman status or in which the employee has been employed as a journeyman
- 2. Who is not registered in a program approved by the US Department of Labor, Bureau of Apprenticeship and Training

The prime contractor shall ask the employee if the employee has successfully completed a training course leading to journeyman status or has been employed as a journeyman. The prime contractor's records must show the employee's answers to the questions.

In the training program, the prime contractor shall establish the minimum length and training type for each classification. The City of Merced and FHWA approves a program if one of the following is met:

- 1. It is calculated to:
 - Meet the equal employment opportunity responsibilities
 - Qualify the average apprentice or trainee for journeyman status in the classification involved by the end of the training period
- 2. It is registered with the U.S. Department of Labor, Bureau of Apprenticeship and Training, and it is administered in a way consistent with the equal employment responsibilities of Federal-aid highway construction contracts

The prime contractor shall obtain the State's approval for their training program before they start work involving the classification covered by the program.

The prime contractor shall provide training in the construction crafts, not in clerk-typist or secretarial-type positions. Training is allowed in lower-level management positions such as office engineers, estimators, and timekeepers if the training is oriented toward construction applications. Training is allowed in the laborer classification if significant and meaningful training is provided and approved by the division office. Off-site training is allowed if the training is an integral part of an approved training program and does not make up a significant part of the overall training.

The City of Merced reimburses the prime contractor 80 cents per hour of training given an employee on this contract under an approved training program:

- 1. For on-site training
- 2. For off-site training if the apprentice or trainee is currently employed on a Federal-aid project and prime contractor does at least one of the following:
 - a. Contribute to the cost of the training
 - b. Provide the instruction to the apprentice or trainee
 - c. Pay the apprentice's or trainee's wages during the off-site training period
- 3. If the prime contractor complies with this section.

Each apprentice or trainee must:

- 1. Begin training on the project as soon as feasible after the start of work involving the apprentice's or trainee's skill
- 2. Remain on the project as long as training opportunities exist in the apprentice's or trainee's work classification or until the apprentice or trainee has completed the training program

The prime contractor shall furnish the apprentice or trainee with a copy of the program that the prime contractor will comply with in providing the training.

16. PROHIBITION OF CERTAIN TELECOMMUNICATIONS AND VIDEO SURVEILLANCE EQUIPMENT AND SERVICES

In response to significant national security concerns, the agency shall check the prohibited vendor list before making any telecommunications and video surveillance purchase because recipients and subrecipients of federal funds are prohibited from obligating or expending loan or grant funds to:

- Procure or obtain;
- Extend or renew a contract to procure or obtain; or
- Enter into a contract (or extend or renew a contract) to procure or obtain equipment, services, or systems that uses covered telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system.

The prohibited vendors (and their subsidiaries or affiliates) are:

- Huawei Technologies Company;
- ZTE Corporation;
- Hytera Communications Corporation;
- Hangzhou Hikvision Digital Technology Company;
- Dahua Technology Company; and
- Subsidiaries or affiliates of the above-mentioned companies.

In implementing the prohibition, the agency administering loan, grant, or subsidy programs shall prioritize available funding and technical support to assist affected businesses, institutions and organizations as is reasonably necessary for those affected entities to transition from covered communications equipment and services, to procure replacement equipment and services, and to ensure that communications service to users and customers is sustained.

EXHIBIT "15-H"- PROPOSER / CONTRACTOR GOOD FAITH EFFORTS

EXHIBIT 15-H: PROPOSER/CONTRACTOR GOOD FAITH EFFORTS

	Cost Proposal Di	ue Date	PE/CE
Federal-aid Project No(s).	Bid Openir	ng Date	CON
The (Agency Name) goal of% for this contract. The to meet or exceed the DBE contract	e information provided hereir	antaged Business Er 1 shows the required	nterprise (DBE) good faith efforts
Proposers or bidders submit the follocalendar days from cost proposal dusubmit the following information even Exhibit 15-G: Construction Contract DBE goal. This form protects the proposers of t	ie date or bid opening. Propo n if the Exhibit 10-O1: Consu DBE Commitment indicate to oposer's or bidder's eligibility at the bidder failed to meet the	osers and bidders are ultant Proposal DBE (hat the proposer or bi for award of the cont he goal for various rea	recommended to Commitments or idder has met the tract if the
The following items are listed in the a Provisions, please attach additiona		of DBE Commitment	t" of the Special
 A. The names and dates of eac project was placed by the bio publication): 			
Publications		Dates of Ad	tvertisement
B. The names and dates of written the dates and methods used whether the DBEs were interconfirmations, etc.):	for following up initial solicita	ations to determine w	ith certainty
Names of DBEs Solicited	Date of Initial Solicitation	Follow Up Methods	and Dates
			Page 1 of 3 May 2020

C.	The items of work made available to DBE firms including those unbundled contract work items
	into economically feasible units to facilitate DBE participation. It is the bidder's responsibility to
	demonstrate that sufficient work to facilitate DBE participation in order to meet or exceed the
	DBE contract goal.

Items of Work	Proposer or Bidder Normally Performs Item (Y/N)	Breakdown of Items	Amount (\$)	Percentage Of Contract
				0.00%
				0.00%
				0.00%
				0.00%

D. The names, addresses and phone numbers of rejected DBE firms, the reasons for the bidder's rejection of the DBEs, the firms selected for that work (please attach copies of quotes from the firms involved), and the price difference for each DBE if the selected firm is not a DBE:

Names, addresses and phone numbers of rejected DBEs and the reasons for the bidder's rejection of the DBEs:
Names, addresses and phone numbers of firms selected for the work above:
E. Efforts (e.g. in advertisements and solicitations) made to assist interested DBEs in obtaining information related to the plans, specifications and requirements for the work which was provided to DBEs:

Page 2 of 3 May 2020

F.	Efforts (e.g. in advertisements and sol bonding, lines of credit or insurance, n assistance or services, excluding supp leases from the prime contractor or its	ecessary equipment, supplies, materi plies and equipment the DBE subconti	als, or related
G.	The names of agencies, organizations recruiting and using DBE firms (please responses received, i.e., lists, Internet	attach copies of requests to agencie	tance in contacting, s and any
	Name of Agency/Organization	Method/Date of Contact	Results
Н.	Any additional data to support a demo	nstration of good faith efforts:	

EXHIBIT "A"-SERVICES / SCHEDULE

The work to be done consists, in general of: cement treatment of subgrade, installing an asphalt parking lot, new roadway, sidewalks, bus stop provisions, parking lot lighting, and installing accessible curb ramps.

All work shall be done within the City of Merced. No part of the work takes place on the National Highway System (NHS).

Such other items or details, not mentioned above, that are required by the plans, standard specifications, or these special provisions shall be performed, placed, constructed or installed.

8 Monumentation EA 1 \$ 1,650.00 \$	BID	SCHEDULE						
Dermits, Bonds, Licenses & Insurance								
2 bublic Convenience and Safety LS 1 \$ 128,800.00 \$ 128,800.00 \$ 128,800.00 \$ 128,800.00 \$ 1,000.00 \$ 1,000.00 \$ 1,000.00 \$ 1,000.00 \$ 1,000.00 \$ 1,000.00 \$ 1,000.00 \$ 7,500.00 \$ 7,500.00 \$ 7,500.00 \$ 7,500.00 \$ 7,500.00 \$ 7,500.00 \$ 1,500.00	_				_		_	
Storwaster Pollution Control I.S 1 S 10,000 S 10,000					_	,	_	· · · · · · · · · · · · · · · · · · ·
4 Street Sweeping LS 1 \$ 7,500.00 \$ 7,500 5 Clearing and Grubbing LS 1 \$ 12,00000 \$ 12,000 6 Surveying Services LS 1 \$ 14,000.00 \$ 12,000 7 Install Project Funding Sign EA 2 \$ 5500.00 \$ 1,100 8 Monumentation EA 1 \$ 1,650.00 \$ 1,650 9 Remove Existing Baricade LF 81 \$ 1,000 \$ 810 10 Remove Asphalt Concrete Pavement SF 769 \$ 9.00 \$ 6,921 11 Remove Existing Traffic Sign EA 7 \$ 9.00 \$ 6,921 12 Remove Existing Traffic Sign EA 7 \$ 9.00 \$ 6,921 13 Remove Existing Barich Sewer Main LF 41 \$ 70.00 \$ 2,240 15 Remove Existing Barich Water Main LF 52 \$ 70.00 \$ 2,240 15 Remove Existing Barich Water Main LF 52 \$ 70.00 \$ 2,240 16 Remove Existing Barich Water Main LF 78 \$ 70.00 \$ 3,640		,			_	•	_	-
Searing and Grubbing					_		_	
6 Surveying Services LS 1 \$ 14,400.00 \$ 14,400.00 \$ 14,400.00 \$ 1,1400.00 \$ 1,1600.00 \$ 1,1600.00 \$ 1,1600.00 \$ 1,1600.00 \$ 1,1600.00 \$ 1,600					_	,	_	
Install Project Funding Sign					_	•	·	
8 Monumentation EA 1 \$ 1,650.00 \$ 1,650.00 9 Remove Existing Baricade LF 81 \$ 10.00 \$ 810 10 Remove Asphalt Concrete Pavement SF 769 \$ 9.00 \$ 6,921 11 Remove Concrete Curb and Gutter LF 336 \$ 24.00 \$ 8,064 12 Remove Existing Tarffic Sign EA 7 \$ 9.00 \$ 6,921 13 Remove Existing Barinch Sown Main LF 41 \$ 7,000 \$ 2,870 14 Remove Existing 18-inch Storm Main LF 32 \$ 70.00 \$ 2,240 15 Remove Existing Barinch Storm Main LF 52 \$ 70.00 \$ 2,240 16 Remove Existing Striping LS 1 \$ 7,850.00 \$ 7,850 17 Earthwork LS 1 \$ 104,000.00 \$ 104,000 18 Install Tarich Storm Drain Pipe LF 708 \$ 90.00 \$ 63,720 19 Install Carlien Storm Drain Pipe LF 67						•		1,100.00
9 Remove Existing Baricade LF 81 \$ 10.00 \$ 810 10 Remove Asphalt Concrete Pavement SF 769 \$ 9.00 \$ 6,921 11 Remove Concrete Curb and Gutter LF 336 \$ 24.00 \$ 8,064 12 Remove Existing Traffic Sign EA 7 \$ 9.00 \$ 63 13 Remove Existing Barich Storm Main LF 41 \$ 70.00 \$ 2,870 15 Remove Existing Barich Storm Main LF 52 \$ 70.00 \$ 2,240 15 Remove Existing Barich Storm Main LF 52 \$ 70.00 \$ 2,240 16 Remove Existing Barich Storm Main LF 52 \$ 70.00 \$ 3,640 16 Remove Existing Striping LS 1 \$ 7,850.00 \$ 7,850 16 Remove Existing Striping LS 1 \$ 104,000.00 \$ 104,000.00 18 Install Concrete Sidewalk and Curb Striping LF 708 \$ 90.00 \$ 63,720 19 Install Call Existing Striping							_	1,650.00
10 Remove Asphalt Concrete Pavement	_				<u> </u>	,	<u> </u>	810.00
11 Remove Concrete Curb and Gutter LF 336 \$ 24.00 \$ 8,064 12 Remove Existing Traffic Sign EA 7 \$ 9.00 \$ 63 31 Remove Existing 8-inch Sewer Main LF 41 \$ 70.00 \$ 2,240 14 Remove Existing 18-inch Storm Main LF 32 \$ 70.00 \$ 2,240 15 Remove Existing 8-inch Water Main LF 52 \$ 70.00 \$ 3,640 16 Remove Existing Striping LS 1 \$ 7,850.00 \$ 7,850 17 Earthwork LS 1 \$ 104,000.00 \$ 104,000 18 Install 3-inch Storm Drain Pipe LF 708 \$ 90.00 \$ 63,720 19 Install 2-inch Storm Drain Pipe LF 67 \$ 132.00 \$ 8,844 21 Install Professor EA 4 \$ 3,700.00 \$ 14,800 21 Install Concrete Stating Manhole EA 6 \$ 5,000.00 \$ 30,000 22 Connect to Existing Manhole EA 2 \$ 3,800.00 \$ 7,600 23 Install Concrete Curb and Gutter	_				_		·	6,921.00
Remove Existing Traffic Sign		•					<u> </u>	8,064.00
13 Remove Existing 8-inch Sewer Main			EA	7	\$		\$	63.00
15 Remove Existing 8-inch Water Main			LF	41	\$	70.00	\$	2,870.00
Remove Existing Striping	14	Remove Existing 18-inch Storm Main	LF	32	\$	70.00	\$	2,240.00
Earthwork	15	Remove Existing 8-inch Water Main	LF	52	\$	70.00	\$	3,640.00
Install 18-inch Storm Drain Pipe	16	Remove Existing Striping	LS	1	\$	7,850.00	\$	7,850.00
Install 24-inch Storm Drain Pipe	17	Earthwork	LS	1	\$	104,000.00	\$	104,000.00
Description	18	Install 18-inch Storm Drain Pipe	LF	708	\$	90.00	\$	63,720.00
1	19	Install 24-inch Storm Drain Pipe	LF	67	\$	132.00	\$	8,844.00
22 Connect to Existing Manhole EA 2 \$ 3,800.00 \$ 7,600	20	Install Type "C" Catch Basin	EA	4	\$	3,700.00	\$	14,800.00
23 Install Concrete Sidewalk and Curb Ramp SF 5,693 \$ 12.75 \$ 72,585 24 Install Concrete Curb and Gutter LF 1,658 \$ 50.00 \$ 82,900 25 Install 3-foot Valley Gutter LF 840 \$ 60.00 \$ 50,400 26 Install Commercial Driveway Approach SF 1,688 \$ 22.00 \$ 37,136 27 Install Traffic Sign EA 35 \$ 400.00 \$ 14,000 28 Install Bollard EA 87 \$ 550.00 \$ 47,850 29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590 30 Install Truncated Domes SF 880 \$ 25.00 \$ 22,000 31 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 5,500.00 \$ 5,500 42 Restoration LS 1 \$ 5,500.00 \$ 5,500 43 Restoration LS 1 \$ 5,500.00 \$ 5,500 44 Restoration LS 1 \$ 5,500.00 \$ 5,500 45 Restoration LS 1 \$ 5,500.00 \$ 5,500 45 Restoration LS 1 \$ 5,500.00 \$ 5,500 46 Restoration LS 1 \$ 5,500.00 \$ 5,500 47 Restoration LS 1 \$ 5,500.00 \$ 5,500 48 Restoration LS 1 \$ 5,500.00 \$ 5,500 48 Restoration LS 1 \$ 5,500.00 \$ 5,500 49 Restoration LS 1 \$ 5,500.00 \$ 5,500 40 Restoration LS 1 \$ 5,500.00 \$ 5,500 40 Restoration LS 1 \$ 5,500.00 \$ 5,500 41 Restoration LS 1 \$ 5,500.00 \$ 5,500 42 Restoration LS 1 \$ 5,500.00 \$ 5,500 43 Restoration LS 1 \$ 5,500.00 \$ 5,500 44 Restoration LS 1 \$ 5,500.00 \$ 5,500 45	21	Install Caltrans Type G1 Drain Inlet	EA	6	\$	5,000.00	\$	30,000.00
24 Install Concrete Curb and Gutter LF 1,658 \$ 50.00 \$ 82,900 25 Install 3-foot Valley Gutter LF 840 \$ 60.00 \$ 50,400 26 Install Commercial Driveway Approach SF 1,688 \$ 22.00 \$ 37,136 27 Install Traffic Sign EA 35 \$ 400.00 \$ 14,000 28 Install Bollard EA 87 \$ 550.00 \$ 47,850 29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590 30 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 31 Install Bike Rack EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install AC Dike LF 1,470 \$ 1.95 \$ 55,808 36 Install AC Dike LF 1,470	22	Connect to Existing Manhole	EA	2	\$	3,800.00	\$	7,600.00
25 Install 3-foot Valley Gutter LF 840 \$ 60.00 \$ 50,400 26 Install Commercial Driveway Approach SF 1,688 \$ 22.00 \$ 37,136 27 Install Traffic Sign EA 35 \$ 400.00 \$ 14,000 28 Install Bollard EA 87 \$ 550.00 \$ 47,850 29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590 30 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 31 Install Bike Rack EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 32 Install Stripinch AC Over FDR-C SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install Bike Row LF 1,470	23	Install Concrete Sidewalk and Curb Ramp	SF		_	12.75	\$	72,585.75
26 Install Commercial Driveway Approach SF 1,688 \$ 22.00 \$ 37,136 27 Install Traffic Sign EA 35 \$ 400.00 \$ 14,000 28 Install Bollard EA 87 \$ 550.00 \$ 47,850 29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590 30 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 31 Install Bike Rack EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,000.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 5			LF	1,658	_	50.00	_	82,900.00
27 Install Traffic Sign EA 35 \$ 400.00 \$ 14,000 28 Install Bollard EA 87 \$ 550.00 \$ 47,850 29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590 30 Install Truncated Domes SF 880 \$ 25.00 \$ 22,000 31 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Electric Service LS 1 \$ 10,265.00 \$ 15,0738	25	Install 3-foot Valley Gutter					_	50,400.00
28 Install Bollard EA 87 \$ 550.00 \$ 47,850. 29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590. 30 Install Truncated Domes SF 880 \$ 25.00 \$ 22,000. 31 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600. 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800. 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137. 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808. 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380. 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445. 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640. 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195. 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454. 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738. 41 Install Electric Service LS 1 \$ 5,					_			37,136.00
29 Install Wheel Stop EA 27 \$ 170.00 \$ 4,590 30 Install Truncated Domes SF 880 \$ 25.00 \$ 22,000 31 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 5,500.00 \$ 5,500					_		_	14,000.00
30 Install Truncated Domes SF 880 \$ 25.00 \$ 22,000 31 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 5,500.00 \$ 5,500 42 Restoration LS 1 \$ 5,500.00 \$ 5,500							_	47,850.00
31 Install Bus Shelter Pad EA 4 \$ 1,400.00 \$ 5,600 32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 5,500.00 \$ 5,500 42 Restoration LS 1 \$ 5,500.00 \$ 5,500							· ·	4,590.00
32 Install Bike Rack EA 8 \$ 1,100.00 \$ 8,800. 33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137. 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808. 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380. 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445. 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640. 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195. 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454. 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738. 41 Install Electric Service LS 1 \$ 5,500.00 \$ 5,500. 42 Restoration LS 1 \$ 5,500.00 \$ 5,500.					_		-	22,000.00
33 FDR-C Process (1.0') SF 200,110 \$ 1.25 \$ 250,137 34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500					_		_	5,600.00
34 Install 2.5-inch AC Over FDR-C SF 159,880 \$ 1.60 \$ 255,808 35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 5,500.00 \$ 5,500 42 Restoration LS 1 \$ 5,500.00 \$ 5,500					т		_	8,800.00
35 Install 3-inch AC Over FDR-C SF 28,400 \$ 1.95 \$ 55,380 36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195. 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500				· · ·	<u> </u>		_	· · · · · · · · · · · · · · · · · · ·
36 Install AC Patchback (5.5-inch AC/20.5-inch AB) SF 655 \$ 19.00 \$ 12,445 37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 1,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500					_		_	
37 Install AC Dike LF 1,470 \$ 12.00 \$ 17,640 38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500					_		<u> </u>	•
38 Install Striping/Markers LS 1 \$ 60,195.00 \$ 60,195. 39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454. 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738. 41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500					_		_	-
39 Install Wood Barricade LF 219 \$ 66.00 \$ 14,454 40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738 41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500								•
40 Install Parking Lot Light and Wiring EA 3 \$ 50,246.00 \$ 150,738. 41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500		5 5 5					_	
41 Install Electric Service LS 1 \$ 11,265.00 \$ 11,265 42 Restoration LS 1 \$ 5,500.00 \$ 5,500							_	
42 Restoration LS 1 \$ 5,500.00 \$ 5,500	_				·		<u> </u>	
						•	_	
	42	nesturation				,	<u> </u>	5,500.00 1,666,296.25

EXHIBIT "B"- PLANS AND SPECIFICATIONS

SCOPE OF WORK

The work to be done consists, in general of: cement treatment of subgrade, installing an asphalt parking lot, new roadway, sidewalks, bus stop provisions, parking lot lighting, and installing accessible curb ramps.

All work shall be done within the City of Merced. No part of the work takes place on the National Highway System (NHS).

Such other items or details, not mentioned above, that are required by the plans, standard specifications, or these special provisions shall be performed, placed, constructed or installed.

PERFORMANCE

The Contractor shall furnish all labor, materials, tools, equipment, incidentals, and do all work described in the Plans and these Special Provisions.

COORDINATION/COOPERATION

The Contractor shall notify the Engineer at (209) 385-6846 at least three (3) working days in advance of the tentative starting date.

The Contractor shall be responsible for contacting and coordinating with all utility companies, including the City, with regards to the location of existing underground facilities in the construction area. The Contractor shall call Underground Service Alert at (800) 642-2444, at least 2 working days before commencement of underground work for location of underground facilities.

Utility facilities damaged, temporarily disconnected, or relocated as a result of construction shall be repaired/reconnected as directed by the governing utility at the Contractor's expense.

The Contractor shall notify all residents and businesses that may be affected by or are in the immediate vicinity of the construction at least 72 hours prior to construction. Notification shall be in writing and include a brief description of the work, starting date, scheduled date of completion, Contractor contact person and Contractor telephone number. Notification shall be submitted to the City for review and approval at least 24 hours prior to distribution. Notice to be hand-carried by Contractor Representative. Should a change in the work schedule occur after the residents and/or businesses have been notified the Contractor shall notify the residents and/or businesses of the change in schedule within 24 hours of the originally scheduled starting date.

Contractor shall have at the job site, during contractor's working hours, a full time public relations person to deal with public and business concerns and shall report to the City Engineer.

When the construction requires prohibiting parking, "No Parking" signs shall be posted along the construction routes. The signs shall include the dates and times that no parking periods will be in effect. "No Parking" signs shall be mounted on Class I barricades and placed in the gutter pan not more than 100' apart. Signs shall be posted a minimum of 24 hours in advance of construction and immediately removed upon completion. Should the Contractor not commence work after 24 hours from placement of the signs, the signs shall be removed. If a vehicle is parked in a properly posted no parking area and is prohibiting the progression of work, the Contractor shall notify the Merced Police Department to arrange for removal of the vehicle.

Failure to comply with the provisions for notification shall result in the suspension of all work until the provisions have been met, although working days will continue to be charged.

Full compensation for conforming to the requirements of this section shall be considered as included in the price paid for the various contract items of work involved and no additional compensation will be made.

INSPECTION OF SITE

The Contractor shall inspect the work site and note all existing conditions before submitting a bid for this project. A site tour is scheduled immediately following the pre-bid/LBE meeting if requested. It is the responsibility of the Contractor to satisfy themself as to all conditions. No allowances shall subsequently be made for expenses incurred as a result of failure to examine the site and available data.

DUST CONTROL

It shall be the responsibility of the Contractor to minimize dust during earth moving operations. A water truck shall be made available if necessary for dust control.

Full compensation for conforming to the requirements of this section shall be considered as included in the price paid for the various contract items of work involved and no additional compensation will be made.

AS-BUILT DRAWINGS

Record Drawings shall be submitted before the notice of completion is filed and must include the following:

- Shall be submitted on Mylar, at least 24"x 36", and shall bear the name, address, telephone number of the firm preparing the drawings and in electronic (AutoCAD) format.
- Surveyor's/Engineers statement (with embossed or wet seal and with and original signature on each sheet) shall verify the as-built drawings reflect the true conditions in the field.
- Contractor's statement (with original signature on each sheet) shall verify all construction specifications and product qualities have been met or exceeded.
- "AS-BUILT DRAWINGS" or "RECORD DRAWINGS" shall be clearly labeled on each sheet.
- The location and elevation of the benchmark referenced will be shown on the drawing.
- Corrected placement, grade, elevation and alignment of roads, water system, sewer and storm system, lighting system and appurtenances, pipe sizes, material changes, shall all be shown on as-built drawing.
- All horizontal distances shall be shown to the nearest tenth of a foot (0.1'). All elevations shall be shown to the nearest five hundredths of a foot (0.05').

Full compensation for conforming to the requirements of this section shall be considered as included in the price paid for the various contract items of work involved and no additional compensation will be made.

PERMITS, BONDS, LICENSES AND INSURANCE

The Contractor shall procure all permits, bonds, licenses and insurance, pay all charges and fees, and give all notices necessary and incidental to the prosecution of the work.

Payment for "Permits, Bonds, Licenses and Insurance," shall be at the contract lump sum price as set forth in the proposal, and shall include all fees associated with permits, bonds, licenses, inspections, and all other fees necessary for the completion of this item.

PUBLIC CONVENIENCE AND SAFETY

The Contractor shall be responsible for all the provisions of this item, including issuance of all notices necessary for prosecution of the work.

Construction Area Signs -- Construction area signs and traffic cones shall be furnished, installed, maintained, and removed when no longer required in accordance with the provisions in Section 12, "Temporary Traffic Control," of the State Specifications, and these Special Provisions. Specifically included in this item are all detour signage.

The Contractor shall notify the appropriate regional notification center for operators of subsurface installations at least two (2) working days, but not more than 14 calendar days, prior to commencing any excavation for construction area sign posts. The regional notification centers include, but not limited to the following:

Notification Center

<u>Telephone</u>

Underground Service Alert (USA)

1-800-227-2600

(Northern California)

All excavations required to install construction area signs shall be performed by hand methods without the use of power equipment, except that power equipment may be used if it is determined that there were no utility facilities in the area of the proposed post holes.

Sign substrates for stationary mounted construction area signs may be fabricated from fiberglass reinforced plastic as specified under "Prequalified and Tested Signing and Delineation Materials" elsewhere in these Special Provisions.

Type IV reflective sheeting for sign panels for portable construction area signs shall conform to the requirements specified under "Prequalified and Testing Signing and Delineation Materials" elsewhere in these Special Provisions.

The term "construction area signs" shall also include temporary object markers required for the direction of public traffic through or around the work during construction. Object markers listed or designated on the plans as construction area signs shall be considered to be signs and shall be furnished, erected, maintained and removed by the Contractor in the same manner specified for construction area signs and the following:

Object markers shall be stationary mounted on wood or metal posts in accordance with the details shown on the plans and the requirements in Section 82, "Markers and Delineators," of the Standard Specifications.

Marker panels for Type N, Type P and Type R object markers shall conform to the requirements for sign panels for stationary mounted signs.

Target plates for Type K and Type L object markers and posts, reflectors and hardware shall conform to the requirements in said Section 82, but need not be new.

When a street section is to be closed, it shall be solidly barricaded, and signs shall be posted at the closure points indicating "Street Closed."

Full cost of providing and removing construction area signs shall be borne exclusively by the Contractor and shall be considered as included in the contract lump sum price for Item 10-1.07, "Public Convenience & Safety."

Maintaining Traffic -- Attention is directed to Section 7-1.03, "Public Convenience," Section 7-1.04, "Public Safety," and Section 12, "Temporary Traffic Control," of the State Specifications. Nothing in these Special Provisions shall be construed as relieving the Contractor from its responsibility as provided in Section 7-1.04 of the State Specifications.

All traffic cones used for night lane closures shall have reflective cone sleeves as specified in the specifications. One (1) 12-foot wide traffic lane must be open at all times.

The second and third paragraphs of Section 12-3.10, "Traffic Cones," of the State Standard Specifications are amended to read:

During the hours of darkness, traffic cones shall be affixed with reflective cone sleeves. The reflective sheeting of sleeves on the traffic cones shall be visible at 1,000 feet at night under illumination of legal high beam headlights, by persons with vision of or corrected to 20/20.

Reflective cone sleeves shall conform to the following:

Removable flexible reflective cone sleeves shall be fabricated from the reflective sheeting specified in the special provisions, have a minimum height of 13 inches and shall be placed a maximum of 3 inches from the top of the cone. The sleeves shall not be in place during daylight hours.

Permanently affixed semitransparent reflective cone sleeves shall be fabricated from the semitransparent reflective sheeting specified in the special provisions, have a minimum height of 13 inches, and shall be placed a maximum of 3 inches from the top of the cone. Traffic cones with semitransparent reflective cone sleeves may be used during daylight hours.

Permanently affixed double band reflective cone sleeves shall have 2 white reflective bands. The top band shall be 6 inches in height, placed a maximum of 4 inches from the top of the cone. The lower band shall be 4 inches in height, placed 2 inches below the bottom of the top band. Traffic cones with double band reflective cone sleeves may be used during daylight hours.

The type of reflective cone sleeve used shall be at the option of the Contractor. Only one type of reflective cone sleeve shall be used on the project.

Lane closures shall conform to the provisions in the section of these special provisions entitled "Traffic Control System for Lane Closure."

Personal vehicles of the Contractor's employees shall not be parked on the traveled way or shoulders, including any section closed to public traffic.

The Contractor shall notify local authorities of its intent to begin work at least five (5) days before work is begun. The Contractor shall cooperate with local authorities relative to handling traffic through the area and shall make its own arrangements relative to keeping the working area clear of parked vehicles.

The Contractor shall provide access to all businesses and residences within the construction zone at all times throughout the project. When the work requires the closing of a business

driveway or other entrance, the Contractor shall post signs directing the public to the most convenient access to the business.

The Contractor shall provide access to all private driveways when construction is not actively in progress. Access to driveways fronting the construction area shall not be hindered or blocked for time periods greater than 4 hours without notifying the property owner or tenant in writing 24 hours prior to blockage.

The Contractor shall provide safe public access around the work site in accordance with the American Disabilities Act requirements during the work.

Whenever vehicles or equipment are parked on the shoulder within six feet of a traffic lane, the shoulder area shall be closed with fluorescent traffic cones or portable delineators placed on a taper in advance of the parked vehicles or equipment and along the edge of the pavement at 25-foot intervals to a point not less than 25 feet past the last vehicle or piece of equipment. A minimum of nine (9) cones or portable delineators shall be used for the taper. A C23 (Road Work Ahead) or C24 (Shoulder Work Ahead) sign shall be mounted on a telescoping flag tree with flags. The flag tree shall be placed where directed by the Engineer.

When the Contractor's operations create a condition hazardous to traffic or to the public, he shall furnish, erect and maintain, at his expense and without cost to the City, such fences, barricades, lights, signs and other devices as are necessary to prevent accidents or damage or injury to the public. The Contractor shall also furnish such flagmen, provided with the necessary equipment kept clean and in good condition by the Contractor at his expense, as may be necessary to give adequate warning to traffic or to the public that the roadway is under construction or of any dangerous conditions to be encountered. The flagmen shall perform their duties and their work of furnishing and placing such signs, lights, flags and other warning and safety devices as set forth in the current "Work Area Traffic Control Handbook" as published by the Building News, Inc., Los Angeles, California.

Minor deviations from the requirements of this section concerning hours of work which do not significantly change the cost of the work may be permitted upon the written request of the Contractor if, in the opinion of the Engineer, public traffic will be better served and the work expedited. Such deviations shall not be adopted until the Engineer has indicated its written approval. All other modifications will be made by contract change order.

Full cost of conforming to this section shall be considered as included in the contract lump sum price for Item 10-1.07, "Public Convenience and Safety."

Traffic Control System for Lane Closure -- A traffic control system shall be provided by the Contractor and shall be in accordance with the provisions of Section 12, "Temporary Traffic Control," of the State Specifications, the provisions under "Maintaining Traffic" elsewhere in these Special Provisions.

The provisions in this section shall not relieve the Contractor from its responsibility to provide such additional devices, or take such measures as may be necessary, to comply with the provisions in Section 7-1.04, "Public Safety," of the State Standard Specifications.

Prior to any lane closures, it shall be the responsibility of the Contractor to provide 72-hour notice to the City and obtain City approval of the lane closure. Failure to notify the City in a timely manner is cause for the City to prevent the lane closure.

Whenever a lane closure is made, the Contractor shall close the lane by placing fluorescent traffic cones, portable cones, portable delineators, or other devices approved by the

Engineer, along a taper and along the edge of the closed lane adjacent to public traffic. One telescoping flag tree with flags shall be placed at the beginning and at the end of the taper.

If any component in the traffic control system is displaced or ceases to operate or function as specified, from any cause, during the progress of the work, the Contractor shall immediately repair said component to its original condition or replace said component, and shall restore the component to its original location. Full cost of providing flaggers shall be borne exclusively by the Contractor.

The Contractor shall submit a traffic control plan and approved by the City Engineer prior to commencing any work.

Protection of the Work -- To minimize traffic congestion during the resurfacing operation, the work shall be done in stages. Residents with driveways within the closed section shall be notified at least 24 hours in advance of closure via door hangers and signs within the limits of the project.

Barricades and signs and their cost of replacement, the cost of flagmen necessary for the protection of the work and the public and costs of notification of affected residents will be considered as included in the contract price paid for bid items shown in the proposal, and no separate payments shall be made.

Payment for Item 10-1.07, "Public Convenience and Safety," shall be at the contract lump sum price as set forth in the proposal, and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

STORMWATER POLLUTION CONTROL

Summary

It shall be the responsibility of the Contractor to comply with all of the requirements of the latest NPDES General Permit for "Storm Water Discharges Associated with Construction and Land Disturbance Activities" (Order No. 2009-0009-DWQ, NPDES No. CAS000002) hereinafter called the "Permit" and standard industry practice.

This includes, but is not limited to, preparing plans and application, maps as well as all necessary reporting on the SWQCB's Storm Water Multiple Application and Report Tracking System (SMARTS System). The Contractor, working with their certified Qualified Storm Water Pollution Prevention Plan (SWPPP) Developer (QSD), will determine what would be the best course of action to comply with the latest State NPDES General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities Order No. 2009-0009- DWQ. If the Contractor's QSD determines a SWPPP is the best course of action, it shall be the responsibility of the Contractor and their QSD to submit to Construction Management a completed SWPPP for review. Upon acceptance of the SWPPP document by Construction Management, the QSD shall prepare a Notice of Intention (NOI) application in the SWQCB's SMARTS System and upload all necessary documents and maps to be approved by the Legally Responsible Person (LRP). Until a written approval of the SWPPP has been obtained from the SWQCB, no construction activity shall commence on the project site. Upon obtaining written approval of the SWPPP, it shall be the responsibility of the Contractor to implement the SWPPP. Throughout the course of the project, the Contractor's Qualified SWPPP Practitioner (QSP) shall conduct periodic inspections, testing, any reporting on the SMARTS System as well as coordinate with the QSD to update the SWPPP as necessary. At the conclusion of construction, it shall be the responsibility of the Contractor and his or her QSD/QSP to ensure Annual Report(s) have been prepared on the SMARTS System as well as prepare the Notice of Termination (NOT) for City's approval. The Contractor shall keep a

copy of the approved SWPPP, and amendments thereto, at the job site and in the general business office of the Contractor. In addition, the Contractor shall make available to Construction Management copies of all amendments to the SWPPP as prepared by the Contractor. The SWPPP shall be made available upon request of a representative of the Fresno Metropolitan Flood Control District, Regional Water Quality Control Board, State Water Resources Control Board or U. S. Environmental Protection Agency. Requests by the public shall be directed to the Engineer.

If the Contractor and/or his/her QSD determines that a SWPPP is not necessary, then it shall be the responsibility of the Contractor to provide a list of Best Management Practices (BMP) that are to be implemented during the Work to Construction Management. The Contractor shall implement the BMP in a timely manner and maintain throughout the duration of the project. The Contractor shall keep a copy of the BMP list and any modification to the list at the job site and in the general business office of the Contractor. In addition, the Contractor shall make available to the City copies of all modifications to the BMP list. The BMP list shall be made available upon request of a representative of the Fresno Metropolitan Flood Control District, Regional Water Quality Control Board, State Water Resources Control Board or U. S. Environmental Protection Agency. Requests by the public shall be directed to Construction Management.

Notice of violation and/or fines for any non-compliance will be the responsibility of the Contractor.

Manage work activities to reduce the discharge of pollutants to surface waters, groundwater, or municipal separate storm sewer systems including work items shown in the Bid Item List for:

- 1. Prepare Storm Water Pollution Prevention Plan. SWPPP preparation includes obtaining SWPPP approval, amending the SWPPP, preparing a CSMP and a SAP, and monitoring and inspecting WPC practices at the job site.
- 2. Storm Water Annual Report. Storm Water Annual Report preparation includes certifications, monitoring and inspection results, and obtaining Storm Water Annual Report acceptance.
- 3. Storm Water Sampling and Analysis Day. Storm Water Sampling and Analysis Day includes reporting of storm water quality per qualifying rain event. If specified for the risk level, the work includes preparation, collection, analysis, and reporting of storm water samples for turbidity, pH, and other constituents.
- 4. Rain Event Action Plan. If specified for the project risk level, REAP preparation includes preparing and submitting REAP forms and monitoring weather forecasts.

Do not start work until:

- 1. SWPPP is approved by the City.
- 2. SWPPP is uploaded onto the SMART System.
- 3. WDID is issued.
- 4. SWPPP review requirements have been fulfilled. If the RWQCB requires time for SWPPP review, allow 30 days for the RWQCB to review the SWPPP as specified under "Submittals" of these special provisions.

This project is anticipated to be Risk Level 1.

Definitions and Abbreviations

active and inactive areas: (1) Active areas have soil disturbing work activities occurring at least once within 14 days, and (2) Inactive areas are areas that have not been disturbed for at least 15 days.

BMPs: Best Management Practices are water pollution control practices.

construction phase: Construction phases are (1) Highway Construction including work activities for building roads and structures, (2) Plant Establishment including maintenance on vegetation installed for final stabilization, and (3) Suspension where work activities are suspended and areas are inactive.

CSMP: Construction Site Monitoring Program.

NAL: Numeric Action Level. **NEL:** Numeric Effluent Limit.

NPDES: National Pollutant Discharge Elimination System.

NOI: Notice of Intent.

Normal working hours: The hours you normally work on this project.

Preparation Manual: The Department's "Storm Water Pollution Prevention Plan and Water Pollution Control Program Preparation Manual."

QSD: Qualified SWPPP Developer. **QSP:** Qualified SWPPP Practitioner.

Qualified rain event: A qualified rain event is a storm that produces at least 0.5 inch of precipitation with a 48 hour or greater period between storms.

REAP: Rain Event Action Plan.

RWQCB: Regional Water Quality Control Board.

SAP: Sampling and Analysis Plan.

SSC: Suspended Sediment Concentration.

SWRCB: State Water Resources Control Board. SWPPP: Storm Water Pollution Prevention Plan. **WDID:** Waste Discharge Identification Number. WPC: Water Pollution Control.

WPC Manager: Water Pollution Control Manager. The WPC Manager implements water pollution control work described in the SWPPP and oversees revisions and amendments to the SWPPP.

Submittals

Within 20 days after contract approval, start the following process for SWPPP approval:

- 1. Submit 3 copies of the SWPPP and allow 20 days for the Engineer's review. If revisions are required, the Engineer provides comments and specifies the date that the review stopped.
- 2. Change and resubmit the SWPPP within 15 days of receipt of the Engineer's comments. The Engineer's review resumes when the complete SWPPP is resubmitted.
- 3. When the Engineer approves the SWPPP, submit an electronic and 4 printed copies of the approved SWPPP.
- 4. If the RWQCB reviews the approved SWPPP, the Engineer submits one copy of the approved SWPPP to the RWQCB for their review and comment. RWQCBs requiring time to review SWPPPs include:

5. If the Engineer requests changes to the SWPPP based on RWQCB comments, amend the SWPPP within 10 days.

Submit:

- 1. Storm water training records including training dates and subjects for employees and subcontractors. Include dates and subjects for ongoing training, including tailgate meetings.
- 2. Employee training records.
 - 2.1. Within 5 days of SWPPP approval for existing employees
 - 2.2. Within 5 days of training for new employees
 - 2.3. At least 5 days before subcontractors start work for subcontractor's employees

Prepare a Storm Water Annual Report for the reporting period from July 1st to June 30th. For the prior reporting period, submit the report no later than July 15th if construction occurs from July 1st through June 30th or within 15 days after contract acceptance if construction ends before June 30th.

Submit the Storm Water Annual Report as follows:

- 1. Submit 2 copies of the Storm Water Annual Report and allow 10 days for the Engineer's review. If revisions are required, the Engineer provides comments and specifies the date that the review stopped.
- 2. Change and resubmit the Storm Water Annual Report within 5 days of receipt of the Engineer's comments. The Engineer's review resumes when the complete Storm Water Annual Report is resubmitted.
- 3. When the Engineer accepts the Storm Water Annual Report, insert the WPC Manager's signed certification and the Engineer's signed certification.

Submit one electronic copy and 2 printed copies of the accepted Storm Water Annual Report. Submit as required:

- 1. NAL Exceedance Reports
- 2. NEL Exceedance Reports
- 3. Visual Monitoring Reports
- 4. Inspection Reports
- 5. BMP Status Report

At least 5 days before operating any construction support facility, submit:

- 1. A plan showing the location and quantity of WPC practices associated with the construction support facility
- 2. A copy of the NOI approved by the RWQCB and the SWPPP approved by the RWQCB if you will be operating a batch plant or a crushing plant under the General Industrial Permit

Quality Control and Assurance Training

Provide storm water training for:

- 1. Project managers
- 2. Supervisory personnel

3. Employees involved with WPC work

Train all employees, including subcontractor's employees, in the following subjects:

- 1. WPC rules and regulations
- 2. Implementation and maintenance for:
 - 2.1. Temporary Soil Stabilization
 - 2.2. Temporary Sediment Control
 - 2.3. Tracking Control
 - 2.4. Wind Erosion Control
 - 2.5. Material pollution prevention and control
 - 2.6. Waste management
 - 2.7. Non-storm water management
 - 2.8. Identifying and handling hazardous substances
 - 2.9. Potential dangers to humans and the environment from spills and leaks or exposure to toxic or hazardous substances

Employees must receive initial WPC training before working on the job site. Conduct weekly training meetings covering:

- 1. WPC BMP deficiencies and corrective actions
- 2. BMPs that are required for work activities during the week
- 3. Spill prevention and control
- 4. Material delivery, storage, use, and disposal
- 5. Waste management
- 6. Non-storm water management procedures

Training for personnel to collect water quality samples must include:

- 1. SAP review
- 2. Health and safety review
- 3. Sampling simulations

A Storm Water Information Handout has been prepared for this contract and is available as described in "Supplemental Project Information" of these special provisions.

If you operate construction support facilities, protect storm water systems or receiving waters from the discharge of potential pollutants by using WPC practices.

Construction support facilities include:

- 1. Staging areas
- 2. Storage yards for equipment and materials
- 3. Mobile operations
- 4. Batch plants for PCC and HMA

- 5. Crushing plants for rock and aggregate
- 6. Other facilities installed for your convenience such as haul roads

If you operate a batch plant to manufacture PCC, HMA, or other material; or a crushing plant to produce rock or aggregate; obtain coverage under the General Industrial General Permit. You must be covered under the General Industrial Permit for batch plants and crushing plants located:

- 1. Outside of the job site
- 2. Within the job site that serve one or more contracts

Discharges from manufacturing facilities such as batch plants must comply with the general waste discharge requirements for Order No. 97-03-DWQ, NPDES General Permit No. CAS000001, issued by the SWRCB for "Discharge of Stormwater Associated with Industrial Activities Excluding Construction Activities." For the General Industrial Permit, go to:

http://www.waterboards.ca.gov/

You may obtain copies of the Preparation Manual from the Publication Distribution Unit. The mailing address for the Publication Distribution Unit is:

State of California

Department of Transportation

Publication Distribution Unit

1900 Royal Oaks Drive

Sacramento, California 95815

Telephone: (916) 445-3520

The Preparation Manual and other WPC references are available at the Department's "Construction Storm Water and Water Pollution Control" Web site. For the Web site, go to:

http://www.dot.ca.gov/hq/construc/stormwater/stormwater1.htm

Water Pollution Control Manager

Assign one WPC Manager to implement the SWPPP. The WPC Manager must comply with the Permit qualifications for a QSP and a QSD. You may assign a different QSD to prepare the SWPPP.

The QSD must have the following qualifications:

- 1. Department approved storm water management training described in the Department's "Construction Storm Water and Water Pollution Control" web site
- 2. Registration or certification described in the Permit

The QSP must meet the qualifications of the QSD or have the following certifications:

- 1. Department approved storm water management training described in the Department's "Construction Storm Water and Water Pollution Control" web site
- 2. Certification described in the Permit

At the job site, the WPC Manager must:

- 1. Be responsible for WPC work
- 2. Be the primary contact for WPC work

- 3. Oversee the maintenance of WPC practices
- 4. Oversee and enforce hazardous waste management practices
- 5. Have the authority to mobilize crews to make immediate repairs to WPC practices
- 6. Ensure that all employees have current water pollution control training
- 7. Implement the approved SWPPP and amend the SWPPP when required

WPC Manager must oversee:

- 1. Inspections of WPC practices identified in the SWPPP
- 2. Inspections and reports for visual monitoring
- 3. Preparation and implementation of REAPs
- 4. Sampling and analysis
- 5. Preparation and submittal of:
 - 5.1. NAL exceedance reports
 - 5.2. NEL exceedance reports
 - 5.3. SWPPP annual certification
 - 5.4. Annual reports
 - 5.5. BMP status reports

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

General

SWPPP work includes preparing a SWPPP including a CSMP, obtaining SWPPP approval, amending the SWPPP, inspecting and reporting on WPC practices at the job site. The SWPPP must comply with the Preparation Manual and the Permit. The SWPPP must be submitted in place of the water pollution control program under Section 13-2, "Water Pollution Control Program," of the Standard Specifications.

Additional WPC work will be paid for as extra work under Section 4-1.05, "Changes and Extra Work," of the Standard Specifications.

The SWPPP must include sections as specified for the project risk level as follows:

- 1. For risk level 1:
 - 1.1. Schedule
 - 1.2. CSMP
- 2. For risk level 2:
 - 2.1. Schedule
 - 2.2. CSMP
 - 2.3. Adherence to Effluent Standards for NALs
 - 2.4. REAP

- 3. For risk level 3:
 - 3.1. Schedule
 - 3.2. CSMP
 - 3.3. Adherence to Effluent Standards for NALs and NELs
 - 3.4. REAP

The SWPPP must include WPC practices for:

- 1. Storm water and non-stormwater from areas outside of the job site related to project work activities such as:
 - 1.1. Staging areas
 - 1.2. Storage yards
 - 1.3. Access roads
- 2. Activities or mobile operations related to contractor obtained NPDES permits
- 3. Construction support facilities

The SWPPP must include a copy of permits obtained by the Department such as Fish & Game permits, US Army Corps of Engineers permits, RWQCB 401 Certifications, and RWQCB Waste Discharge Requirements for Aerially Deposited Lead Reuse.

Amend the SWPPP annually and resubmit it by July 15th. Amend the SWPPP if:

- 1. Changes in work activities could affect the discharge of pollutants
- 2. WPC practices are added by change order work
- 3. WPC practices are added at your discretion
- 4. Changes in the amount of disturbed soil are substantial
- 5. Objectives for reducing or eliminating pollutants in storm water discharges have not been achieved
- 6. There is a Permit violation

Whenever you amend the SWPPP, follow the same process specified for SWPPP approval. Retain a printed copy of the approved SWPPP at the job site.

SWPPP Schedule

The SWPPP schedule must:

- 1. Describe when work activities will be performed that could cause the discharge of pollutants into storm water
- 2. Describe WPC practices associated with each construction phase
- 3. Identify soil stabilization and sediment control practices for disturbed soil areas

Construction Site Monitoring Program (CSMP)

General

The QSD must prepare a CSMP as part of the SWPPP. The CSMP must be developed before starting work and be revised to reflect current construction activities as necessary.

The CSMP must include sections for the project risk level as follows:

- 1. For risk level 1:
 - 1.1. Visual Monitoring
 - 1.2. SAP for Non-Visible Pollutants
- 2. For risk level 2:
 - 2.1. Visual Monitoring
 - 2.2. SAP for Non-Visible Pollutants
 - 2.3. SAP for sediment and turbidity
 - 2.4. SAP for pH
- 3. For risk level 3:
 - 3.1. Visual Monitoring
 - 3.2. SAP for Non-Visible Pollutants
 - 3.3. SAP for sediment and turbidity
 - 3.4. SAP for pH
 - 3.5. SAP for receiving waters
 - 3.6. SAP for temporary active treatment systems

Visual Monitoring

The WPC Manager must oversee the performance of visual inspections for qualifying rain events.

For each qualifying rain event, perform visual inspections and record observations during normal working hours as follows:

- 1. Record the time, date, and rain gauge reading
- 2. Observe:
 - 2.1. Within 2 days before the storm:
 - 2.1.1 Drainage areas for spills, leaks, or uncontrolled pollutants
 - 2.1.2 Proper implementation of WPC practices
 - 2.1.3 Storm water storage areas for leaks and adequate freeboard
 - 2.2. Every 24 hours during the storm:
 - 2.2.1 WPC practices for effective operation
 - 2.2.2 WPC practices needing maintenance and repair
 - 2.3. Within 2 days after the storm event:
 - 2.3.1. Discharge locations
 - 2.3.1.WPC practices to evaluate the design, implementation, and effectiveness
 - 2.3.1. To identify where additional WPC practices may be needed.

Perform non-stormwater discharge visual inspections as follows:

- 1. At least once during each of the following periods:
 - 1.1. January through March
 - 1.2. April through June
 - 1.3. July through September
 - 1.4. October through December
- 2. Observe flowing and contained storm water for the presence of floating and suspended materials, sheen on the surface, discoloration, turbidity, odors, and sources of observed pollutants
- 3. Observe the job site for the presence of authorized and unauthorized non-stormwater discharges and their sources

The WPC Manager must prepare visual inspection reports that include the following:

- 1. Name of personnel performing the inspection, inspection date, and date inspection report completed
- 2. Storm and weather conditions
- Locations and observations
- 4. Corrective actions taken

Maintain visual inspections reports at the job site as part of the SWPPP.

Sampling and Analysis Plan (SAP)

General

Include a SAP in the CSMP to monitor the effectiveness of WPC practices. The SAP must comply with the Preparation Manual.

Assign trained personnel to collect water quality samples. Document their training in the SAP. Describe the following water quality sampling procedures in the SAP:

- 1. Sampling equipment
- 2. Sample preparation
- 3. Collection
- 4. Field measurement methods
- 5. Analytical methods
- 6. Quality assurance and quality control
- 7. Sample preservation and labeling
- 8. Collection documentation
- 9. Sample shipping
- 10. Chain of custody
- 11. Data management and reporting

- 12. Precautions from the construction site health and safety plan
- 13. Laboratory selection and certifications

Whenever assigned field personnel take samples, comply with the equipment manufacturer's recommendation for collection, analysis methods, and equipment calibration.

Samples taken for laboratory analysis must follow water quality sampling procedures and be analyzed by a State-certified laboratory under 40 CFR Part 136, "Guidelines Establishing Test Procedures for the Analysis of Pollutants."

The SAP must identify the State-certified laboratory, sample containers, preservation requirements, holding times, and analysis method. For a list of State-certified laboratories, go to:

http://www.cdph.ca.gov/certlic/labs/Pages/ELAP.aspx

Include procedure for sample collection during precipitation.

Retain water quality sampling documentation and analytical results with the SWPPP at the job site.

Show pollutant sampling locations on SWPPP drawings.

If discharges or sampling locations change because of changed work activities or knowledge of site conditions, amend the SAP.

If the project is risk level 2 or risk level 3, include procedures for collecting and analyzing at least 3 samples for each day of each qualifying rain event. Describe the collection of effluent samples at all locations where the storm water is discharged off-site.

Analytical Results and Evaluation

Submit an electronic copy (in file format .xls, .txt, .csv, .dbs, or .mdb) and a printed copy of water quality analytical results, and quality assurance and quality control within 48 hours of field analysis sampling, and within 30 days for laboratory analysis. Also provide an evaluation of whether the downstream samples show levels of the tested parameter that are higher than the control sample.

Electronic water quality analysis results must have the following information:

- 1. Sample identification number
- 2. Contract number
- 3. Constituent
- 4. Reported value
- 5. Analytical method
- 6. Method detection limit
- 7. Reported limit

SAP for Non-Visible Pollutants

The SAP must include a description of the sampling and analysis strategy for monitoring non-visible pollutants.

The SAP must identify potential non-visible pollutants present at the job site associated with any of the following:

- 1. Construction materials and waste
- 2. Existing contamination due to historical site usage

3. Application of soil amendments, including soil stabilization materials, with the potential to change pH or contribute toxic pollutants to storm water

SWPPP drawings must show the locations planned for storage and use of potential non-visible pollutants.

The SAP must include sampling procedures for the following conditions when observed during a storm water visual inspection. For each of the following, collect at least one sample for each qualifying storm event:

- 1. Materials or waste containing potential non-visible pollutants that are not stored under watertight conditions
- Materials or waste containing potential non-visible pollutants that are stored under watertight conditions, but a breach, leakage, malfunction, or spill is observed; the leak or spill has not been cleaned up before precipitation; and material or waste could discharge non-visible pollutants to surface waters or drainage system
- Chemical applications, including fertilizer, pesticide, herbicide, methyl methacrylate concrete sealant, or non-pigmented curing compound used during precipitation or within 24 hours preceding precipitation, and could discharge pollutants to surface waters or drainage system
- 4. Applied soil amendments, including soil stabilization materials that could change pH levels or contribute toxic pollutants to storm water runoff and discharge pollutants to surface waters or drainage system, unless available independent test data indicates acceptable concentrations of non-visible pollutants in the soil amendment
- 5. Storm water runoff from an area contaminated by historical usage of the site that could discharge pollutants to surface waters or drainage systems

The SAP must provide sampling procedures and schedule for:

- 1. Sample collection during the first 2 hours of each rain event that generate runoff
- 2. Sample collection during normal working hours
- 3. Each non-visible pollutant source
- 4. Uncontaminated control sample

The SAP must identify locations for sampling downstream and control samples, and reasons for selecting those locations. Select control sample locations where the sample will not come in contact with materials, waste, or areas associated with potential non-visible pollutants or disturbed soil areas.

SAP for Sediment and Turbidity

If the project is risk level 2 or risk level 3, sample and analyze for turbidity:

Parameter	Test Method	Detection Limit (Min)	Unit
Turbidity	Field test with calibrated portable instrument	1	NTU

If the project is risk level 3 and the turbidity NEL has been exceeded, sample and analyze for SSC:

Parameter	Test Method		Detection Limit (Min)	Unit
SSC	ASTM D3977-97	Method	5	Mg/L

SAP for pH

If the project is risk level 2 or risk level 3, sample and analyze for pH:

Parameter	Test Method	Detection Limit (Min)	Unit
pН	Field test with calibrated portable instrument	0.2	pH units

SAP for Receiving Waters

If the project is risk level 3, describe procedures for obtaining samples from representative and accessible locations:

- 1. Upstream of the discharge point
- 2. Downstream of the discharge point

Show receiving water sampling locations on SWPPP drawings.

If there are several discharge points, describe procedures for obtaining samples from a single upstream and a single downstream location.

Rain Event Action Plan (REAP)

REAP work includes preparing and submitting REAP forms and monitoring weather forecasts. The WPC Manager must submit a REAP to protect the job site at least 48 hours before a predicted rain event.

Prepare a REAP when the National Weather Service is predicting at least a 50 percent probability of precipitation within 72 hours.

For the REAP, use approved forms and include:

- 1. Site location
- 2. Risk level
- 3. Contact information including 24-hour emergency phone numbers for:
 - 3.1. WPC Manager
 - 3.2. Erosion and sediment control providers or subcontractors
 - 3.3. Storm water sampling providers or subcontractors
- 4. Storm Information
- 5. Construction phase information for:
 - 5.1. Highway Construction including active and inactive areas for work activities for building roads and structures

- 5.2. Plant Establishment including maintenance on vegetation installed for final stabilization where areas are inactive
- 5.3. Suspension where work activities are suspended and areas are inactive
- 6. Construction phase information including:
 - 6.1. Construction activities
 - 6.2. Subcontractors and trades on the job site
 - 6.3. Pre-storm activities including:
 - 6.3.1. Responsibilities of the WPC Manager
 - 6.3.2. Responsibilities of the crew and crew size
 - 6.3.3. Stabilization for active and inactive disturbed soil areas
 - 6.3.4. Stockpile management
 - 6.3.5. Corrective actions taken for deficiencies identified during pre-storm visual inspection
 - 6.4. Activities to be performed during storm events including:
 - 6.4.1. Responsibilities of the WPC Manager
 - 6.4.2. Responsibilities of the crew and crew size
 - 6.4.3. BMP maintenance and repair
 - 6.5. Description of flood contingency measures

You must have the REAP onsite at least 24 hours before a predicted rain event. A printed copy of each REAP must be at the job site as part of the SWPPP

Implement the REAP including mobilizing crews to complete activities no later than 24 hours before precipitation occurs.

IMPLEMENTATION REQUIREMENTS

SWPPP Implementation

Obtain, install, and maintain a rain gauge at the job site. Observe and record daily precipitation. Monitor the National Weather Service Forecast Office on a daily basis. For forecasts, go to:

http://www.srh.noaa.gov/forecast

Whenever you or the Engineer identifies a deficiency in the implementation of the approved SWPPP:

- 1. Correct the deficiency immediately, unless the Engineer agrees to a later date for making the correction
- 2. Correct the deficiency before precipitation occurs

If you fail to correct the deficiency by the agreed date or before the onset of precipitation, the Department may correct the deficiency and deduct the cost of correcting the deficiency from payment.

Continue SWPPP implementation during any temporary suspension of work activities.

Install WPC practices within 15 days or before predicted precipitation, whichever occurs first.

Numeric Action Levels (NALs)

If the project is risk level 2 or risk level 3, then it is subject to NALs:

Parameter	Test Method	Detection Limit (Min)	Unit	Numeric Action Level
рН	Field test with calibrated portable instrument	0.2	pH units	Lower NAL = 6.5 Upper NAL = 8.5
Turbidity	Field with tes portable t calibrated instrument	1	NTU	250 NTU

Numeric Effluent Limits (NELs)

If the project is risk level 3, then it is subject to NELs:

Parameter	Test Method	Detection Limit (Min)	Unit	Numeric Effluent Limit
рН	Field with tes portable t calibrated instrument	0.2	pH units	Lower NEL = 6.0 Upper NEL = 9.0
Turbidity	Field with tes portable t calibrated instrument	1	NTU	500 NTU

The storm event daily average for storms up to the 5-year, 24-hour storm, must not exceed the NEL for turbidity.

The daily average sampling results must not exceed the NEL for pH.

Storm Water Sampling and Analysis Day

Storm Water Sampling and Analysis Day work includes preparation, collection, analysis, and reporting of storm water samples for turbidity, pH, and other constituents. If the project is risk level 2 or risk level 3, and there is a qualified rain event that produces runoff, comply with the project's SAP for preparation, collection, analysis, and reporting of storm water samples. Collect:

- 1. Samples for each non-visible pollutant source and a corresponding uncontaminated control sample
- 2. Samples for turbidity, pH, and other constituents as specified
- 3. At least 3 samples for each day of each qualifying rain event
- 4. Samples for all locations where the storm water is discharged off-site

Perform sample collection during:

- 1. First 2 hours of each qualified rain event that produces runoff
- 2. Normal working hours

If the project is risk level 3, obtain receiving water samples.

You are not required to physically collect samples during dangerous weather conditions such as flooding or electrical storms.

If downstream samples show increased levels, assess WPC practices, site conditions, and surrounding influences to determine the probable cause for the increase.

Inspection

The WPC Manager must oversee inspections for WPC practices identified in the SWPPP:

- 1. Before a forecasted storm
- 2. After precipitation that causes site runoff
- 3. At 24-hour intervals during extended precipitation
- 4. On a predetermined schedule, a minimum of once a week

The WPC Manager must oversee daily inspections of:

- 1. Storage areas for hazardous materials and waste
- Hazardous waste disposal and transporting activities
- 3. Hazardous material delivery and storage activities
- 4. WPC practices specified under "Construction Site Management" of these special provisions

The WPC Manager must use the Storm Water Site Inspection Report provided in the Preparation Manual.

The WPC Manager must prepare BMP status reports that include the following:

- 1. Location and quantity of installed WPC practices
- 2. Location and quantity of disturbed soil for the active or inactive areas

Within 24 hours of finishing the weekly inspection, the WPC Manager must submit:

- 1. Copy of the completed site inspection report
- 2. Copy of the BMP status report

REPORTING REQUIREMENTS

Storm Water Annual Report

Storm Water Annual Report work includes certifications, monitoring and inspection results, and obtaining Storm Water Annual Report acceptance. The WPC Manager must prepare a Storm Water Annual Report. The report must:

- 1. Use an approved report format
- 2. Include project information including description and location
- 3. Include storm water monitoring information including:

- 3.1. Summary and evaluation of sampling and analysis results including laboratory reports
- 3.2. Analytical methods, reporting units, detections limits for analytical parameters
- 3.3. Summary of corrective actions
- 3.4. Identification of corrective actions or compliance activities that were not implemented
- 3.5. Summary of violations
- 3.6. Names of individuals performing storm water inspections and sampling
- 3.7. Logistical information for inspections and sampling including location, date, time, and precipitation
- 3.8. Visual observations and sample collection records
- 4. Include documentation on training for:
 - 4.1. Individuals responsible for NPDES permit compliance
 - 4.2. Individuals responsible for BMP installation, inspection, maintenance, and repair
 - 4.3. Individuals responsible for preparing, revising, and amending the SWPPP

NAL Exceedance Report

If the project is risk level 2 or risk level 3 and an effluent sample exceeds a NAL, notify the Engineer and submit a NAL Exceedance Report no later than 48 hours after the conclusion of the storm event. The report must:

- 1. Include the following field sampling results and inspections:
 - 1.1. Analytical methods, reporting units, and detection limits
 - 1.2. Date, location, time of sampling, visual observation and measurements
 - 1.3. Quantity of precipitation of the storm event
- Description of BMPs and corrective actions taken to manage NAL exceedance

NEL Violation Report

If the project is risk level 3 and an NEL is exceeded, notify the Engineer and submit a NEL Violation Report within 6 hours. The report must:

- 1. Include the following field sampling results and inspections:
 - 1.1. Analytical methods, reporting units, and detection limits
 - 1.2. Date, location, time of sampling, visual observations and measurements
 - 1.3. Quantity of precipitation of the storm event
- 2. Description of BMPs and corrective actions taken to manage NEL exceedance

If the project is risk level 2 or risk level 3, submit all sampling results to the Engineer no later than 48 hours after the conclusion of a storm event.

PAYMENT

The contract lump sum price paid for "Stormwater Pollution Control" includes full compensation for furnishing all labor, materials, tools, equipment, and incidentals and for doing all the work involved in street sweeping, including disposal of collected material, as shown on the plans, as specified in the Standard Specifications, these special provisions, and as directed by the Engineer.

The contract lump sum price paid for prepare storm water pollution prevention plan includes full compensation for furnishing all labor, materials, tools, equipment, and incidentals and for doing all the work involved in preparing, obtaining approval of, and amending the SWPPP and CSMP, inspecting water pollution control practices, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.

The City does not adjust payment for an increase or decrease in the quantity of storm water sampling and analysis day.

You may request or the Engineer may order laboratory analysis of storm water samples. Laboratory analysis of storm water samples will be paid for as extra work under Section 4- 1.05D, "Extra Work," of the State Standard Specifications.

The City does not pay for the preparation, collection, laboratory analysis, and reporting of storm water samples for non-visible pollutants if WPC practices are not implemented before precipitation or if a failure of a WPC practice is not corrected before precipitation.

The City does not pay for implementation of WPC practices in areas outside the highway right- ofway not specifically provided for in the plans or in the special provisions.

The City does not pay for WPC practices installed at your construction support facilities.

WPC practices for which there are separate bid items of work are measured and paid for as those bid items of work.

STREET SWEEPING

This work includes street sweeping.

The SWPPP must describe and include the use of street sweeping as a water pollution control practice for sediment control and tracking control.

Submittals

At least 5 business days before starting clearing and grubbing, earthwork, or other activities with the potential for tracking sediment or debris, submit:

- Number of sweepers described in the SWPPP
- 2. Type of sweeper technology

Quality Control and Assurance

Retain and submit records of street sweeping including:

- 1. Quantity of sweeping waste disposal
- 2. Sweeping times and locations

Construction

Sweepers must use one of these technologies:

- 1. Mechanical sweeper followed by a vacuum-assisted sweeper
- 2. Vacuum-assisted dry (waterless) sweeper

3. Regenerative-air sweeper

Operation

Street sweeping must be done at:

- 1. Paved roads at job site entrance and exit locations
- 2. Paved areas within the job site that flow to storm drains or water bodies

Street sweeping must be done:

- 1. During clearing and grubbing activities
- 2. During earthwork activities
- 3. During trenching activities
- 4. During roadway structural section activities
- 5. When vehicles are entering and leaving the job site
- 6. After soil disturbing activities
- 7. After observing offsite tracking of material

Monitor paved areas and roadway within the jobsite. Street sweeping must be done:

- 1. Within 1 hour, if sediment or debris is observed during activities that require sweeping
- 2. Within 24 hours, if sediment or debris is observed during activities that do not require sweeping

At least 1 sweeper must be on the job site at all times when sweeping work is required. The sweeper must be in good working order.

Perform street sweeping to minimize dust. If dust generation is excessive or sediment pickup is ineffective, use water or a vacuum.

You may stockpile collected material on the jobsite according to the approved SWPPP. Dispose of collected material at least once per week.

Material collected during street sweeping must be removed and disposed of under Section 7-1.13, "Disposal of Material Outside the Street Right of Way," of the Standard Specifications.

Your WPCM must inspect paved roads at job site access points:

- 1. Daily if earthwork and other sediment or debris generating activities occur daily
- 2. Weekly if earthwork and other sediment or debris generating activities do not occur daily
- 3. When the National Weather Service predicts precipitation with a probability of at least 30 percent

The contract lump sum price paid for "Street Sweeping" includes full compensation for furnishing all labor, materials, tools, equipment, and incidentals and for doing all the work involved in street sweeping, including disposal of collected material, as shown on the plans, as specified in the Standard Specifications, these special provisions, and as directed by the Engineer.

CLEARING AND GRUBBING

Clearing and grubbing shall conform to the provisions in Section 16, "Clearing and Grubbing," of the State Specifications and these Special Provisions.

Vegetation shall be cleared and grubbed only within the limits of construction shown in the plans. All existing vegetation, outside the areas to be cleared and grubbed, shall be protected from injury or damage resulting from the work of the Contractor.

Surplus excavated material not considered hazardous shall become the property of the Contractor and shall be disposed of outside the City right-of-way in accordance with the provisions in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications

Nothing herein shall be construed as relieving the Contractor of his responsibility for final clean up as provided in Section 4-1.13, "Cleanup", of the State Standard Specifications.

Payment for "Clearing and Grubbing," shall be at the contract lump sum price as set forth in the proposal and shall include all labor, materials, tools, equipment, trenching, and all work necessary for the completion of this item.

SURVEYING SERVICES

The Contractor will arrange for performance of survey work and construction layout and will be responsible for the accuracy of surveying adequate for construction. The selection of a Surveyor by the Contractor will be subject to approval by the Engineer. The Contractor shall preserve construction survey stakes and marks for the duration of their usefulness. If any construction survey stakes are lost or disturbed and need to be replaced, such replacement shall be by the Surveyor at the expense of the Contractor. The Contractor will dig all holes necessary for line and grade stakes. Full cost of providing surveys shall be borne exclusively by the Contractor.

Payment for "Surveying Services," shall be at the contract lump sum price as set forth in the proposal and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

INSTALL PROJECT FUNDING SIGN

The City will provide project funding signs. The Contractor shall install the provided project identification sign in accordance with TC-15 (Project Identification Sign).

Contractor to coordinate with City on location. USA Service Alert required prior to excavating sign foundation. This item also includes removal of and delivery of sign to Public Works. Restore area per section "*RESTORATION*"

Payment for Item, "Install Project Funding Sign," shall be at the contract unit price as set forth in the proposal, and shall include all labor, materials, tools, equipment, and all work necessary for the installation of this item.

MONUMENTATION

As of the date of the start of Notice to Proceed (NTP), the contractor shall comply with preservation of all survey monuments as shown on record maps and on the project plan of the job site.

As required in the Business and Professional Code Section §8771, when monuments exist that control the location of subdivisions, tracts, boundaries, roads, streets, or highways, or provide horizontal or vertical survey control, the monuments shall be located and referenced by or under the direction of a licensed land surveyor or registered civil engineer prior to the time when any streets, highways, other rights-of-way, or easements are improved, constructed, reconstructed,

maintained, resurfaced, or relocated, and a corner record or record of survey of the references shall be filed with the county surveyor prior to any construction.

The decision to file either the required corner record or a record of survey pursuant to subdivision shall be at the election of the licensed land surveyor or registered civil engineer submitting the document.

If a survey monument is destroyed after the NTP, the Contractor shall be responsible for the replacement of the monument.

A survey monument will be considered destroyed that has been:

- Moved more than 0.02 ft in any direction from the ties provided by and certified by a Licensed Land Surveyor
- Broken.
- Disturbed to a point that the survey monument's position is no longer fixed or stable.
- Removed from the ground for any reason.
- Vertically adjusted without the written authorization of the City Engineer.

Adjustment of survey monuments shall be completed under the direction of a Land Surveyor or a Registered Engineer licensed to practice in the State of California. The City Engineer or the City Surveyor shall be provided with the final positional data (both horizontal and/or vertical), along with certification by the Land Surveyor licensed by the State of California supervising the work that the position of adjusted monument meets the specification that the horizontal position is maintained within 0.01 ft of the original position of the monument and/or that the vertical position shall be within 0.006 ft relative to the measured difference between the original and the final adjusted vertical position of the monument. A corner record or record of survey shall be filed with the county surveyor to satisfy Business and Professional Code Section §8771.

DESTROYED SURVEY MONUMENT

Any survey monument that is destroyed after the date of the start of work, and the responsible party is unclear or not determinable, the monument shall be replaced by the City of Merced,

unless otherwise approved by the City Engineer, and there shall be a \$2,000.00 deduction from the cost of the contract in favor of the City of Merced.

REMOVE EXISTING SURVEY MONUMENT

This shall include the cost of: removing, cleaning and storing existing monument, frame and cover; making arrangement for pickup; and disposal of damaged or unusable monument, frame and cover.

INSTALL NEW MONUMENT FRAME AND COVER

This shall include the cost of purchasing and installing the new frame and cover; removing and disposing existing frame and cover.

RESET EXISTING MONUMENT FRAME AND COVER

This shall include the cost of removing, cleaning, and resetting existing frame and cover.

VERTICAL ADJUSTMENT OF EXISTING SURVEY MONUMENT

This shall include the cost of: removing, cleaning, and reinstalling existing frame and cover; reestablishing the point of elevation and the theoretical position value. The price shall also include the filing of all necessary documents with the proper agencies.

Where all or part of a project is within the City of Merced limits, the Contractor shall adhere to the City of Merced Survey Monument Specification – M-5 - SURVEY MONUMENTATION for those monuments that are part of the project within the city limits.

Payment will be made only if monument(s) may be affected by the proposed work, and then only for ordinary and necessary expenses of compliance with this section.

Payment for "Monumentation," will be made only if monuments are affected within the proposed work and shall be at the contract lump sum price as set forth in the proposal and shall include all labor, materials, tools, equipment and all work necessary for the completion of this item.

REMOVE EXISTING BARRICADE

The Contractor shall remove the existing wood barricade where shown on the plans. All signs and concrete footings that are part of the barricade shall be included with the removal of the barricade.

Removed materials shall be disposed of by the Contractor as provided in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications.

Payment for "Remove Existing Barricade" shall be at the contract unit price as set forth in the proposal and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

REMOVE ASPHALT CONCRETE PAVEMENT

Remove Asphalt Concrete Pavement shall conform to the provisions in Section 39-3.02, "Replace Asphalt Concrete Surfacing," of the State Specifications and these Special Provisions.

Remove existing Asphalt Concrete Pavement, Base and/or Subgrade to a depth established by the Engineer or as shown on the plans. Where a portion of the surface is to remain in place, saw a neat line with a power-driven saw along the edge of the portion to remain in place before starting the removal operation.

All paint (thermo) removal will require a test to determine if lead or chromium is present per EPA requirements prior to any removal. The City will coordinate the testing and provide results to the contractor.

Nothing herein shall be construed as relieving the Contractor of his responsibility for final clean up as provided in Section 4-1.13, "Clean Up," of the Standard Specifications.

All surplus material shall become the property of the Contractor and shall be disposed of in accordance with the provisions in Section 14-10, "Solid Waste Disposal."

Payment for Item, "Remove Asphalt Concrete Pavement" shall be at the contract unit price as set forth in the proposal and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

REMOVE CONCRETE CURB AND GUTTER

The contractor shall remove portions of the concrete curb and gutter as shown on the plans and called for in these specifications. Unless otherwise noted, all concrete shall be removed to the nearest expansion joint. Existing concrete shall be sawcut and removed per Section 41-11 "Removing Concrete Pavement and Base" of the State Standard Specifications.

Surplus material shall become the property of the Contractor and shall be disposed of at the Contractor's expense outside the right-of-way.

Payment for "Remove Concrete Curb and Gutter" shall be at the contract unit price as set forth in the proposal and shall include all labor, materials, tools, equipment, incidentals, and all work necessary for the completion of this item.

REMOVE EXISTING TRAFFIC SIGN

The Contractor shall remove the existing traffic signs, including poles, and concrete footings where shown on the plans.

Removed materials shall be disposed of by the Contractor as provided in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications.

Payment for "Remove Existing Traffic Sign" shall be at the contract unit price as set forth in the proposal and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

REMOVE EXISTING SEWER MAIN

The work shall consist of removing the existing sewer main as shown on the plans. Removed materials that are considered hazardous shall be contained by the Contractor and shall be disposed of as provided in Section 14-11, "Hazardous Waste and Contamination," of the State Specifications.

This section shall also consist of performing all operations necessary for the removal and disposal of vegetation, native soil, and all other items necessary to complete the task.

Existing asphalt and concrete surfaces that border the demolition area shall be protected from damage and shall be saw cut to provide a smooth transition. Pavement markers and markings that become damaged or removed during construction shall be restored to its original condition.

Pipes to be removed or abandoned, entering a manhole or as shown on plans, shall be securely closed by a wall of minor concrete (plug) not less than 12-inches thick.

Surplus excavated material not considered hazardous shall become the property of the Contractor and shall be disposed of outside the highway right-of-way in accordance with the provisions in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications

Payment for "Remove Existing Sewer Main," shall be paid at the contract unit price for two bid items, "Remove Existing 8-inch Sewer Main" and "Remove Existing 18-inch Storm Main" and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

REMOVE EXISTING WATER MAIN

The work shall consist of removing the existing water main as shown on the plans. Removed materials that are considered hazardous shall be contained by the Contractor and shall be disposed of as provided in Section 14-11, "Hazardous Waste and Contamination," of the State Specifications.

Disconnection of the main from the live water system shall be performed by City Forces. The contractor shall provide all excavation, shoring, traffic control, and materials needed for disconnection of the main.

This section shall also consist of performing all operations necessary for the removal and disposal of vegetation, native soil, and all other items necessary to complete the task.

Existing asphalt and concrete surfaces that border the demolition area shall be protected from damage and shall be saw cut to provide a smooth transition. Pavement markers and markings that become damaged or removed during construction shall be restored to its original condition.

All valves removed shall be delivered to the City Public Works yard. Surplus excavated material not considered hazardous shall become the property of the Contractor and shall be disposed of outside the highway right-of-way in accordance with the provisions in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications

Payment for "Remove Existing Water Main," shall be paid at the contract unit price for "Remove Existing 8-inch Water Main" and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

REMOVE EXISTING STRIPING

The Contractor shall remove by grinding or other method approved by the Engineer the existing striping and markings as indicated on the plans. Ensure markings are fully removed such that the old message cannot be identified. Removal depth shall be no more than 1/8" into existing surface.

Removed materials shall be swept or vacuumed and disposed of by the Contractor as provided in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications. Markings shall be tested for lead by the City and the contractor will be notified of any markings containing lead. Residue containing lead shall be handled and disposed of according to Section 14-11 "Hazardous Waste and Contamination" of the State Specifications.

Payment for "Remove Existing Striping" shall be at the contract lump sum price as set forth in the proposal and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

EARTHWORK

Earthwork shall conform to the provisions in Section 19, "Earthwork," of the State Standard Specifications and these special provisions.

This work shall consist of performing all operations necessary for site grading, construct embankments, the removal and disposal of roadway materials, native soil, and other items necessary to complete the project.

Surplus excavated material not considered hazardous shall become the property of the Contractor and shall be disposed of outside the City right-of-way in accordance with the provisions in Section 14-10, "Solid Waste Disposal and Recycling," of the State Specifications

This item includes rough grading, import and placement of fill if necessary, and final grading to the lines, grades, and elevations as shown on the plans.

Project Lines and Levels

The project areas to be graded shall be located accurately, and all lines, grades, and elevations, laid out with stakes set as necessary during the course of the work by a licensed surveyor. All existing benchmarks and other reference marks shall be protected and maintained during the entire course of the contract. Monuments or stakes disturbed or destroyed by anyone during the course of the contract shall be reestablished under this section without additional expense to the City.

Site Grading

Grades shall be accomplished as necessary to bring surfaces to grades shown on the plans or to prepare the subgrade to receive fill, paving, topsoil, or construction as specified herein or in other sections. Cut or fill as required by the plans for finish earth surfaces as shown.

Placing and Compacting Fill Materials

Fill material shall be evenly placed in horizontal layers not exceeding 8 inches in un-compacted thickness and shall comply with the plans and these specifications.

Compaction density shall be measured in accordance with ASTM D1557, latest revision, and shall be taken at locations selected by the Engineer.

Dewatering

All water encountered in construction shall be disposed of by the Contractor in such manner as will not damage public or private property or create a nuisance or health menace. The Contractor shall furnish, install, and operate pumps, pipes, appliances, and equipment of sufficient capacity to keep excavations free from water until backfilled, unless otherwise authorized by the Engineer. The Contractor shall provide all means or facilities necessary to conduct water to the pumps. Water, if odorless and stable, may be discharged into an existing storm drain, channel or field in a manner approved by the Engineer. Discharging into MID canals will not be allowed. When required by the Engineer, a means shall be provided for desilting the water before discharging it.

Payment for Item "Earthwork" shall be at the contract lump sum price as set forth in the proposal and shall include all labor, tools materials equipment & incidentals including disposal of excess material per the Section & Grades shown on the Plans & these Specifications complete in place and no additional compensation will be made.

SUBGRADE PREPARATION

The following requirements are for all structural sections including, but not limited to: sidewalks, ramps, driveways, streets, curb, and gutter. Native subgrade to a depth of 12-inches shall be uniformly moisture conditioned to at least 3% above the optimum moisture content and compacted to at least 90%, but not more than 95% relative compaction, as determined by ASTM D1557.

As an alternative to the above, native subgrade may be replaced for the full depth (12-inches) with a Class III Aggregate Subbase (ASB). The ASB shall comply with Caltrans standard (latest revision) and a certificate of compliance shall be submitted to the City prior to placement. ASB shall be uniformly moisture conditioned to at least the optimum moisture content and compacted to at least 95% relative compaction, as determined by ASTM D1557.

Refer to FDR-C Process section of specifications for all areas with FDR-C subgrade preparation.

Full compensation for "Subgrade Preparation" shall be considered included with the individual items requiring subgrade preparation and no additional compensation shall be provided.

AGGREGATE BASE

The Contractor shall furnish and install aggregate base in accordance with the current City of Merced Standards, the Plans, and these Special Provisions.

Aggregate Base (AB) shall be Class 2 and conform to the ¾-inch maximum grading provisions in Section 26, "Aggregate Bases" of the State Standard Specifications. A certificate of compliance from a Caltrans certified tester shall be submitted to the City prior to placement. Native subgrade material shall be prepared in accordance with the "Subgrade Preparation" section prior to

placement. In addition to the certificate of compliance the City's testing firm will also test material for compliance. If out of compliance, the City's results supersede any certificate of compliance.

AB shall be uniformly moisture conditioned to at least the optimum moisture content and compacted to at least 95% relative compaction, as determined by ASTM D1557.

Full compensation for "Aggregate Base," shall be considered included with the individual items requiring Aggregate Base and no additional compensation shall be provided.

INSTALL STORM DRAIN PIPE

The Contractor shall furnish and install ADS-Pipe "SaniTite HP" (High Performance Polypropylene) Pipe, or approved equal, in accordance with the manufacturer's installation manual, the Plans, and these Special Provisions.

Pipe Requirements

SaniTite HP pipe shall have a smooth interior, and annular exterior corrugations, and shall meet ASTM F2764 with the modifications listed herein.

Joint Performance

The pipe shall be watertight according to the requirements of ASTM D3212 10.8 psi (74kPa) laboratory test. Spigot shall have two gaskets meeting the requirements of ASTM F477. Gaskets shall be installed by the pipe manufacturer and covered with a removable wrap to ensure the gasket is free from debris. A joint lubricant supplied by the manufacturer shall be used on the gasket and bell during assembly. The pipe shall have a reinforced bell with a polymer composite band installed by the manufacturer.

Fittings shall conform to ASTM F2881 or F2764 for applicable diameters, and be capable of withstanding all operating conditions when installed. Fittings may be molded or fabricated. Fabricated fittings shall be welded at all accessible interior and exterior junctions.

Field Pipe and Joint Performance

To assure water tightness, field performance verification shall be accomplished by testing in accordance with ASTM F2487 for water and F1417 or C1103 for air. Appropriate safety precautions must be used when field-testing any pipe material. Contact the manufacturer for recommended leakage rates.

Material Properties

Polypropylene compound for pipe and fitting production shall be an impact modified copolymer meeting the material requirements of ASTM F2764.

Installation

Installation shall be in accordance with ASTM D2321 and ADS recommended installation guidelines, with the exception that only minimum cover in traffic area shall be one foot. Backfill for minimum cover situations shall consist of Class 2 (minimum 90% SPD) material. Maximum fill heights depend on embedment material and compaction level. Contact the local representative or visit the website at www.ads-pipe.com for a copy of the installation guidelines.

This item shall include trench excavation, bedding, setting of the pipe, stub outs, caps, connections to existing sewer main, testing, backfill, compaction, paving, and all conditions described on the plans, and in the applicable City of Merced Standards. The removal of existing sewer main pipe shall be included where necessary. Connections to existing pipe of dissimilar materials shall be

done using C-594 sewer repair couplings with stainless steel shear rings, manufacturer's recommendations, or an approved alternative method.

Where a portion of existing surfacing is to be removed, the outline of the area to be removed shall be cut on a neat line with a power-driven saw to a minimum depth of 0.17-foot before removing the surfacing.

Trench excavation and backfill work shall conform to the City of Merced Standards, the Plans and these Special Provisions, and shall be paid for under this item.

The new pipe shall retain the vertical and horizontal alignments as shown on the Plans. The Contractor and the Engineer, in writing, shall agree upon any deviation from the planned alignments.

Payment for "Install Storm Drain Pipe" shall be paid at the contract unit price for two bid items, "Install 18-inch Storm Drain Pipe" and "Install 24-inch Storm Drain Pipe" and shall include all labor, materials, tools, equipment, and all work necessary for the completion of this item.

INSTALL CATCH BASIN

The Contractor shall install Catch Basins and Drain Inlets (catch basin) where indicated on the plans. Elevations shall conform to those shown on the plans, or match existing flowlines, as shown in the Plans, and these Special Provisions. This item shall include subgrade preparation, base material, and compaction.

The catch basin shall have a two-foot (2') sump below the lowest pipe invert. All existing incoming and out flowing pipes shall be extended and re-connected to the new catch basin as required using like materials and C-594 repair couplings with stainless steel shear rings, or an approved alternative method.

Catch basins shall be constructed of 3,000psi minimum concrete. The contractor shall install new frames and covers at each site. Reuse of existing frames and covers shall not be permitted. Any debris entering the catch basin shall be removed by the contractor prior to acceptance.

Payment for "Install Catch Basin," shall be for two (2) items "Install Type "C" Catch Basin" and "Install Caltrans Type G1 Drain Inlet" at the contract unit price as set forth in the proposal and shall include all labor, materials, tools, equipment, compaction, and all work necessary for the completion of this item.

CONNECT TO EXISTING MANHOLE

The Contractor shall perform the manhole connection in accordance with the details as shown on the Plans, and these Special Provisions.

Payment for Item "Connect to Existing Manhole" shall be at the contract unit price as set forth in the proposal and shall include all labor, materials, tools, equipment, excavation, backfill, compaction, resurfacing and all work necessary for the completion of this item.

INSTALL CONCRETE SIDEWALK AND CURB RAMP

The Contractor shall install concrete sidewalk, and handicap ramps in accordance with the details shown on the Plans, and these Special Provisions. This item shall include subgrade preparation, aggregate base material, compaction, polyolefin vapor barrier and all conditions described herein and as detailed on the plans.

The contractor shall prepare the subgrade as specified in the "Subgrade Preparation" section of these specifications. Aggregate subbase shall have a minimum thickness as shown on the plans and comply with the "Subgrade Preparation" section of these specifications. Aggregate base shall have a minimum thickness as shown on the plans and comply with the "Aggregate Base" section of these specifications.

10-Mil Polyolefin

The Contractor shall install 10 mil polyolefin vapor barrier where concrete does not abut against hardscape, such as a park strip or planting area. The vapor barrier shall be installed to a minimum depth of 18 inches and to a minimum of 12 inches under the sidewalk.

The concrete sidewalk shall have a minimum thickness of 4-inch, minimum 3,000psi, slump of 4-inch +/- 1-inch, match the existing adjacent concrete walk finish, and be in accordance with the Plans, and these Special Provisions.

The concrete walk shall have ½" felt expansion joint to be installed at 60' maximum intervals and control joints spaced every 10' on center. Sidewalks shall have no greater than a 1.5% cross slope and 5% running slope and shall meet ADA accessibility requirements.

All ramps shall meet ADA accessibility requirements and include Caltrans approved truncated domes. The Contractor shall install concrete access ramp in accordance with Caltrans Standard Plan RSP A88A, the Plans, and these Special Provisions. Design is for a maximum longitudinal slope of 7.5% and a 1.5% lateral slope. This item shall include subgrade excavation and preparation, base material placement and compaction, concrete, rebar, and all conditions described on the plans and in the applicable City of Merced Standard Designs.

Actual work quantities to be paid are those quantities marked and agreed upon in the field between the Engineer and the Contractor prior to demolition. No additional repairs beyond the limits marked and agreed upon in the field, as actual quantities will be paid therefor.

Payment for "Install Concrete Sidewalk and Curb Ramp," shall be at the contract square foot price as set forth in the proposal and shall include all labor, materials, tools, equipment, backfill, aggregate base, compaction and all work necessary for the completion of this item.

INSTALL CONCRETE CURB AND GUTTER

The Contractor shall install concrete curb and gutter in accordance with the Plans, and these Special Provisions. This item shall include subgrade preparation, aggregate base material, compaction, and all conditions described in these technical specifications.

The contractor shall prepare the subgrade as specified in the "Subgrade Preparation" section of these specifications. Aggregate base shall have a minimum thickness as shown on the plans and comply with the "Aggregate Base" section of these specifications.

If the curb replacement is for less than the entire length of the property frontage, curb height and gutter pan width shall match existing adjacent curb dimensions.

Payment for "Install Concrete Curb and Gutter," shall be at the contract linear foot price as set forth in the proposal and shall include all labor, materials, tools, equipment, backfill, aggregate base, compaction and all work necessary for the completion of this item.

INSTALL 3-FOOT VALLEY GUTTER

The Contractor shall install six-inch (6") concrete valley gutter in accordance with the Plans, and these Special Provisions. This item shall include subgrade preparation, aggregate base material, compaction, and all conditions described.

The contractor shall prepare the subgrade as specified in the "Subgrade Preparation" section of these specifications. Aggregate base shall have a minimum thickness as shown on the plans and comply with the "Aggregate Base" section of these specifications.

The concrete valley gutter shall have #4 rebar placed 36-inch on center in the transverse direction and shall have 3 bars running longitudinally the full length of the gutter. Rebar shall be supported on 3-inch concrete dobies.

The concrete valley gutter shall be constructed using 4,000psi minimum concrete with a slump of 4-inch +/- 1-inch and shall have a minimum thickness of 6-inch. ½-inch felt expansion joints shall be placed 60' on Center. Concrete finish shall match the existing adjacent concrete valley gutter finish and be in accordance with the Plans, and these Special Provisions.

Payment for "Install 3-foot Valley Gutter," shall be as set forth at the contract unit price and shall include all labor, materials, aggregate base, tools, equipment, backfill, aggregate base, compaction and all work necessary for the completion of this item.

INSTALL COMMERCIAL DRIVEWAY APPROACH

The Contractor shall install concrete driveway approach in accordance with the details shown on the Plans, and these Special Provisions. This item shall include subgrade preparation, aggregate base material, compaction, polyolefin vapor barrier (if necessary) and all conditions described herein and as detailed on the plans.

The contractor shall prepare the subgrade as specified in the "Subgrade Preparation" section of these specifications. Aggregate base shall have a minimum thickness as shown on the plans and comply with the "Aggregate Base" section of these specifications.

The concrete valley gutter shall be constructed using 4,000psi minimum concrete with a slump of 4-inch +/- 1-inch and shall have a minimum thickness of 6-inch. Concrete finish shall match the existing adjacent concrete finish and be in accordance with the Plans, and these Special Provisions.

Actual work quantities to be paid are those quantities marked and agreed upon in the field between the Engineer and the Contractor prior to demolition. No additional repairs beyond the limits marked and agreed upon in the field, as actual quantities will be paid therefor.

Payment for "Install Commercial Driveway Approach" shall be at the contract square foot price as set forth in the proposal and shall include all labor, materials, tools, equipment, backfill, aggregate base, compaction polyolefin and all work necessary for the completion of this item.

INSTALL TRAFFIC SIGN

This item shall include, in general, all signage in accordance with the City and State Standard Specifications, the Plans, and these Special Provisions. Signage shall be replaced in kind and as shown on the plans.

Signage shall conform to the provisions in Section 82, "Signs and Markers," of the State Standard Specifications, the Plans, and these Special Provisions. Signage shall include retroreflective sheeting meeting ASTM D4956 Type VIII, Type IX, or Type XI.

Full compensation for "Install Traffic Sign" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment and for doing all the work involved complete in place.

INSTALL BOLLARD

The contractor shall place bollards as shown on the plans. Bollards shall be constructed of schedule 40 galvanized steel pipe. Bollard shall be set in place, and filled with 3,000psi concrete. Bollard shall be capped with preformed concrete cap per manufacturer specifications.

Bollards shall be painted with industrial enamel paint in a safety yellow color and have two 2-inch bands of yellow reflective tape affixed around the top. Reflective tape shall meet ASTM D4956 Type V

Full compensation for "Install Bollard" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment and for doing all the work involved complete in place.

INSTALL WHEEL STOP

This item shall include, in general, installation of all precast concrete wheel stops in accordance with the plans, and these special provisions. Wheel stops shall be concrete, and anchored with #4 rebar or appropriate installation hardware supplied by the manufacturer and approved by the Engineer where shown and as detailed on the plans.

Full compensation for "Install Wheel Stop" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

INSTALL TRUNCATED DOMES

This item shall include, in general, installation of all truncated dome detectible warning surfaces. Surfaces shall be cast in place style. Dimensions of truncated domes shall meet Caltrans Standard Detail A88A.

Full compensation for "Install Truncated Domes" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

INSTALL BUS SHELTER PAD

This work shall consist of installation of concrete pads for future placement of bus shelters.

The contractor shall prepare the subgrade as specified in the "Subgrade Preparation" section of these specifications. Aggregate base shall have a minimum thickness as shown on the plans and comply with the "Aggregate Base" section of these specifications.

Pads shall be 6-inches minimum 3,000psi concrete with #4 rebar 12-inch on center each way. Rebar shall be placed on 3-inch concrete dobies. Pad dimensions are as shown in the plans. A ½-inch felt expansion joint shall be placed around the permitter of the pad separating the pad from adjacent concrete.

Full compensation for "Install Bus Shelter Pad" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

INSTALL BIKE RACK

This work shall consist of installation of bike racks as shown on the plans. Bike racks shall be installed per manufacturer specifications using manufacturer approved hardware appropriate to the mounting surface.

Full compensation for "Install Bike Rack" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

FDR-C PROCESS (1.0')

GENERAL

Summary

This Section includes specifications for constructing a subgrade using Full Depth Reclamation-Cement (FDR-C)

FDR-C consists of:

- 1. Thoroughly blending any AC (if any), aggregate base (if any), subgrade soil and, if specified, supplementary aggregate, to the specified treatment depth
- 2. Thoroughly mixing the blended material with water and cement
- 3. Compacting and grading the mixture
- 4. Curing the compacted mixture

Related Documents and sections

- 1. ASTM Testing Methods (latest revisions):
 - 3.1 ASTM C136
 - 3.2 ASTM C150
 - 3.3 ASTM D1557
 - 3.4 ASTM D1633
 - 3.5 ASTM D2216
 - 3.6 ASTM D6938
- 2. Caltrans Testing Methods (latest revisions)
 - 4.1 CT 373
 - 4.2 CT 417
 - 4.3 CT 422

Definitions

Cement: Type II portland cement for general use specified in ASTM C150

Spreader: Motorized vane fed spreader which can control cement application rate to measure $lbs/ft^2 \pm 5\%$

Mixer: Cross-shafted mixer with a mixing depth of 1.5 feet and capable of controlled introduction of water

Drop Pan: Rectangular metal box with minimum area of 3 square feet and height which allow passage of spreader

Optimum Moisture: Moisture content associated with maximum dry density determined by ASTM D1557

Relative Compaction: In-place compacted dry density divided by ASTM D1557 maximum dry density.

Unconfined Compressive Strength: Strength determined from ASTM D1633, Method A, using a 7-day oven cure per CT 373 H(2), (3). For curing only, test specimen must by tightly wrapped with two layers of plastic with minimum thickness of 4-mil, seal all seams with duct tape to prevent moisture loss.

SUBMITTALS

Products

At least 20 days prior to work, submit product data and certificates of compliance for all materials proposed under this section.

Mix Design

After review of the Owner's mix design, the Contractor may either concur with the design or submit a mix design to optimize the cement content or adjust materials. Any proposed mix design must be submitted for approval at least 20 days before the start of work. The mix design process should be consistent with construction procedure (e.g. 30 to 60 minute period between initial mixing and compaction). Each mix design submittal must be signed and sealed by a civil or geotechnical engineer who is registered in the State of California.

Each mix design submittal must include:

- 1. Area represented by sample by stationing
- 2. Gradation of mixture before addition of cement
- 3. Cement content percentage by dry weight
- 4. Maximum dry density and optimum moisture of FDR-C mix
- 5. Mixing moisture and relative compaction of test specimens
- 6. Unconfined compressive strength of test specimens (3 minimum)
- 7. Completed test results, with time at start of mixing, compaction, oven-curing and compression testing and any worksheets, photographs and graphs

QUALITY CONTROL AND ASSURANCE

Quality Assurance

- 1. The Owner will employ and pay for the services of an independent testing laboratory to perform testing to verify compliance with the contract documents.
- 2. Daily testing of the constructed materials and work of the Contractor will be made during construction

- 3. Cement application rate, mixing uniformity, mixing depth, moisture and relative compaction tests will be made at locations determined by the Owner's representative. When tests indicated the specified requirements have not been achieved or work has not been performed within the allowable time, that portion of the work shall be reworked until the specified requirements have been attained.
- 4. Relative compaction will be determined based on dry density using the maximum dry density at optimum moisture content determined by ASTM D1557. Compacted field inplace density and moisture will be determined by ASTM D6938. Mixing moisture, and nuclear gauge or direct source heating (ASTM D4959) moisture content corrections will be made periodically by ASTM D2216.
- 5. The uniformity of the mix and mixing depth will be confirmed by visual observation and sprayed phenolphthalein alcohol indicator solution.

Field Quality Control, Sampling and Testing

- 1. The Owner will retain the services of an independent testing agency to perform field quality control testing.
- 2. The testing agency shall perform sampling and testing, as a minimum, in accordance with the following table. Additional testing may be performed as necessitated by field conditions or as determined by the Owner's representative.

Quality Control Testing Requirements

Quality	Tested	Minimum	Sampling
Characteristic	Method	Frequency	Location
Water	CT 417 ^a	1 per source	Source
Sulfates (ppm)	01417	i pei souice	Source
Water			
Chlorides (ppm)	CT 422 ^a	1 per source	Source
Maximum Dry	ASTM D1557 ^{b, c, f}	60,000 ft ²	Loose
Density (pcf)	ASTIVI DISSI	00,000 it	Completed Mix
In-Place Dry	ASTM D6938d	7,500 ft ²	Compacted
Density (pcf)	ASTIVI D0930	7,500 11	Mix
In-Place Dry	ASTM D6938d	7,500 ft ²	Compacted
Moisture (%)	ASTIVI D0936	7,500 11	Mix
Moisture	AOTIA D00400)A/ 11	ASTM D6938
Bias (%)	ASTM D2216°	Weekly	and Composite Moisture
Composite Mix	ASTM D2216 b, f	15,000 ft ²	Loose
Moisture (%)	or ASTM D4959	10,000 11	Completed Mix
Cement	Drop Pan ^g	60,000 ft ²	Working Spread

Application (lbs/ft²)			
Mix Thickness Verification (in)	Phenolphthalein ^{h,i}	15,000 ft ²	Loose Completed Mix
Mix Uniformity	Visual and Phenolphthaelein ⁱ	15,000 ft ²	Loose Completed Mix

^a Only required for non-potable water sources

Acceptance Criteria

FDR Acceptance shall be based on:

1. Compliance with the quality characteristics shown in the following table

FDR-C Acceptance Criteria

Quality Characteristic	Requirement
Cement Application (lb/ft²)	Mix Design (-5%, +10%)
Relative Compaction (min)	95%
Moisture Content (min)	4% above optimum
Thickness (ft)	Design (-0.05', +0.10')

2. Visual inspection of the following:

- 2.1. Uniformity of soil/cement mix
- 2.2. Segregation, raveling or loose material

^b Sample immediately after mixing is completed

^c Test to be completed within 2 hours of sampling

^d If lift thickness exceeds 1-foot, at least one-third of tests shall be a depth of 0.5 foot to designated treatment depth

^e For bias to nuclear gauge, test at beginning of each work week on sample obtained from ASTM D6938 test location. For bias to direct heat source, test on composite sample of loose mix

f Direct heat source must have temperature control to allow for repeatable procedure

^g At least one test per day

^h Initial thickness verification to be taken in loose mix and at the same location in compacted mix to provide correlation for required loose mix thickness to result in specified compacted mix thickness. At least one comparison between loose and compacted mix thickness shall be made at the beginning of each work week or with any change to mixing and/or compaction procedures.

At least two per day (one beginning of shift and one at mid-shift), thickness and uniformity at same location.

- 2.3. Uniform surface texture and consistency
- 3. Finish grade ±0.05 foot of design and within 0.05 foot of bottom edge of a 12-foot straight edge.

MATERIALS

Cement

Cement must be normal Type II/V portland cement for general use as specified in ASTM C150.

Water

If available, potable water shall be used for mixing the FDR-C. The Engineer shall be notified if a water source other than potable water is to be used. Water, other than potable water, shall:

- 1. Contain no more than 500 ppm chlorides as Cl and no more than 1000 ppm sulfates as SO₄.
- 2. Not contain an amount of impurities that will cause a reduction in the strength of the FDR-C.

Prior to approval of a non-potable water source, a mix design shall be submitted which utilizes the non-potable water source.

Supplemental Aggregate/Soil

Any aggregate or soil proposed to supplement the on-site asphalt concrete, aggregate base, aggregate subbase, or subgrade within the specified treatment depth shall be free of organics or deleterious matter. A mix design shall be provided, which utilized the supplemental materials in the same proportion to on-site materials proposed for construction.

Cure Seal

Curing seal shall comply with Section 94 of the Caltrans Standard Specification for asphaltic emulsions Grade SS1h or CSS1h.

CONSTRUCTION

General

Do not start FDR-C activities if the ambient air temperature is below 40°F or if the road or ground surface is below 35°F. If the ambient air temperature drops below 40°F during the FDR-C activities, the Contractor may only complete compaction and finishing of FDR-C already mixed.

Deliver cement in full loads unless it is the last load of the work shift.

FDR-C treatment shall be to the design depth below the specified subgrade elevation. Treatment shall extend to the outer edge of the proposed pavement, unless otherwise specified on the approved plans or directed by the Owner's representative.

Utility Preparation

Prior to mixing, positively identify the horizontal and vertical location of utilities within the proposed FDR-C area. At a minimum, pothole each utility at the crossing with the proposed or existing lip of gutter and at 100-foot intervals for lines running parallel to the roadway. Any conflicts with existing utilities and a theoretical surface 12 inches below the bottom of the FDR-C limits shall be reported to the Engineer immediately and prior to the mixing process. Coordinating the relocation of any utilities as a result of these findings, as deemed necessary by the Engineer, shall be the responsibility of the Contractor.

Frames, covers, grates of existing sewer/storm drain manholes, water valve boxes and other utility boxes shall be lowered or raised to final grade of finished asphalt in accordance with the provisions

in Section 71-5.013B, "Frames, Covers, Grates, and Manholes," of the State Standard Specifications. The use of raising devices will not be permitted.

This shall include removal and protection of the existing water valve boxes and sewer frames and covers, and concrete collars. Grade adjustments shall be made in accordance with the City of Merced Standard Designs S-1, W-2, or requirements of the governing utility owner. Contractor shall replace any water utility boxes and/or sewer frame and covers that are damaged during the construction to current City Standards. Contractor shall coordinate all work with the governing utility company.

Upon completion of placement of final pavement on the street, all utility covers (sewer/storm drain manhole, water valve, other utility manhole, and detector handhole covers, etc.) shall be clean and free of any hot mix asphalt and shall seat securely in their frames.

At all times, the Contractor must maintain access to water valves. When the water valves are adjusted below grade, the Contractor shall provide swing ties, located outside the FDR-C section, identifying the exact location of the water valves. If requested by the Engineer, Owner or the City Water Department Specialist, the Contractor shall expose the valve for service.

Surface/Treatment Zone Preparation

Before FDR-C activities start, prepare the surface and treatment zone by:

- 1. Existing asphalt shall be sawcut to provide a smooth transition.
 - Nothing herein shall be construed as relieving the Contractor of his responsibility for final clean up as provided in Section 4-1.13, "Cleanup," of the State Standard Specifications.
- 2. Clear foreign matter including vegetation.
- 3. Remove standing water.
- 4. Referencing the profile and cross slope.
- 5. Marking the proposed longitudinal cut lines on the existing pavement as follows:
 - 5.1. Cut lines must coincide with points where the existing cross slope changes, approximately at the centerline and edge of traveled way
 - 5.2. Cut lines must indicate the sequence of the cuts
- 6. The FDR-C material to be treated shall be essentially free of irreducible particles greater than 6 inches in maximum dimension, contain less than about 10% irreducible particles greater than 3 inches in maximum dimensions and be determined by the Contractor to be satisfactory to not damage the mixer.
- 7. Provide a rough grade within ±0.1 foot of the specified finish subgrade elevation.
- 8. Clear and dispose of any vegetation, debris or other deleterious matter from any area used to store excess material.

Pulverizing

Do not pulverize more material than can be mixed with cement, uniformly moisture conditioned, compacted and finish graded within one work shift.

No unpulverized material shall be left in-place. The 1st cut width must be the full width of the pulverizing drum. Subsequent cuts must overlap previous cuts at least 4 inches, but not more than 12 inches.

Where the pulverizing drum stops in a longitudinal cut, the position of the drum shall be marked and a subsequent cut on that longitudinal alignment shall start at least 2 feet behind the mark.

If the pulverization encounters unstable conditions, notify the Engineer. The Engineer, with the Contractor's assistance, will determine the extent of the problem area and the correction measures to be taken.

Applying Cement

Cement shall be applied in dry form.

Cement shall be uniformly spread over the work area. The design spread rate is 6.1 pounds/square foot, which is based on a dry soil weight of 122.2 pcf and a mix design of 5% cement.

Spreader speed shall be controlled based on the pan test speed to maintain an application rate of 5.8 to 6.7 pounds/square foot.

The spread area should not exceed the area which can be initially mixed, uniformly moisture conditioned and compacted within 2 hours.

Mixing

The FDR-C material shall be uniformly mixed at least twice to the specified treatment depth. Mix until the mixture is visibly uniform with no streaks or pockets of cement. The mixed material shall have a uniform color reaction with sprayed phenolphthalein alcohol indicator for the full specified treatment depth.

Water must be injected through the mixer. The injection rate of mixing water must be sufficient to produce a workable FDR-C material moisture content that is at least 4% above the optimum moisture content determined by ASTM D1557. A composite sample from 5 random locations shall be taken after initial mixing and tested under ASTM D2216 or D4959 (calibrated to ASTM D2216) to confirm the moisture prior to compaction.

Mixing shall occur in a series of parallel lanes of convenient width and length. Mixing of adjoining lanes shall overlap the previous lane by at least 4 inches, but not more than 1 foot, to provide continuity. Where the mixing drum stops at the end of a lane, the position of the drum shall be marked and a subsequent lane on that longitudinal alignment shall start at least 2 feet behind the mark.

Compaction

Begin compaction within 0.5 hour of initial mixing.

Compact using equipment capable of uniform compaction throughout the thickness of the treated zone. For treatment depths greater than 0.65 feet, use an open hub/ring wheel compactor (e.g. Rex 760). Complete compaction with non-vibrating steel drum rollers or pneumatic-tired rollers. Compact to at least 95% relative compaction.

Use other compaction methods, as necessary, in areas not accessible to heavy equipment (e.g. around manholes or drain inlets).

The total time from final mixing of the pulverized material with cement to completion of compaction shall not exceed 2 hours.

Finishing Grading

Maintain the moisture of the FDR-C surface at, or above, the optimum moisture throughout the entire finish grading operation.

The finish grade of the FDR-C surface shall be ± 0.05 foot of the specified subgrade elevation and within ± 0.05 foot of the bottom edge of a 12-foot straight edge laid in directions parallel and perpendicular with the centerline.

If the FDR-C surface is above the allowable tolerance, trim, remove and dispose of excess material.

If the FDR-C surface is below the allowable tolerance, or is damaged prior to placing HMA, the low or damaged area shall be repaired with minor HMA. Any necessary leveling HMA is considered part of the FDR-C bid item and no separate payment will be made.

The finish FDR-C surface shall be free of ruts, bumps, indentations, segregation, raveling and any loose materials and shall be rolled with at least one complete coverage of a non-vibrating smooth-drum or pneumatic tired roller.

Finish grading shall be completed within 2 hours of completion of FDR-C compaction.

Curing

Curing shall consist of a water cure or curing seal. Curing shall begin the same day as finish grading.

Water curing shall keep the finished FDR-C surface at, or above, the optimum moisture content until paving with HMA begins.

Curing seal shall be applied to the finished FDR-C surface in conformance with Section 94 of the California Standard Specifications. Apply the curing seal:

- 1. At a rate of 0.1 to 0.2 gallon per square yard
- 2. When the ambient temperature is above 40°F and rising

Microcracking

During the period from 48 to 72 hours after completion of compaction, microcrack the FDR-C surface by applying 3 single passes with a 12-ton vibratory smooth steel drum roller at maximum amplitude traveling from 2 to 3 mph.

Traffic

Traffic may be placed onto the finished FDR-C surface after final grading. Any damage prior to placing HMA shall be repaired with minor HMA.

Measurement & Payment

The contract price paid per square foot for "Pulverize Existing Pavement/FDR-C Process (1.0') includes full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in constructing the Full Depth Reclamation Cement, including utility work or leveling HMA as described in this section, complete in place, as shown on the plans, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.

ASPHALT CONCRETE

This work shall consist of applying tack coat and hot mix asphalt in accordance with the plans and these Special Provisions. Subgrade shall be prepared as shown on the plans and in accordance with the "Subgrade Preparation" section of these Special Provisions.

Hot Mix Asphalt

Hot mix asphalt shall conform to Section 39 "Hot Mix Asphalt" of the State Specifications and shall be HMA Type A using PG 64-10 asphalt binder. Aggregate used in the base and intermediate layers shall be $\frac{3}{4}$ " maximum, medium grading and the final wearing course should be Type A, $\frac{1}{2}$ "

maximum, medium grading. Sections of paving to receive greater than 3" of new hot mix asphalt shall be paved in two separate lifts. Hot mix asphalt shall be spread in the number of layers indicated in Section 39-6, "Spreading and Compacting" of the Standard Specifications and shall be compacted with approved equipment as delineated in the State Specifications.

Hot mix asphalt shall be produced at an established commercial mixing plant. The aggregate and asphalt binder shall be heated and mixed thoroughly.

Prior to spreading hot mix asphalt, a paint binder (tack coat) of asphaltic emulsion shall be applied to the vertical and flat areas to be surfaced in accordance with Section 39-4 of the Standard Specifications. Prime coat will not be required on base rock. Asphaltic emulsion shall be type SS1 unless otherwise permitted by the engineer.

Thickness

The compacted thickness of hot mix asphalt overlay shall be per plans at all locations and shall be placed in one (1) lift or in compliance with the State Specifications.

Payment for "Asphalt Concrete," shall be at the contract unit price for four bid items, "Install 2.5-inch AC Over FDR-C"; "Install 3-inch AC Over FDR-C"; "Install AC Patchback (5.5-inch AC/20.5-inch AB)"; and "Install AC Dike" and shall include all labor, materials, tools, equipment, compaction, and all work necessary for the completion of this item.

INSTALL STRIPING/MARKERS

Striping

Thermoplastic traffic stripes (traffic lines) and pavement markings shall be applied in conformance with the provisions in Section 84, "Markings," of the State Standard Specifications and these special provisions.

Thermoplastic material shall be free of lead and chromium, and shall conform to the requirements in State Specification PTH-02ALKYD.

Retroreflectivity of the thermoplastic traffic stripes and pavement markings shall conform to the requirements in ASTM Designation: D 6359-99. White thermoplastic traffic stripes and pavement markings shall have a minimum initial retroreflectivity of 250 mcd m-2 lx-1. Yellow thermoplastic traffic stripes and pavement markings shall have a minimum initial retroreflectivity of 150 mcd m-2 lx-1. Green thermoplastic pavement markings shall have a minimum initial retroreflectivity of 75 mcd m-2 lx-1.

Where striping joins existing striping, as shown on the plans, the Contractor shall begin and end the transition from the existing striping pattern into or from the new striping pattern a sufficient distance to ensure continuity of the striping pattern.

Thermoplastic material for traffic stripes shall be applied at a minimum rate of 0.2 lb/ft. The minimum application rate is based on a solid stripe of 4 inches in width.

Thermoplastic traffic stripes shall be applied at the minimum thickness and application rate as specified below. The minimum application rate is based on a solid stripe of 4 inches in width.

Minimum Stripe Thickness (inch)	Minimum Application Rate (lb/ft)
0.079	0.27

0.098	0.34

Thermoplastic traffic stripes and pavement markings shall be free of runs, bubbles, craters, drag marks, stretch marks, and debris.

PAVEMENT MARKERS

Pavement markers shall conform to the provisions in Section 81-3, "Pavement Markers," of the State Standard Specifications, and these Special Provisions.

Submittals shall include a certificate of compliance for each type of pavement marker used.

At the option of the Contractor, a hot-melt bituminous adhesive may be used to cement the markers to the pavement, instead of the Rapid Set Type or Standard Set Type adhesive specified in said Section 81-3.03 "Construction," of the State Standard Specifications. The bituminous adhesive material, if used, shall conform to the following:

Specification Test Method	ASTM	REQUIREMENT
Flash Point, COC, degrees F	D 92	550 minimum
Softening Point, degrees F	D 36	200 minimum
Brookfield Viscosity, 400 degrees F	D 2196	7,500cP maximum
Penetration, 100g, 5 sec, 77 deg	D 5	10 – 20 dmm
Filler Content, % by weight	D 2371	50 - 75
(Insoluble in 1,1,1 Trichloroethane)		

Filler material used in bituminous adhesive shall be Type PC, Grade III Calcium Carbonate conforming to the requirements of ASTM Designation D 1199, and shall conform to the following fineness:

Sieve Size	Percent Passing
No. 100	100
No. 200	95
No. 325	75

Bituminous adhesive shall have a maximum safe heating temperature that allows for application of the adhesive within the temperature range specified for application. Bituminous adhesive shall not be heated above the maximum safe heating temperature recommended by the manufacturer. Bituminous adhesive shall be indirectly heated in an applicator with continuous agitation. The adhesive shall be applied at a temperature between 375 degrees F and 425 degrees F. Markers shall be placed immediately after application of the adhesive. Placement of markers using bituminous adhesive shall conform to the requirements for placing markers in said Section 85- 1.03, "Construction," of the State Standard Specifications except as follows:

Markers shall not be placed when the pavement or air temperature is 50 degrees F or less; Blast cleaning of clean, new asphalt pavement surfaces will not be required.

When bituminous adhesive is used for pavement marker placement, traffic control during placement operations shall conform either to the requirements of "Traffic Control System for Lane Closure" or "Traffic Control for Traffic Striping" of these Special Provisions.

Where applicable, the Type G one-way clear reflective pavement marker, shown on Detail 34 of Standard Plan A20-B, shall be a Type H one-way yellow reflective pavement marker. The other pavement markers shown on Detail 34 shall be Type D two-way yellow reflective pavement markers.

The width of the reflective pavement markers, shown on Standard Plan A20-C, is revised to 4.7 inches +/- 0.125 inches. The width of the Type 1 and Type 2 pavement marker recesses, shown on Standard Plan A20-C, is revised to 5 3/16 inches +/- 1/8 inch.

Fire hydrant markers shall conform to the provisions in Section 81-3, "Pavement Markers" of the State Specifications, the Plans, and these Special Provisions. Pavement markers shall be blue (2-way) reflective Stimsonite Model No. 88AB or approved equal.

Payment for Item, "Install Striping/Markers," shall be paid at the contract lump sum price in the proposal and shall include all labor, materials, tools, equipment and all work necessary for the completion of this item.

INSTALL WOOD BARRICADE

The contractor shall install wood barricade as shown on the plans. Barricade shall be constructed with redwood or treated posts. Barricade shall be painted with two coats of flat white exterior paint. All nails and hardware shall be galvanized or stainless steel.

Full compensation for "Install Wood Barricade" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

INSTALL PARKING LOT LIGHT AND WIRING

ELECTRICAL SYSTEMS REQUIREMENTS

- A. Contractor Responsibility: The installing contractor shall be responsible for providing the equipment and installation of a complete and operational system commencing from the load side of the service transformer and terminating at the safety disconnect within the electrical enclosure, 10' above grade, on each lighting pole. The electrical contractor shall coordinate the transformer and switchgear locations, as well as identifying the voltage and phase of the service, with the local power company and the Owner's representative before any equipment is installed.
- B. Electrical requirements for the lighting system:
- C. Maximum total voltage drop: Voltage drop to the disconnect switch located on the poles shall not exceed three (3) percent of the rated voltage.
- D. System Design
 - 1. The electrical system equipment shall consist of:

- A. Conductors and conduit from the main service transformer to the service entrance panel
- B. The service entrance panel board with appropriate individual circuit overcurrent protection. The panel board shall meet local and National Electrical Code (NEC) requirements for the size of the service, AIC rating, and the type of the environment to which it will be exposed. All feeder breakers shall be bolt on type.
- C. Conductors and conduit for the feeder circuit from the service entrance panel board (or from the contactor panel if applicable) to the safety disconnect mounted in the electrical enclosure on each lighting pole 10" above grade.
- D. Grounding conductors and grounding methods for the following:
 - 1. The main service entrance panel board. (Per NEC or local codes)
 - 2. The lighting contactor enclosure. (Per NEC or local codes)
 - Each electrical component enclosure mounted on the lighting poles. (Equipment Grounding System) (Per NEC or local codes)
 - 4. Lightning Protection for individual poles as follows (per NFPA 780):
 - a. A 5/8" x 10' copper grounding rod buried vertically in undisturbed earth. The bottom tip of the grounding rod should reach a minimum of 10' below grade.
 - b. A copper grounding conductor shall be connected to the top of the copper ground rod and extend and connect to the grounding lug located inside the handhold of the pole approximately 10' above grade. The size of the conductor shall be #2 if the pole is less than 75' in height and #2/0 if the pole is 75' in height or greater.
- 2. Underground wiring shall be all copper wire and shall be installed in PVC Schedule 40 conduit and shall be buried to a depth meeting the NEC and local electrical codes. Acceptable copper wire types need to comply with any local requirements, but will be labeled either THHN or THWN. If above ground conduit must be used it shall be rigid galvanized steel. Conduit elbows located at the electrical panel should be rigid conduit, as opposed to PVC.
 - A. Trenching or Directional Boring
 - 1. The installing contractor shall be responsible for location all underground utilities including, but not limited to, natural gas, electric, water, sewer, cable TV and telephone.
 - 2. Trenching depth and width shall be adequate to install appropriately sized conduit and to meet local and National Electrical Codes.
 - Trenches shall be back-filled with excavated soil and compacted to approximately the same density of the surrounding soil to minimize settlement.
 - B. Design Standards

- 1. All Circuits shall be designed so as not to exceed a 3% voltage drop at the safety disconnect in the electrical enclosure near the base of each pole.
- All work shall meet local and National Electrical Codes. It shall be the installing contractors' responsibility to correct any work deemed unacceptable by local electrical inspectors.
- 3. All electrical components shall be UL Listed for the appropriate application.

C. Submittal Information

1. The successful contractor shall provide an electrical plan/schematic, detailing all of the equipment described above, to the owner prior to commencing work. This electrical plan/schematic shall bear the stamp of an Electrical Engineer with P.E. status within the State.

LIGHTING SYSTEM CONSTRUCTION

- A. System Description: Lighting system shall consist of the following:
 - 1. Galvanized steel poles and crossarm assembly
 - 2. Pre-stressed concrete base embedded in concrete backfill allowed to cure for 12-24 hours before pole stress is applied. Alternate may be an anchor bolt foundation designed such that the steel pole and any exposed steel portion of the foundation be located a minimum of 18 inches above final grade. The concrete shall be allowed to cure for a minimum of 28 days before the pole stress is applied.
 - 3. All luminaries shall be constructed with a die-cast aluminum housing or external hail shroud to protect the luminaire reflector system.
 - 4. Manufacturer will remote all ballast and supporting electrical equipment in aluminum enclosures mounted approximately 10' above grade. The enclosures shall include ballast, capacitor and fusing for each luminaire. Safety disconnect per circuit for each pole structure will be located in the enclosure.
 - 5. Wire harness complete with an abrasion protection sleeve, strain relief and plug-in connections for fast, trouble-free installation.
 - 6. Manufacturing Requirements: All components shall be designed and manufactured as a system. All luminaries, wire harnesses, ballast and other enclosures shall be factory assembled, aimed, wired and tested.
 - 7. Durability: All exposed components shall be constructed of corrosion resistant material and/or coated to help prevent corrosion. All exposed carbon steel shall be hot dip galvanized per ASTM A123. All exposed aluminum shall be powder coated with high performance polyester or anodized. All exterior reflective inserts shall be anodized, coated, and protected from direct environmental exposure to prevent reflective degradation or corrosion. All exposed hardware and fasteners shall be stainless steel of 18-8 grade or better, passivated and coated for protection against corrosion and stress corrosion cracking. All wiring shall be enclosed within the crossarms, pole, or electrical components enclosure.

CONTRACTOR'S DUTIES

- A. The successful contractor shall, upon completion of the project, protect the owner against defective materials or faulty workmanship for a period of two (2) years. The contractor, at the owner's request, shall furnish a maintenance bond for the above outlined maintenance term. This bond shall be in an amount not to exceed one hundred percent (100%) of the contract price.
- B. Codes, Permits and Licenses: All work shall comply with the applicable rules of the National Electrical Code, the National Electrical Safety Code, the National Fire Codes, (published by the National Fire Protection Association), state and local codes and ordinances, and the terms and conditions of the services of the electrical utility, as well as any other authorities that may have lawful jurisdiction pertaining to the work specified. None of the terms or pro-visions of this specification shall be construed as waiving any of the rules, regulations or requirements of these authorities. The contractor shall procure all necessary permits or licenses to carry out his work, and shall pay the lawful fee therefore, as well as for any inspection fee or the cost of a certificate of approval.

In any instance where these specifications call for materials for construction of a better quality or larger size than required by the codes, the provisions of these specifications shall take precedence. The codes shall govern in the case of direct conflict between the codes and the plans and the specifications.

MATERIALS

- A. Approved Materials: All materials supplied by the contractor under the provisions of these specifications and plans shall be new materials of the kind and character called for by the specifications. Defective equipment or material damaged in the course of installation or tests shall be replaced or repaired in a manner satisfactory to the owner. All materials and equipment to be furnished under these specifications shall be the standard product of a manufacturer regularly engaged in the production of such material and shall be the manufacturer's current standard design.
- B. Alternate Materials: The materials specified have been determined to have characteristics appropriate for the purposes of this project. Alternate materials will only be considered as a substitute bid on a separate substitution sheet. No bid will be approved which proposes to use a non-approved substitute. Substitutions will not be considered in determining the lowest responsive bid. The owner reserves the right to reject any or all bids.

INSTALLATION

- A. Manufacturer's Instructions: Written instructions for the installation of the sports lighting equipment shall be provided by the manufacturer. The contractor shall review the instructions prior to beginning installation and review any areas of concern with the manufacturer.
- B. Manufacturer Representative: A qualified representative from the sports lighting manufacturer shall be available to provide installation guidance if required by the contractor.
- C. Handling of Equipment: The lighting equipment shall be handled in an appropriate manner to ensure safe installation and prevent damage to the equipment. Repair or replacement of damaged component shall be the responsibility of the installing contractor.

D. Rigging: Use the appropriated rated web fabric slings to lift components into position. Chains or cables shall not be allowed due to potential failure and damage to components.

Full compensation for "Install Parking Lot Light and Wiring" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

INSTALL ELECTRIC SERVICE

The contractor shall arrange for Merced Irrigation District (MID) to make the final electrical connection at MID's splice box to energize the system. All requirements of MID and their representative(s) will be made to the satisfaction of MID, at no additional cost to the City. Parking lot lighting will not be accepted as complete without being energized.

Full compensation for "Install Electric Service" shall be at the contract unit price as set forth in the proposal and shall include full compensation for furnishing all material, labor, tools, equipment, notifications and incidentals, and for doing all the work involved complete in place.

RESTORATION

The Contractor shall restore all areas adjacent to the construction area and areas affected during construction to their preconstruction condition. Specifically included in this item are all concrete and asphalt pavement, signs, concrete curb and gutter, curb drains, driveway and alley approach, sidewalk, pavement markings, landscaping and irrigation, fencing and all items damaged during construction.

The Contractor shall also modify any water sprinkler service that has to be moved back of the new sidewalk so that it remains functional after modification. Contractor shall make the modifications using the same type of materials as the existing system, or materials as approved by the Engineer. Contractor shall remove sidewalk formwork, cleanup and backfill with soil and re-sod or re-seed to match existing landscaping.

Payment for "Restoration," shall be at the lump sum price paid as set forth in the proposal and shall include all labor, materials, tools, equipment, compaction, and all work necessary for the completion of this item.

EXHIBIT "C"- SPECIAL CONDITIONS - (NOT USED)

EXHIBIT "D"- CONTRACTORS CERTIFICATION REGARDING WORKERS COMPENSATION

I am aware of the provisions of section 3700 of the Labor Code which require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this Contract.

Name of Bidder	Dirt Dynasty, Inc.	
Signature	SMS	
Name	Stephen McPeak	2
Title	Secretary / Teasurer	
Dated	06/29/2022	

EXHIBIT "E"- PUBLIC WORKS CONTRACTOR REGISTRATION CERTIFICATION

Pursuant to Labor Code sections 1725.5 and 1771.1, all contractors and subcontractors that wish to bid on, be listed in a bid proposal, or enter into a contract to perform public work must be registered with the Department of Industrial Relations. See http://www.dir.ca.gov/Public-Works.html for additional information.

No bid will be accepted nor any contract entered into without proof of the contractor's and subcontractors' current registration with the Department of Industrial Relations to perform public work.

Bidder hereby certifies that it is aware of the registration requirements set forth in Labor Code sections 1725.5 and 1771.1 and is currently registered as a contractor with the Department of Industrial Relations.¹

Dirt Dynasty, Inc.

Name of Bidder:

DIR Registration Number:	1000035884
DIR Registration Expiration:	06/30/2023
Small Project Exemption:	Yes orNo
Unless Bidder is exempt purs	suant to the small project exemption, Bidder further acknowledges:
Bidder shall maintain a curren	t DIR registration for the duration of the project.
	rements of Labor Code sections 1725.5 and 1771.1 in its contract that all subcontractors are registered at the time of bid opening and the duration of the project.
Failure to submit this form or chat the bid is non-responsive.	comply with any of the above requirements may result in a finding
Name of Bidder:	Dirt Dynasty, Inc.
Signature:	\$m5//
Name and Title:	Stephen McPeak, Secretary/Treasurer
Dated:	06/29/2022

¹ If the Project is exempt from the contractor registration requirements pursuant to the small project exemption under Labor Code Sections 1725.5 and 1771.1, please mark "Yes" in response to "Small Project Exemption."

EXHIBIT "F"- PAYMENT AND PERFORMANCE BONDS

Payment Bond (Labor and Materials).

k	(N	OW	AΠ	MFN	BY	THESE	PRESE	-NTS	That

WHEREAS, resolution	the City of passed	f Merced (hereinafte	,	20	_, has	award	ed to
described as	s follows: C	ontract No.	•			illact for	the work
that if said I provender, e contracted tunder the UI and paid over Principal and	Principal or equipment, o be done, nemployme er to the Emd its Subco	pal is required to furnicany of its Subcontral or other supplies used or for any work or last Insurance Code or aployment Development actors with respective extent hereinafter second or supplied to the contractors with respective the contractors with respective to the contractors with respective	ctors shall faid in, upon, for abor done the for any amount Department to such world	il to pay for about ereon of a unts requint from the	for any ma t the performany kind, o ired to be d e wages of	terials, promance of refor amore ducted, very employee	ovisions, the work unts due withheld, es of said
made, we b	ind ourselv	e, the Principal and _ the City in the penal ited States of America es, our heirs, execute these presents.	a, ioi tiic payi	HOHE OF W	villori Sairi v	von ana u	diy to be

THE CONDITION OF THIS OBLIGATION IS SUCH that if said Principal, his or its subcontractors, heirs, executors, administrators, successors or assigns, shall fail to pay any of the persons named in Civil Code Section 9100, fail to pay for any materials, provisions or other supplies, used in, upon, for or about the performance of the work contracted to be done, or for any work or labor thereon of any kind, or amounts due under the Unemployment Insurance Code with respect to work or labor performed under the contract, or for any amounts required to be deducted, withheld, and paid over to the Employment Development Department or Franchise Tax Board from the wages of employees of the contractor and his subcontractors pursuant to Revenue and Taxation Code Section 18663, with respect to such work and labor the Surety or Sureties will pay for the same, in an amount not exceeding the sum herein above specified, and also, in case suit is brought upon this bond, all litigation expenses incurred by the City in such suit, including reasonable attorneys' fees, court costs, expert witness fees and investigation expenses.

This bond shall inure to the benefit of any of the persons named in Civil Code Section 9100 so as to give a right of action to such persons or their assigns in any suit brought upon this bond.

It is further stipulated and agreed that the Surety on this bond shall not be exonerated or released from the obligation of this bond by any change, extension of time for performance, addition, alteration or modification in, to, or of any contract, plans, specifications, or agreement pertaining or relating to any scheme or work of improvement herein above described, or pertaining or relating to the furnishing of labor, materials, or equipment therefore, nor by any change or modification of any terms of payment or extension of the time for any payment pertaining or relating to any scheme or work of improvement herein above described, nor by any rescission or attempted rescission or attempted rescission of the contract, agreement or bond, nor by any conditions precedent or subsequent in the bond attempting to limit the right of recovery of claimants otherwise entitled to recover under any such contract or agreement or under the bond, nor by any

fraud practiced by any person other than the claimant seeking to recover on the bond and that this bond be construed most strongly against the Surety and in favor of all persons for whose benefit such bond is given, and under no circumstances shall Surety be released from liability to those for whose benefit such bond has been given, by reason of any breach of contract between the owner or City and original contractor or on the part of any obligee named in such bond, but the sole conditions of recovery shall be that claimant is a person described in Civil Code Section 9100, and has not been paid the full amount of his claim and that Surety does hereby waive notice of any such change, extension of time, addition, alteration or modification herein mentioned, including but not limited to the provisions of sections 2819 and 2845 of the California Civil Code.

By their signatures hereunder, Surety and Principal hereby confirm under penalty of perjury that surety is an admitted surety insurer authorized to do business in the State of California.

IN WITNESS WHEREOF, we have hereu, 20	unto set our hands and seals this day of
(Corporate Seal)	Contractor/ Principal
	By
	Title
(Corporate Seal)	Surety
	ByAttorney-in-Fact
(Attach Attorney-in-Fact Certificate)	Title

Notary Acknowledgment

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF CALIFORNIA COUNTY OF		
On, 20	, before me,	, Notary Public, personally
appeared		, who proved to me on the basis of satisfactory
me that he/she/they executed t	the same in his/her/	subscribed to the within instrument and acknowledged to their authorized capacity(ies), and that by his/her/their ntity upon behalf of which the person(s) acted, executed
I certify under PENALTY OF PE is true and correct.	RJURY under the lav	vs of the State of California that the foregoing paragraph
	V	/ITNESS my hand and official seal.
Signature of Notary Public Though the information belo and could prevent	OPT w is not required by law,	TIONAL it may prove valuable to persons relying on the document reattachment of this form to another document.
CAPACITY CLAIMED BY		DESCRIPTION OF ATTACHED DOCUMENT
☐ Individual☐ Corporate Officer		
Title(s)		Title or Type of Document
☐ Partner(s) ☐ Limi☐ ☐ Ger☐ Attorney-In-Fact☐ Trustee(s)		Number of Pages
☐ Guardian/Conservator ☐ Other: Signer is representing: Name Of Person(s) Or Entity(ies)		Date of Document
		Signer(s) Other Than Named Above

NOTE: This acknowledgment is to be completed for Contractor/Principal.

Notary Acknowledgment

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF CALIFORNIA COUNTY OF			
On	<u>,</u> 20	, before me,	, Notary Public, personally
appeared			, who proved to me on the basis of satisfactory
me that he/she/they ex	cecuted t	he same in his/he	subscribed to the within instrument and acknowledged to er/their authorized capacity(ies), and that by his/her/their entity upon behalf of which the person(s) acted, executed
I certify under PENALT' is true and correct.	OF PE	RJURY under the I	aws of the State of California that the foregoing paragraph
			WITNESS my hand and official seal.
Signature of N	otary Public		
		OI	PTIONAL
Though the inforn and co.	nation belo uld prevent	w is not required by law fraudulent removal an	v, it may prove valuable to persons relying on the document d reattachment of this form to another document.
CAPACITY CLAI	MED BY	SIGNER	DESCRIPTION OF ATTACHED DOCUMENT
☐ Individual☐ Corporate Officer			
Т	tle(s)		Title or Type of Document
_	_ Limi _ Gen		Number of Pages
☐ Guardian/Conservator☐ Other: Signer is representing: Name Of Person(s) Or Entity(ies	ı		Date of Document
			Cimpon(a) Othon There Mayored Above
-			Signer(s) Other Than Named Above

NOTE: This acknowledgment is to be completed for the Attorney-in-Fact. The Power-of-Attorney to local representatives of the bonding company must also be attached.

PERFORMANCE BOND

KNOW ALL PERSONS BY THESE PRESENTS:

THAT WHEREAS, the City of Merced, (hereinafter referred to as "City") has awarded to, (hereinafter referred to as the "Contractor") an agreement for
Contract No, (hereinafter referred to as the "Project").
WHEREAS, the work to be performed by the Contractor is more particularly set forth in the Contract Documents for the Project dated, (hereinafter referred to as "Contract Documents"), the terms and conditions of which are expressly incorporated herein by reference; and
WHEREAS, the Contractor is required by said Contract Documents to perform the terms thereof and to furnish a bond for the faithful performance of said Contract Documents.
NOW, THEREFORE, we,, the undersigned Contractor and as Surety, a corporation organized
and duly authorized to transact business under the laws of the State of California, are held and firmly bound unto the City in the sum of

THE CONDITION OF THIS OBLIGATION IS SUCH, that, if the Contractor, his or its heirs, executors, administrators, successors or assigns, shall in all things stand to and abide by, and well and truly keep and perform the covenants, conditions and agreements in the Contract Documents and any alteration thereof made as therein provided, on its part, to be kept and performed at the time and in the manner therein specified, and in all respects according to their intent and meaning; and shall faithfully fulfill all obligations including the one (1) year guarantee of all materials and workmanship; and shall indemnify and save harmless the City, its officials, officers, employees, and authorized volunteers, as stipulated in said Contract Documents, then this obligation shall become null and void; otherwise it shall be and remain in full force and effect.

As a part of the obligation secured hereby and in addition to the face amount specified therefore, there shall be included costs and reasonable expenses and fees including reasonable attorney's fees, incurred by City in enforcing such obligation.

As a condition precedent to the satisfactory completion of the Contract Documents, unless otherwise provided for in the Contract Documents, the above obligation shall hold good for a period of one (1) year after the acceptance of the work by City, during which time if Contractor shall fail to make full, complete, and satisfactory repair and replacements and totally protect the City from loss or damage resulting from or caused by defective materials or faulty workmanship. The obligations of Surety hereunder shall continue so long as any obligation of Contractor remains. Nothing herein shall limit the City's rights or the Contractor or Surety's obligations under the Contract, law or equity, including, but not limited to, California Code of Civil Procedure Section 337.15.

Whenever Contractor shall be, and is declared by the City to be, in default under the Contract Documents, the Surety shall remedy the default pursuant to the Contract Documents, or shall promptly, at the City's option:

Take over and complete the Project in accordance with all terms and conditions in the Contract Documents; or

Obtain a bid or bids for completing the Project in accordance with all terms and conditions in the Contract Documents and upon determination by Surety of the lowest responsive and responsible bidder, arrange for a Contract between such bidder, the Surety and the City, and make available as work progresses sufficient funds to pay the cost of completion of the Project, less the balance of the contract price, including other costs and damages for which Surety may be liable. The term "balance of the contract price" as used in this paragraph shall mean the total amount payable to Contractor by the City under the Contract and any modification thereto, less any amount previously paid by the City to the Contractor and any other set offs pursuant to the Contract Documents.

Permit the City to complete the Project in any manner consistent with California law and make available as work progresses sufficient funds to pay the cost of completion of the Project, less the balance of the contract price, including other costs and damages for which Surety may be liable. The term "balance of the contract price" as used in this paragraph shall mean the total amount payable to Contractor by the City under the Contract and any modification thereto, less any amount previously paid by the City to the Contractor and any other set offs pursuant to the Contract Documents.

Surety expressly agrees that the City may reject any contractor or subcontractor which may be proposed by Surety in fulfillment of its obligations in the event of default by the Contractor.

Surety shall not utilize Contractor in completing the Project nor shall Surety accept a bid from Contractor for completion of the Project if the City, when declaring the Contractor in default, notifies Surety of the City's objection to Contractor's further participation in the completion of the Project.

The Surety, for value received, hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the Contract Documents or to the Project to be performed thereunder shall in any way affect its obligations on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the Contract Documents or to the Project.

By their signatures hereunder, Surety and Contractor hereby confirm under penalty of perjury that surety is an admitted surety insurer authorized to do business in the State of California.

[REMAINDER OF PAGE LEFT INTENTIONALLY BLANK]

IN WITNESS WHEREOF, we have hereunto se, 20	t our hands and seals this day of
(Corporate Seal)	Contractor/ Principal
	Ву
	Title
(Corporate Seal)	Surety
	Surety
	ByAttorney-in-Fact
	•
(Attach Attorney-in-Fact Certificate)	Title
The rate of premium on this bond is charges is \$ (The above must be filled in by corporate attorney.	
THIS IS A REQUIRED FORM	
Any claims under this bond may be addressed to:	
(Name and Address of Surety)	
Representative for service of	
(Telephone number of Surety and Agent or Representative for service of process in California)	

Notary Acknowledgment

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF CALIFORNIA COUNTY OF	
On, 20, before me	,, Notary Public, personally
appeared	, who proved to me on the basis of satisfactory
me that he/she/they executed the same i	s) is/are subscribed to the within instrument and acknowledged to n his/her/their authorized capacity(ies), and that by his/her/their), or the entity upon behalf of which the person(s) acted, executed
I certify under PENALTY OF PERJURY und is true and correct.	der the laws of the State of California that the foregoing paragraph
	WITNESS my hand and official seal.
Signature of Notary Public Though the information below is not required and could prevent fraudulent re-	OPTIONAL red by law, it may prove valuable to persons relying on the document amoval and reattachment of this form to another document.
CAPACITY CLAIMED BY SIGNER	DESCRIPTION OF ATTACHED DOCUMENT
□ Individual □ Corporate Officer	
Title(s)	Title or Type of Document
□ Partner(s) □ Limited □ General	Number of Pages
☐ Attorney-In-Fact☐ Trustee(s)	
 ☐ Guardian/Conservator ☐ Other: Signer is representing: Name Of Person(s) Or Entity(ies) 	Date of Document
	Signer(s) Other Than Named Above

NOTE: This acknowledgment is to be completed for Contractor/Principal.

Notary Acknowledgment

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

STATE OF CALIFORNIA COUNTY OF		
On,	20, before me,	, Notary Public, personally
appeared		, who proved to me on the basis of satisfactory
me that he/she/they exec	uted the same in his	are subscribed to the within instrument and acknowledged to /her/their authorized capacity(ies), and that by his/her/their he entity upon behalf of which the person(s) acted, executed
I certify under PENALTY C is true and correct.	F PERJURY under th	e laws of the State of California that the foregoing paragraph
		WITNESS my hand and official seal.
Signature of Notary Though the information and could it	on below is not required by	OPTIONAL law, it may prove valuable to persons relying on the document and reattachment of this form to another document.
CAPACITY CLAIME		DESCRIPTION OF ATTACHED DOCUMENT
☐ Individual☐ Corporate Officer		
Title(s	5)	Title or Type of Document
□ Partner(s) □	Limited General	Number of Pages
☐ Attorney-In-Fact☐ Trustee(s)	Contral	, amb si o agas
☐ Guardian/Conservator ☐ Other: Signer is representing: Name Of Person(s) Or Entity(ies)		Date of Document
		Signer(s) Other Than Named Above

NOTE: This acknowledgment is to be completed for the Attorney-in-Fact. The Power-of Attorney to local representatives of the bonding company must also be attached.

END OF PERFORMANCE BOND

EXHIBIT "15-G"- CONSTRUCTION CONTRACT DBE COMMITMENT

EXHIBIT 15-G CONSTRUCTION CONTRACT DBE COMMITMENT

1. Local Ag	ency: City of Merced		2. Contract DBE Goal: 21%	
3. Project D	Description: CMAQ MERCED NOR	TH TRANSIT HUB		
	ocation: "M" Circle, South of Bellev	vue Rd		
	Name: Dirt Dynasty, Inc.		Certified DBE: 8 7. Bid Amount \$1,666,2	96.25
	lar Amount for ALL Subcontractors: \$	486,185.90	9. Total Number of ALL Subcontractors: 10	
10. Bid tem Number	11. Description of Work, Service, or I Supplied	Materials 12. DBE Certification Number	13. DBE Contact Information (Must be certified on the date bids are opened)	14. DBE Dollar Amount
Various	See attached work	sheet 43376	Dirt Dynasty, Inc., 209-623-114	1 \$ 1,180,110.35
21. Local A 22. Federa	Agency to Complete this Section upor gency Contract Number: -Aid Project Number:	n Execution of Award	15. TOTAL CLAIMED DBE PARTICIPATION	\$1,180,11035
23, Bid Op				
25. Award Local Agen this form is	Amount: Amount: Or certifies that all DBE certifications are complete and accurate.	e valid and information on	16. Prepare's Signature 17. D	becontractors and the consistent, work in the en confirmation of 21/2022
	I Agency Representative's Name	29. Phone	on pirat mer can	hane
	TION: 1. Original –Local Agency	tion of federal funds on con	i). Failure to submit to DLAE within 30 days of contra tract.	ct
LPP 18-0	1			Page 1 of 3 anuary 2019

EXHIBIT "17-F"- FINAL REPORT – UTILIZATION OF DBE AND FIRST TIER SUBCONTRACTORS

Final Report-Utilization of Disadvantaged Business Enterprises (DBE) and First-Tier Subcontractors

EXHIBIT 17-F FINAL REPORT-UTILIZATION OF DISADVANTAGED BUSINESS ENTERPRISES (DBE) AND FIRST-TIER SUBCONTRACTORS

1. Local Age	1. Local Agency Contract Number	2. Federal-A	2. Federal-Aid Project Number	3. Local Agency	>			4. Contract Completion Date	npletion Date
5. Contracto	5. Contractor/Consultant		6. Business Address				7. Final Contract Amount	act Amount	
8. Contract	9. Description of Work, Service, or	ie, or	10. Company Name and	Б	11. DBE	12. Contract Payments	t Payments	13. Date Work	14. Date of Final
Number	Materials Supplied		Business Address		Number	Non-DBE	DBE	Completed	Payment
15. ORIGINA	15. ORIGINAL DBE COMMITMENT AMOUNT	es			16. TOTAL				
10.00			in all East to only the description of the state of the	son lead for any lead in		30 110 110 110 110 110 110 110 110 110 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		900000

List all first-tier subcontractors/subconsultants and DBEs regardless of tier whether or not the firms were originally listed for goal credit. If actual DBE utilization (or item of work) was different than that approved at the time of award, provide comments on an additional page. List actual amount paid to each entity. If no subcontractors/subconsultants were used on the contract, indicate on the form.

	20. Date	ED .	24. Date	
_	19. Phone	HAS BEEN MONITORI	23. Phone	
I CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND CORRECT	18. Contractor/Consultant Representative's Name	THE CONTRACTING RECORDS AND ON-SITE PERFORMANCE OF THE DBE(S) HAS BEEN MONITORED	22. Local Agency Representative's Name	
	17. Contractor/Consultant Representative's Signature	I CERTIFY THAT	21. Local Agency Representative's Signature	

DISTRIBUTION: Original - Local Agency, Copy - Caltrans District Local Assistance Engineer. Include with Final Report of Expenditures

ADA NOTICE: For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, Local Assistance Procedures Manual TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

INSTRUCTIONS – FINAL REPORT-UTILIZATION OF DISADVANTAGED BUSINESS ENTERPRISES (DBE) AND FIRST-TIER SUBCONTRACTORS

- 1. Local Agency Contract Number Enter the Local Agency contract number or identifier.
- 2. Federal-Aid Project Number Enter the Federal-Aid Project Number.
- 3. Local Agency Enter the name of the local or regional agency that is funding the contract.
- **4. Contract Completion Date** Enter the date the contract was completed.
- **5.** Contractor/Consultant Enter the contractor/consultant's firm name.
- **6. Business Address** Enter the contractor/consultant's business address.
- 7. Final Contract Amount Enter the total final amount for the contract.
- **8.** Contract Item Number Enter contract item for work, services, or materials supplied provided. Not applicable for consultant contracts.
- **9. Description of Work, Services, or Materials Supplied** Enter description of work, services, or materials provided. Indicate all work to be performed by DBEs including work performed by the prime contractor/consultant's own forces, if the prime is a DBE. If 100% of the item is not to be performed or furnished by the DBE, describe the exact portion to be performed or furnished by the DBE. See LAPM Chapter 9 to determine how to count the participation of DBE firms.
- 10. Company Name and Business Address Enter the name, address, and phone number of all subcontracted contractors/consultants. Also, enter the prime contractor/consultant's name and phone number, if the prime is a DBE.
- **11. DBE Certification Number** Enter the DBE's Certification Identification Number. Leave blank if subcontractor is not a DBE.
- 12. Contract Payments Enter the subcontracted dollar amount of the work performed or service provided. Include the prime contractor/consultant if the prime is a DBE. The Non-DBE column is used to enter the dollar value of work performed by firms that are not certified DBE or for work after a DBE becomes decertified.
- 13. Date Work Completed Enter the date the subcontractor/subconsultant's item work was completed.
- **14. Date of Final Payment -** Enter the date when the prime contractor/consultant made the final payment to the subcontractor/subconsultant for the portion of work listed as being completed.
- **15. Original DBE Commitment Amount** Enter the "Total Claimed DBE Participation Dollars" from Exhibits 15-G or 10-O2 for the contract.
- 16. Total Enter the sum of the "Contract Payments" Non-DBE and DBE columns.
- 17. Contractor/Consultant Representative's Signature The person completing the form on behalf of the contractor/consultant's firm must sign their name.
- **18.** Contractor/Consultant Representative's Name Enter the name of the person preparing and signing the form.
- 19. Phone Enter the area code and telephone number of the person signing the form.
- **20. Date** Enter the date the form is signed by the contractor's preparer.
- **21.** Local Agency Representative's Signature A Local Agency Representative must sign their name to certify that the contracting records and on-site performance of the DBE(s) has been monitored.
- 22. Local Agency Representative's Name Enter the name of the Local Agency Representative signing the form
- 23. Phone Enter the area code and telephone number of the person signing the form.
- **24.** Date Enter the date the form is signed by the Local Agency Representative.

EXHIBIT "17-0"- DBE CERTIFICATION STATUS CHANGE

EXHIBIT 17-O DISADVANTAGED BUSINESS ENTERPRISES (DBE) CERTIFICATION STATUS CHANGE

l suc	1. Local Agency Contract Number	2. Federal-Aid Project Number	ject Number	3. Local Agency			4. Contract Completion Date
ar/Cons	5. Contractor/Consultant	9	6. Business Address			7. Final Contract Amount	ract Amount
8. Contract Item Number	9. DBE Contact Information	rmation	10. DBE Certification Number	11. Amount Paid While Certified	12. Certification/ Decertification Date (Letter Attached)	13.0	13. Comments
ch of	If there were no changes in the DBE certification of subcontractors/subconsultants, indicate on the form.	contractors/subconsulta	ants, indicate on the form.				

ICERTIFY	I CERTIFY THAT THE ABOVE INFORMATION IS COMPLETE AND CORRECT		
14. Contractor/Consultant Representative's Signature	15. Contractor/Consultant Representative's Name	16. Phone 17.	17. Date
I CERTIFY THAT THE CONTRAC	CERTIFY THAT THE CONTRACTING RECORDS AND ON-SITE PERFORMANCE OF THE DBE(S) HAS BEEN MONITORED	BEEN MONITORED	
18. Local Agency Representative's Signature	19. Local Agency Representative's Name	20. Phone 21.	21. Date

DISTRIBUTION: Original - Local Agency, Copy - Caltrans District Local Assistance Engineer. Include with Final Report of Expenditures

ADA NOTICE: For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, Local Assistance Procedures Manual TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

Page 1 of 2 July 23, 2015

INSTRUCTIONS –DISADVANTAGED BUSINESS ENTERPRISES (DBE) CERTIFICATION STATUS CHANGE

- 1. Local Agency Contract Number Enter the Local Agency contract number or identifier.
- 2. Federal-Aid Project Number Enter the Federal-Aid Project Number.
- 3. Local Agency Enter the name of the local or regional agency that is funding the contract.
- 4. Contract Completion Date Enter the date the contract was completed.
- **5. Contractor/Consultant** Enter the contractor/consultant's firm name.
- **6. Business Address** Enter the contractor/consultant's business address.
- 7. Final Contract Amount Enter the total final amount for the contract.
- **8.** Contract Item Number Enter contract item for work, services, or materials supplied provided. Not applicable for consultant contracts.
- **9. DBE Contact Information** Enter the name, address, and phone number of all DBE subcontracted contractors/consultants.
- 10. DBE Certification Number Enter the DBE's Certification Identification Number.
- **11. Amount Paid While Certified** Enter the actual dollar value of the work performed by those subcontractors/subconsultants during the time period they are certified as a DBE.
- **12.** Certification/Decertification Date (Letter Attached) Enter either the date of the Decertification Letter sent out by the Office of Business and Economic Opportunity (OBEO) or the date of the Certification Certificate mailed out by OBEO.
- **13.** Comments If needed, provide any additional information in this section regarding any of the above certification status changes.
- **14. Contractor/Consultant Representative's Signature** The person completing the form on behalf of the contractor/consultant's firm must sign their name.
- 15. Contractor/Consultant Representative's Name Enter the name of the person preparing and signing the form.
- 16. Phone Enter the area code and telephone number of the person signing the form.
- 17. Date Enter the date the form is signed by the contractor's preparer.
- **18.** Local Agency Representative's Signature A Local Agency Representative must sign their name to certify
- that the contracting records and on-site performance of the DBE(s) has been monitored.
- **19. Local Agency Representative's Name** Enter the name of the Local Agency Representative signing the form.
- **20. Phone** Enter the area code and telephone number of the person signing the form.
- 21. Date Enter the date the form is signed by the Local Agency Representative.

EXHIBIT "12-B"- BIDDER'S LIST OF SUBCONTRACTORS (DBE AND Non-DBE)

Exhibit 12-B: Bidder's List of Subcontractor (DBE and Non-DBE) - Part 1

As of March 1, 2015 Contractors (and sub-contractors) wishing to bid on public works contracts must be registered with the State Division of Industrial Relations and certified to bid on Public Works contracts. Please register at https://www.dir.ca.gov/Public-Works/Contractor-Registration html. The local agency will verify registration of a Local adentified and thereafter an utility to assure that yearly registration is maintained throughout the life of the project.

In accordance with Title 49 Section 26.11 of the Code of Receipt Regulations, and Section 4104 of the Public Contract Code of the State of Colifornia, as amanded, the following information is required for each suc-contractor who will perform work amounting to more than one half of one percent (0.5%) of the Total Base Bid of \$10,000 (which energy signater).

Photocopy this form for additional firms.

Photocopy this form for additional firms.

Subcontractor Nume & Locaton	i ina Nem B Description	Subranirad Amount	Porcentage of Bid from Byboor bricher	Contractor Literase Number	OWE	DBE Get Number	Annual Shoss, Roscipto
			87000 DIVING	FILE Ring Nayaber			1
AYNE	B świeking śtrokos	d14,460	20%	.577.69	4		< \$1 milion / 4 \$5 milion
Sodo Ser Regineering, Sto.	8 YO L MORNINGO YOUGH	817-90	30%				< 810 million
CTÝ, BUES				1000B01412	1 1		< \$15 million
Montrello, CA							Assembly factor 26
NAME	of Bris Page Alapsa	57,545	100%	400845	4		< \$1 n46or
Controlling Shiping Co.	SZ InmaliTrattic Sign	812.25 0	100%		.		✓ < \$5 million < \$10 million
Cay, Suus	22 Invaliation Sup 25 Installighting/Markets	82 C25 \$60,189	100%				< \$15 million
As Grow, CA	35 InvatiWood Buricade	\$14,454	100%	1/00/00/00/00			Age of Finn is 33
NVAE			_		$\overline{}$		years S
	40 Indial Periong Lights 45 Indial Lifetimes Jacobs	\$150,737	155%	534879	4		< \$ m ti~
Street Notes	11 1144 I.W. 112 74 .12	\$. J015	30%				< \$10miller
C ty. Slato				1000001755			✓ < \$15million Age of Firm in
Francis CA	75.47.47						Age of Him to
NAMI:	58 PDR-C Process (1.7)	\$175,058	715-	5040.67	н		< \$1 m tipe < \$5 m tipe.
Personal Respong Systems							< Stimulor,
C 14. 51634				1000002382			√ < \$15 million.
Sixonemento, UA				100041363			Age of Firm In 37
NAME				15	_		s Startler
Accusto Burecotong	6 Sleav R Gn Nh	\$4 DE	42%	354181	R		< 55 m lilot
CIV. Suize							√ ≤ \$10 million < \$15 million
) .nbbs 14				1000012777			Age of Firm in
					_		+ cors
HAWE	a Samkara kulandara	25 1110	50%	63	P		4 \$1 m Bot √ 4 \$5 m Bot
Value							< \$10 million
Cty. State				1000007255			< \$15 million
Seawner to, C4							kenne ∖@eog,⊕ttatja 15
NAME	03 FDR-0 (Cure Seal)	SV DJ:	9%	705096	74		< S1 m Hon
Pot (e NW O)	v. Ib Iv (oat otal	2000	1.	10.00	"		< 85 m lion < 850 m lion
C ty. Slate							√ < \$15 million
Startist, CA				1092977625			Age of firm in 27
Nessi							< 87 m figs
AC Direc Co	07 AC U &	47 203	4.86	4.7414	4		√ < \$5 m tion
Active co							< \$10 million < \$15 million
				1000002929			Agent community
Jinzale, CA							American American
NAME							< \$1 million < \$5 million
							< \$10 million
C. ty, State							< \$15 million
							Age of Firming years

 $\mathsf{Jighth.mon} + \mathsf{Original}(\mathsf{Total Agency Five}) \mathsf{Copy}(\mathsf{TP}|\mathbf{A} + \mathsf{w}/\mathsf{Award}|\mathsf{Peckage}|$

Exhibit 12-B: Bidder's List of Subcontractor (DBE and Non-DBE) - Part 2

In according as with Title 49. Section 26 of the Corte of Federal Regulations, the Bidder shall list at succentrations who provided a quote-or pid but were not selected to part dipate as a subcontractor on this project FEDERAL PROJECT NUMBER CMANO (6096-867)

Photocopy this form for additional linns.

Subcontructor Name & Location	I lan Hear & Boszzápijon	Subcoverace Amount	Percentage of Bid lum Subcontractes	Contractor License Number DRK Reg Number	(UV)	DBECert Hamte	Ane	iai Genea He	e Significant
NAME SI Company Eleptric	eti invat Parking Lights eti, invat Skaretti Stevitti	5 (Ma 696 527 (200	har . med	1305211	ы			4 \$1 milion 4 \$5 million 4 \$10 million	_
Dily. Suit. San Lourin, CA				IMAC257M				 \$15 million and numeral years 	13
Granie Rock	58 -CH40Pells([10]	E102 105	No ole	77	×			\$1 million \$5 million \$30 million	_
Sendolii, CA				Yearson			_	: \$15 million Cultivaria Quera	1.72
Conspilla	16. Parv Ediz Supus; 27. Insia i Trofie Sign 28 Insia i Whee Sito	\$7,855 \$14,000 \$4,850	Dic! Lided	274600	ч		1	\$ \$1 continue \$5 million \$10 million	
City, Slam Street:, CA	18 Incla (Single privations 36 Incla) Nood Barriage	\$110,376 \$6,760		1000000008			_	SIS million and Farm in years	.m
4èSE							H	Stration S5,milion S10 million	
City, Shrae							//01	: \$15 million oct Familia iyears	
NAME					Ì			Similar Similar Similar	
I ly, SMu							10	: \$15 m lilen •cf F m i* years	
neasi								: Si milio: : Si milio: : Si Cimilion	
Cby.Sade							A01	: 8:5 mli los : of Flimi in years	Π
H4671F							1	Si miller Si miller Sid miller	
Dly Sale							750	S16 million of Pi-min years	Т
NAM							-	Simple Somitor Stumber	
Dly Swin							Age	SH5 mElon call-lim n yearn	
N/MIE							4	\$1 milion 35 milion \$10 milion	=
Dly State							1	\$15 million call burning	

Distribution - Original: Local Agency File: Copy, DLAE w/Award Package

APPENDIX A TO EXHIBIT B

During the performance of this Agreement, ADMINISTERING AGENCY, for itself, its assignees and successors in interest (hereinafter collectively referred to as ADMINISTERING AGENCY) agrees as follows:

- (1) Compliance with Regulations: ADMINISTERING AGENCY shall comply with the regulations relative to nondiscrimination in federally assisted programs of the Department of Transportation, Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time, (hereinafter referred to as the REGULATIONS), which are herein incorporated by reference and made a part of this agreement.
- (2) Nondiscrimination: ADMINISTERING AGENCY, with regard to the work performed by it during the AGREEMENT, shall not discriminate on the grounds of race, color, sex, national origin, religion, age, or disability in the selection and retention of sub-applicants, including procurements of materials and leases of equipment. ADMINISTERING AGENCY shall not participate either directly or indirectly in the discrimination prohibited by Section 21.5 of the REGULATIONS, including employment practices when the agreement covers a program set forth in Appendix B of the REGULATIONS.
- (3) Solicitations for Sub-agreements, Including Procurements of Materials and Equipment: In all solicitations either by competitive bidding or negotiation made by ADMINISTERING AGENCY for work to be performed under a Sub-agreement, including procurements of materials or leases of equipment, each potential sub-applicant or supplier shall be notified by ADMINISTERING AGENCY of the ADMINISTERING AGENCY's obligations under this Agreement and the REGULATIONS relative to nondiscrimination on the grounds of race, color, or national origin.
- (4) Information and Reports: ADMINISTERING AGENCY shall provide all information and reports required by the REGULATIONS, or directives issued pursuant thereto, and shall permit access to ADMINISTERING AGENCY's books, records, accounts, other sources of information, and its facilities as may be determined by STATE or FHWA to be pertinent to ascertain compliance with such REGULATIONS or directives. Where any information required of ADMINISTERING AGENCY is in the exclusive possession of another who fails or refuses to furnish this information, ADMINISTERING AGENCY shall so certify to STATE or the FHWA as appropriate, and shall set forth what efforts ADMINISTERING AGENCY has made to obtain the information.
- (5) Sanctions for Noncompliance: In the event of ADMINISTERING AGENCY's noncompliance with the nondiscrimination provisions of this agreement, STATE shall impose such agreement sanctions as it or the FHWA may determine to be appropriate, including, but not limited to:
 - (a) withholding of payments to ADMINISTERING AGENCY under the Agreement within a reasonable period of time, not to exceed 90 days; and/or
 - (b) cancellation, termination or suspension of the Agreement, in whole or in part.
- (6) Incorporation of Provisions: ADMINISTERING AGENCY shall include the provisions of paragraphs (1) through (6) in every sub-agreement, including procurements of materials and leases of equipment, unless exempt by the REGULATIONS, or directives issued pursuant thereto.

ADMINISTERING AGENCY shall take such action with respect to any sub-agreement or procurement as STATE or FHWA may direct as a means of enforcing such provisions including sanctions for noncompliance, provided, however, that, in the event ADMINISTERING AGENCY becomes involved in, or is threatened with, litigation with a sub-applicant or supplier as a result of such direction, ADMINISTERING AGENCY may request STATE enter into such litigation to protect the interests of STATE, and, in addition, ADMINISTERING AGENCY may request the United States to enter into such litigation to protect the interests of the United States.

APPENDIX

"CEM 1201"- SUBCONTRACTING REQUEST

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION **SUBCONTRACTING REQUEST** CEM-1201 (REV. 5/2012)

Page 1 of 2

							REG	QUEST NUMBER
CONTRACTOR NAME				COUNT	Y		RO	UTE
BUSINESS ADDRESS				CONTRA	ACT NUI	MBER		
CITY AND STATE	ZIP	CODE		FEDERA	AI-AID PI	ROJECT NUMBER. (from s	pecial p	rovisions)
SUBCONTRACTORS (Name, Business Address, Phone)	BID ITEM NUMBER(S)	PERCENTAGE OF BID ITEM SUBCONTRACTED		CHECK I Categories		DESCRIBE WOR WHEN LESS THAN OF WORK IS SUBCONT	100%	DOLLAR AMOUNT BASED ON BID AMOUNT
Categories: 1 Specialty 2 Listed Under Fair Practices Act 3 Certified D								/DVBE
Certify that: The Standard Specifications for labor set forth in t If applicable, (federal-aid projects only) Section 14 and will be incorporated in any lower-tier subcontractions.	(federal require	ments) of the special p	rovisio					
CONTRACTOR'S SIGNATURE							DA ⁻	ГЕ
This section is to be completed by the resident	engineer.							
1. Total of bid items							\$	
2. Specialty items previously approved (if applicable	see Note in the	instructions)		\$				
3. Specialty items this request (if applicable, see Not	e in the instructi	ons)						
4. Total (lines 2 + 3)				\$				
5. Contractor must perform with own forces (lines 1	minus 4) x	%					\$	
6. Bid items previously subcontracted				\$				
7. Bid items subcontracted (this request)				\$				
8. Total (lines 6 + 7)				\$				
9. Balance of work contractor to perform (line 1 minu	s 8)						\$	
RESIDENT ENGINEER'S SIGNATURE		APPR	OVE	י כ			DA ⁻	TF
COPY DISTRIBUTION: Original - Contractor	Copy - Res	sident Engineer C	ору -	District C	onstruct			Illbusinessadvocate@dot.ca.gov 16) 324-1949

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

CITY OF MERCED STANDARD DESIGNS

THE FOLLOWING STANDARDS ARE FOR REFERENCE ONLY

REFER TO THE CITY OF MERCED WEBSITE FOR THE COMPLETE LISTING OF STANDARD DETAILS

http://www.cityofmerced.org/depts/engineering division/standard designs/default.asp

STATE GENERAL PREVAILING WAGE RATES

General prevailing wage determination

Made by the Director of Industrial Relations

Pursuant to California Labor Code part 7,

Chapter 1, article 2, sections 1770, 1773, and 1773.1

State of California Department of Industrial Relations Website: http://www.dir.ca.gov/OPRL/PWD/index.htm

FEDERAL MINIMUM WAGE RATES

"General Decision Number: CA20220018 06/03/2022

Superseded General Decision Number: CA20210018

State: California

Construction Types: Building, Heavy (Heavy and Dredging) and

Highway

Counties: Alameda, Calaveras, Contra Costa, Fresno, Kings, Madera, Mariposa, Merced, Monterey, San Benito, San Francisco, San Joaquin, San Mateo, Santa Clara, Santa Cruz, Stanislaus and Tuolumne Counties in California.

BUILDING CONSTRUCTION PROJECTS; DREDGING PROJECTS (does not include hopper dredge work); HEAVY CONSTRUCTION PROJECTS (does not include water well drilling); HIGHWAY CONSTRUCTION PROJECTS

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60).

|If the contract is entered |. Executive Order 14026 |into on or after January 30, | generally applies to the |2022, or the contract is | contract. |renewed or extended (e.g., an |. The contractor must pay | all covered workers at |option is exercised) on or |after January 30, 2022: | least \$15.00 per hour (or the applicable wage rate | listed on this wage | determination, if it is higher) for all hours spent performing on the contract in 2022. |If the contract was awarded on|. Executive Order 13658 |or between January 1, 2015 and| generally applies to the |January 29, 2022, and the | contract. |contract is not renewed or |. The contractor must pay all| |extended on or after January | covered workers at least 130, 2022: \$11.25 per hour (or the | applicable wage rate listed| | on this wage determination, | | if it is higher) for all | hours spent performing on that contract in 2022.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at https://www.dol.gov/agencies/whd/government-contracts.

Modification	Number	Publication Date
0		01/07/2022
1		01/14/2022
2		01/21/2022
3		02/18/2022
4		02/25/2022
5		03/25/2022
6		04/01/2022
7		06/03/2022

ASBE0016-004 01/01/2021

AREA 1: CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS & TOULMNE COUNTIES

AREA 2: ALAMEDA, CONTRA COSTA, SAN FRANSICO, SAN MATEO & SANTA CLARA COUNTIES

Rates Fringes

Asbestos Removal	
worker/hazardous material	
handler (Includes	
preparation, wetting,	
stripping, removal,	
scrapping, vacuuming, bagging	
and disposing of all	
insulation materials from	
mechanical systems, whether	
they contain asbestos or not)	
Area 1\$ 30.45	10.60
Area 2\$ 36.53	9.27

ASBE0016-008 01/01/2021

AREA 1: ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANSICO, SAN MATEO, SANTA CLARA, & SANTA CRUZ

AREA 2: CALAVERAS, COLUSA, FRESNO, KINGS, MADERA, MARIPOSA,

	Rates	Fringes	
Asbestos Workers/Insulator (Includes the application of all insulating materials, Protective Coverings, Coatings, and Finishes to all types of mechanical systems) Area 1		23.58 33.50	
BOIL0549-001 01/01/2021			
AREA 1: ALAMEDA, CONTRA COSTA, CLARA COUNTIES	SAN FRANCISCO,	SAN MATEO &	SANTA
AREA 2: REMAINING COUNTIES			
	Rates	Fringes	
BOILERMAKER Area 1Area 2		41.27 38.99	
BRCA0003-001 08/01/2021			
	Rates	Fringes	
MARBLE FINISHER	\$ 37.72	17.64	
BRCA0003-003 08/01/2021			
	Rates	Fringes	
MARBLE MASON	\$ 53.17	29.10	
BRCA0003-005 05/01/2020			
	Rates	Fringes	
BRICKLAYER (1) Fresno, Kings, Madera, Mariposa, Merced.	\$ 43.68	22.19	
(7) San Francisco, San Mateo(8) Alameda, Contra	\$ 47.65	26.77	
Costa, San Benito, Santa Clara (9) Calaveras, San Joaquin, Stanislaus,	\$ 49.42	22.70	

Toulumne		21.55 25.02
BRCA0003-008 07/01/2021		
	Rates	Fringes
TERRAZZO FINISHER		18.46 28.34
BRCA0003-011 04/01/2019		
AREA 1: Alameda, Contra Costa, Mor Francisco, San Mateo, Santa Clara,	_	ito, San
AREA 2: Calaveras, San Joaquin, St	anislaus, Tuol	umne
AREA 3: Fresno, Kings, Madera, Mar	riposa, Merced	
	Rates	Fringes
TILE FINISHER Area 1	3 25.60 5 26.58 5 49.90 5 42.67	16.38 14.30 15.65 19.16 16.81 18.58
CARP0022-001 07/01/2021		
San Francisco County		
	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter	5 54.85	31.49
FilerS Journeyman Carpenter	5 54.85	31.49 31.49 33.08
Millwright	, J4.3J 	33.00
C111110034 001 07/01/2021	Rates	Fringes
	114663	TTIIGES

Assistant Tender, ROV

Diver

54.10	34.69
60.51	34.69
59.51	34.69
103.62	34.69
64.51	34.69
59.51	34.69
	60.51 59.51 103.62 64.51

DEPTH PAY (Surface Diving):

050 to 100 ft \$2.00 per foot 101 to 150 ft \$3.00 per foot 151 to 220 ft \$4.00 per foot 221 ft.-deeper \$5.00 per foot

SATURATION DIVING:

The standby rate shall apply until saturation starts. The saturation diving rate applies when divers are under pressure continuously until work task and decompression are complete. The diver rate shall be paid for all saturation hours.

DIVING IN ENCLOSURES:

Where it is necessary for Divers to enter pipes or tunnels, or other enclosures where there is no vertical ascent, the following premium shall be paid: Distance traveled from entrance 26 feet to 300 feet: \$1.00 per foot. When it is necessary for a diver to enter any pipe, tunnel or other enclosure less than 48"" in height, the premium will be \$1.00 per foot.

WORK IN COMBINATION OF CLASSIFICATIONS:

Employees working in any combination of classifications within the diving crew (except dive supervisor) in a shift are paid in the classification with the highest rate for that shift.

CARP0034-003 07/01/2021

	Rates	Fringes
Piledriver	.\$ 54.10	34.69
CARP0035-007 07/01/2020		

AREA 1: Alameda, Contra Costa, San Francisco, San Mateo, Santa Clara counties

AREA 2: Monterey, San Benito, Santa Cruz Counties

AREA 3: Calaveras, Fresno, Kings, Madera, Mariposa, Merced, San Joaquin, Stanislaus, Tuolumne Counties

	Rates	Fringes
Modular Furniture Installer Area 1		
Installer	.\$ 28.76	22.53
Lead Installer	.\$ 32.21	23.03
Master Installer	.\$ 36.43	23.03
Area 2		
Installer	.\$ 26.11	22.53
Lead Installer	.\$ 29.08	23.03
Master Installer	.\$ 32.71	23.03
Area 3		
Installer	.\$ 25.16	22.53
Lead Installer	.\$ 27.96	23.03
Master Installer	.\$ 31.38 	23.03

CARP0035-008 08/01/2020

AREA 1: Alameda, Contra Costa, San Francisco, San Mateo, Santa Clara counties

AREA 2: Monterey, San Benito, Santa Cruz Counties

AREA 3: San Joaquin

AREA 4: Calaveras, Fresno, Kings, Madera, Mariposa, Merced, Stanislaus, Tuolumne Counties

Rates	Fringes
\$ 52.65	31.26
\$ 46.77	31.26
\$ 47.27	31.26
\$ 45.92	31.26
\$ 26.33	18.22
\$ 23.39	18.22
\$ 23.64	18.22
\$ 22.97	18.22
	Rates \$ 52.65 \$ 46.77 \$ 47.27 \$ 45.92 \$ 26.33 \$ 23.39 \$ 23.64 \$ 22.97

CARP0152-001 07/01/2020

Contra Costa County

Rates	Fringes
Highway	
\$ 52.65	30.82
ayer,	
Saw	
Scaffold &	
	Rates Highway\$ 52.65 ayer, Saw Scaffold &

Steel Shoring Erector, Saw Filer	\$ 52.65	30.82 30.82 32.41	
CARP0152-002 07/01/2020			
San Joaquin County			
	Rates	Fringes	
Carpenters Bridge Builder/Highway Carpenter	\$ 52.65	30.82	
Steel Shoring Erector, Saw Filer	\$ 46.77	30.82 30.82 32.41	
CARP0152-004 07/01/2020			
Calaveras, Mariposa, Merced, Stanislaus and Tuolumne Counties			
	Rates	Fringes	
Carpenters Bridge Builder/Highway Carpenter		30.82	
Journeyman Carpenter	\$ 45.42	30.82 32.41	
CARP0217-001 07/01/2021			
San Mateo County			
	Rates	Fringes	
Carpenters Bridge Builder/Highway Carpenter		31.49	
FilerS Journeyman Carpenter		31.49 31.49	

Millwright	.\$ 54.95	33.08
CARP0405-001 07/01/2021		
Santa Clara County		
	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter	.\$ 54.85	31.49
Operator, Steel Scaffold & Steel Shoring Erector, Saw	Ċ EE OO	21 40
FilerJourneyman Carpenter Millwright	\$ 54.85	31.49 31.49 33.08
CARP0405-002 07/01/2021		
San Benito County		
	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter	.\$ 54.85	31.49
Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer	\$ 48.97	31.49 31.49 33.08
CARP0505-001 07/01/2021		
Santa Cruz County		
	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter	.\$ 54.85	31.49
Shingler, Power Saw Operator, Steel Scaffold & Steel Shoring Erector, Saw Filer		31.49 31.49
Millwright	\$ 51.47	
CARP0605-001 07/01/2021	_	:

Monterey County

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold &	ł	31.49
Steel Shoring Erector, Saw Filer	\$ 49.12 \$ 48.97	31.49 31.49 33.08

CARP0701-001 07/01/2021

Fresno and Madera Counties

	Rates	Fringes	
Carpenters			
Bridge Builder/Highway			
Carpenter	\$ 54.85	31.49	
Hardwood Floorlayer,			
Shingler, Power Saw			
Operator, Steel Scaffold	&		
Steel Shoring Erector, Sa	W		
Filer	\$ 47.77	31.49	
Journeyman Carpenter	\$ 47.62	31.49	
Millwright		33.08	

CARP0713-001 07/01/2021

Alameda County

	Rates	Fringes
Carpenters Bridge Builder/Highway	0.54.05	21 40
Carpenter	\$ 54.85	31.49
Filer		31.49
Journeyman Carpenter Millwright		31.49 33.08

CARP1109-001 07/01/2021

Kings County

	Rates	Fringes
Carpenters Bridge Builder/Highway Carpenter Hardwood Floorlayer, Shingler, Power Saw Operator, Steel Scaffold		31.49
Steel Shoring Erector, Sav Filer Journeyman Carpenter Millwright	w \$ 47.77 \$ 47.62	31.49 31.49 33.08

ELEC0006-004 12/01/2021

SAN FRANCISCO COUNTY

I	Rates	Fringes
Sound & Communications		
Installer\$	48.43	3%+23.15
Technician\$	55.69	3%+23.15

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0006-007 06/01/2021

SAN FRANCISCO COUNTY

	Rates	Fringes
ELECTRICIAN	\$ 80.00	3%+39.215

ELEC0100-002 09/01/2021

FRESNO, KINGS, AND MADERA COUNTIES

	Rates	Fringes	
ELECTRICIAN	\$ 41.00	26.18	

ELEC0100-005 12/01/2019

FRESNO, KINGS, MADERA

	Rates	Fringes
Communications System		
Installer\$	35.25	20.86
Technician\$	40.54	21.02

SCOPE OF WORK

Includes the installation testing, service and maintenance, of the following systems which utilize the transmission and/or transference of voice, sound, vision and digital for commercial, education, security and entertainment purposes for the following: TV monitoring and surveillance, background-foreground music, intercom and telephone interconnect, inventory control systems, microwave transmission, multi-media, multiplex, nurse call system, radio page, school intercom and sound, burglar alarms, and low voltage master clock systems.

- A. SOUND AND VOICE TRANSMISSION/TRANSFERENCE SYSTEMS
 Background foreground music, Intercom and telephone
 interconnect systems, Telephone systems Nurse call systems,
 Radio page systems, School intercom and sound systems,
 Burglar alarm systems, Low voltage, master clock systems,
 Multi-media/multiplex systems, Sound and musical
 entertainment systems, RF systems, Antennas and Wave Guide,
- B. FIRE ALARM SYSTEMS Installation, wire pulling and testing
 - C. TELEVISION AND VIDEO SYSTEMS Television monitoring and surveillance systems Video security systems, Video entertainment systems, Video educational systems, Microwave transmission systems, CATV and CCTV
 - D. SECURITY SYSTEMS Perimeter security systems Vibration sensor systems Card access systems Access control systems, Sonar/infrared monitoring equipment
 - E. COMMUNICATIONS SYSTEMS THAT TRANSMIT OR RECEIVE INFORMATION AND/OR CONTROL SYSTEMS THAT ARE INTRINSIC TO THE ABOVE LISTED SYSTEMS SCADA (Supervisory Control and Data Acquisition) PCM (Pulse Code Modulation) Inventory Control Systems, Digital Data Systems Broadband and

Baseband and Carriers Point of Sale Systems, VSAT Data Systems Data Communication Systems RF and Remote Control Systems, Fiber Optic Data Systems

WORK EXCLUDED Raceway systems are not covered (excluding Ladder-Rack for the purpose of the above listed systems). Chases and/or nipples (not to exceed 10 feet) may be installed on open wiring systems. Energy management systems. SCADA (Supervisory Control and Data Acquisition) when not intrinsic to the above listed systems (in the scope). Fire alarm systems when installed in raceways (including wire and cable pulling) shall be performed at the electrician wage rate, when either of the following two (2) conditions apply:

- 1. The project involves new or major remodel building trades construction.
- 2. The conductors for the fire alarm system are installed in conduit.

ELEC0234-001 12/28/2020

MONTEREY, SAN BENITO AND SANTA CRUZ COUNTIES

F	Rates	Fringes
ELECTRICIAN		
Zone A\$	53.41	27.95
Zone B\$	58.75	28.11

Zone A: All of Santa Cruz, Monterey, and San Benito Counties within 25 air miles of Highway 1 and Dolan Road in Moss Landing, and an area extending 5 miles east and west of Highway 101 South to the San Luis Obispo County Line

Zone B: Any area outside of Zone A

ELEC0234-003 12/01/2020

MONTEREY, SAN BENITO, AND SANTA CRUZ COUNTIES

	Rates	Fringes
Sound & Communications		
Installer	\$ 45.50	22.52
Technician	\$ 52.33	22.72

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed

in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0302-001 03/01/2021

CONTRA COSTA COUNTY

	Rates	Fringes
CABLE SPLICER\$ ELECTRICIAN\$		29.17 28.95

ELEC0302-003 12/01/2020

CONTRA COSTA COUNTY

	Rates	Fringes
Sound & Communications		
Installer	\$ 42.11	22.52
Technician	\$ 44.83	22.72

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for

which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0332-001 06/01/2021

SANTA CLARA COUNTY

	Rates	Fringes
CABLE SPLICER	\$ 86.45	42.14
ELECTRICIAN	\$ 75.17	41.81

FOOTNOTES: Work under compressed air or where gas masks are required, orwork on ladders, scaffolds, stacks, ""Bosun's chairs,"" or other structures and where the workers are not protected by permanent guard rails at a distance of 40 to 60 ft. from the ground or supporting structures: to be paid one and one-half times the straight-time rate of pay.

Work on structures of 60 ft. or over (as described above): to be paid twice the straight-time rate of pay.

ELEC0332-003 12/01/2021

SANTA CLARA COUNTY

	Rates	Fringes
Sound & Communications		
Installer	\$ 47.93	24.088
Technician	\$ 55.12	24.304

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside

electrician.

ELEC0595-001 06/01/2021

ALAMEDA COUNTY

1	Rates	Fringes
CABLE SPLICER\$ ELECTRICIAN\$		3%+39.94 3%+39.94

ELEC0595-002 06/01/2021

CALAVERAS AND SAN JOAQUIN COUNTIES

	Rates	Fringes
CABLE SPLICER	\$ 50.70	7.75%+25.58
(1) Tunnel work	•	7.75%+25.58 7.75%+25.58

ELEC0595-006 12/01/2021

ALAMEDA COUNTY

-	Rates	Fringes
Sound & Communications		
Installer\$	47.93	3%+22.65
Technician\$	55.12	3%+22.65

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0595-008 12/01/2021

CALAVERAS AND SAN JOAQUIN COUNTIES

F	Rates	Fringes
Communications System		
Installer\$	38.24	3%+22.65
Technician\$	43.98	3%+22.65

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

SAN MATEO COUNTY

	Rates	Fringes
ELECTRICIAN	.\$ 74.00	43.76
ELEC0617-003 12/01/2021		

SAN MATEO COUNTY

	Rates	Fringes
Sound & Communications		
Installer	\$ 47.93	24.09
Technician	\$ 55.12	24.30

SCOPE OF WORK: Including any data system whose only function

^{*} ELEC0617-001 06/01/2022

is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES

	Rates	Fringes
ELECTRICIAN	\$ 44.25	3%+26.63
CABLE SPLICER = 110% of Journey	nan Electrician	
ELEC0684-004 12/01/2021		

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES

	Rates	Fringes
Communications System		
Installer\$	38.24	23.80
Technician\$	43.98	23.97

SCOPE OF WORK: Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75'

^{*} ELEC0684-001 06/01/2022

above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE: Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC1245-001 01/01/2022

	Rates	Fringes
LINE CONSTRUCTION (1) Lineman; Cable splice (2) Equipment specialist (operates crawler tractors, commercial moto vehicles, backhoes, trenchers, cranes (50 ton and below), overhead &	r	22.07
<pre>underground distribution line equipment) (3) Groundman</pre>	\$ 36.76	20.86 20.46 18.79

HOLIDAYS: New Year's Day, M.L. King Day, Memorial Day, Independence Day, Labor Day, Veterans Day, Thanksgiving Day and day after Thanksgiving, Christmas Day

ELEV0008-001 01/01/2022

	I	Rates	Fringes
ELEVATOR	MECHANIC\$	74.54	36.885+a+b

FOOTNOTE:

a. PAID VACATION: Employer contributes 8% of regular hourly rate as vacation pay credit for employees with more than 5 years of service, and 6% for 6 months to 5 years of service. b. PAID HOLIDAYS: New Year's Day, Memorial Day, Independence Day, Labor Day, Veterans' Day, Thanksgiving Day, Friday after Thanksgiving, and Christmas Day.

TNGT0002 001 06/20/2021

ENGI0003-001 06/28/2021

""AREA 1"" WAGE RATES ARE LISTED BELOW

""AREA 2"" RECEIVES AN ADDITIONAL \$2.00 PER HOUR ABOVE AREA 1 RATES.

SEE AREA DEFINITIONS BELOW

		R	ates	Fringes
OPERATOR: (AREA 1:)	Power Equipment			
GROUP GROUP GROUP GROUP	4	0 0 0 0 0 0 0 0 0	52.39 50.91 49.53 48.26 46.94 45.80 44.66	31.54 31.54 31.54 31.54 31.54 31.54 31.54 31.54
(Cranes and	d Attachments -			
AREA 1:) GROUP	1			
Crane Oiler	es c c.crane oiler	\$	43.79	31.15 31.15 31.15
Crane Oiler	es c c crane oiler	\$	42.83	31.15 31.15 31.15
Crane Hydra Oiler	esaulic	\$	44.44 42.55	31.15 31.15 31.15 31.15
OPERATOR: (Piledrivir	es Power Equipment ng - AREA 1:)	\$	45.76	31.15
Oiler Truck	Ing devices Crane Oiler	\$	43.38	31.15 31.15 31.15
Oiler	ing devices Crane Oiler	\$	43.11	31.15 31.15 31.15
Lifti Oiler	ing devices Crane Oiler	\$	42.89	31.15 31.15 31.15
Lifti	ng devices	\$	47.37	31.15
GROUP Lifti GROUP	ng devices	\$	44.73	31.15

Lifting devices\$ OPERATOR: Power Equipment (Steel Erection - AREA 1:) GROUP 1	42.50	31.15
Cranes\$	53 27	31.15
Oiler\$		31.15
Truck Crane Oiler\$		31.15
GROUP 2	10.30	01.10
Cranes\$	51.50	31.15
Oiler\$	43.45	31.15
Truck Crane Oiler\$	45.73	31.15
GROUP 3		
Cranes\$	50.02	31.15
Hydraulic\$	45.07	31.15
Oiler\$	43.23	31.15
Truck Crane Oiler\$	45.46	31.15
GROUP 4		
Cranes\$	48.00	31.15
GROUP 5		
Cranes\$	46.70	31.15
OPERATOR: Power Equipment		
(Tunnel and Underground Work		
- AREA 1:)		
SHAFTS, STOPES, RAISES:		
GROUP 1\$		31.15
GROUP 1-A\$		31.15
GROUP 2\$		31.15
GROUP 3\$		31.15
GROUP 4\$		31.15
GROUP 5\$	42.65	31.15
UNDERGROUND:		
GROUP 1\$		31.15
GROUP 1-A\$		31.15
GROUP 2\$		31.15
GROUP 3\$		31.15
GROUP 4\$		31.15
GROUP 5\$	42.55	31.15

FOOTNOTE: Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Licensed construction work boat operator, on site; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine assistant to engineer or mechanic; Crane mounted continuous flight tie back machine, tonnage to apply; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Long reach excavator; Multiple engine scraper (when used as push pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572 or larger; Track loader 4 cu. yds. and over; Wheel excavator (up to and including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/box person; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pull- type elevating loader; Gradesetter, grade checker (GPS, mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber- tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Spider plow and spider puller; Tubex pile rig; Unlicensed constuction work boat operator, on site; Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper;

Boom- type backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving); Self- propelled pipeline wrapping machine; Tractor; Self-loading chipper; Concrete barrier moving machine

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing mahcine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Truck- type loader

GROUP 8: Bit sharpener; Boiler tender; Box operator;
Brakeperson; Combination mixer and compressor
(shotcrete/gunite); Compressor operator; Deckhand; Fire
tender; Forklift (under 20 ft.); Generator;
Gunite/shotcrete equipment operator; Hydraulic monitor; Ken
seal machine (or similar); Mixermobile; Oiler; Pump
operator; Refrigeration plant; Reservoir-debris tug (selfpropelled floating); Ross Carrier (construction site);
Rotomist operator; Self-propelled tape machine; Shuttlecar;
Self-propelled power sweeper operator (includes vacuum
sweeper); Slusher operator; Surface heater; Switchperson;
Tar pot firetender; Tugger hoist, single drum; Vacuum
cooling plant; Welding machine (powered other than by
electricity)

GROUP 8-A: Elevator operator; Skidsteer loader-Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe-trencher); Tub grinder

ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Cranes 45 tons and under; Self-propelled boom-type lifting device 45 tons and under;

GROUP 4: Boom Truck or dual purpose A-frame truck, non-rotating over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) over 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons;

PILEDRIVERS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons; Fundex F-12 hydraulic pile rig

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer

GROUP 6: Deckhand; Fire tender

STEEL ERECTORS

GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under

GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

TUNNEL AND UNDERGROUND WORK

GROUP 1-A: Tunnel bore machine operator, 20' diameter or more

GROUP 1: Heading shield operator; Heavy-duty repairperson; Mucking machine (rubber tired, rail or track type); Raised bore operator (tunnels); Tunnel mole bore operator

GROUP 2: Combination slusher and motor operator; Concrete pump or pumpcrete gun; Power jumbo operator

GROUP 3: Drill doctor; Mine or shaft hoist

GROUP 4: Combination slurry mixer cleaner; Grouting Machine operator; Motorman

GROUP 5: Bit Sharpener; Brakeman; Combination mixer and compressor (gunite); Compressor operator; Oiler; Pump operator; Slusher operator

AREA DESCRIPTIONS:

POWER EQUIPMENT OPERATORS, CRANES AND ATTACHMENTS, TUNNEL AND UNDERGROUND [These areas do not apply to Piledrivers and Steel Erectors]

AREA 1: ALAMEDA, CALAVERAS, CONTRA COSTA, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ,

STANISLAUS, TUOLUMNE AREA 2 -NOTED BELOW

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

CALAVERAS COUNTY:

Area 1: Remainder

Area 2: Eastern Part

FRESNO COUNTY:

Area 1: Remainder

Area 2: Eastern Part

MADERA COUNTY:

Area 1: Remainder

Area 2: Eastern Part

MARIPOSA COUNTY:

Area 1: Remainder

Area 2: Eastern Part

MONTEREY COUNTY:

Area 1: Remainder

Area 2: Southwestern part

TUOLUMNE COUNTY:

Area 1: Remainder

Area 2: Eastern Part

ENGI0003-008 07/20/2020

	Rates	Fringes
Dredging: (DREDGING:		
CLAMSHELL & DIPPER DREDGING;		
HYDRAULIC SUCTION DREDGING:)		
AREA 1:		
(1) Leverman	\$ 49.88	34.35
(2) Dredge Dozer; Heavy		
duty repairman	\$ 44.92	34.35
(3) Booster Pump		
Operator; Deck		
Engineer; Deck mate;		
Dredge Tender; Winch		
Operator	\$ 43.80	34.35
(4) Bargeman; Deckhand;		
Fireman; Leveehand; Oiler.	\$ 40.50	34.35
AREA 2:		
(1) Leverman	\$ 51.88	34.35
(2) Dredge Dozer; Heavy		
duty repairman	\$ 46.92	34.35
(3) Booster Pump		

Operator; Deck

Engineer; Deck mate;
Dredge Tender; Winch

Operator.....\$ 45.80 34.35

(4) Bargeman; Deckhand;

Fireman; Leveehand; Oiler..\$ 42.50 34.35

AREA DESCRIPTIONS

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2: MODOC COUNTY

THE REMAINGING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Remainder Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY:

Area 1: Remainder Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County

Area 2: Remainder

MADERA COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

MONTERREY COUNTY

Area 1: Except Southwestern part

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County
Area 2: Remainder

PLACER COUNTY:

Area 1: Al but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Remainder

TEHAMA COUNTY:

Area 1: All but the Western border with Mendocino & Trinity Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeastern border with

Shasta County
Area 2: Remainder

TUOLUMNE COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

ENGI0003-019 06/29/2020

SEE AREA DESCRIPTIONS BELOW

	I	Rates	Fringes
OPERATOR: (LANDSCAPE	Power Equipment WORK ONLY)		
GROUP	1		
AREA	1\$	39.95	30.28
AREA	2\$	41.95	30.28
GROUP	2		
AREA	1\$	36.35	30.28
AREA	2\$	38.35	30.28
GROUP	3		
AREA	1\$	31.74	30.28
AREA	2\$	33.74	30.28

GROUP DESCRIPTIONS:

GROUP 1: Landscape Finish Grade Operator: All finish grade work regardless of equipment used, and all equipment with a rating more than 65 HP.

GROUP 2: Landscape Operator up to 65 HP: All equipment with a manufacturer's rating of 65 HP or less except equipment covered by Group 1 or Group 3. The following equipment shall be included except when used for finish work as long as manufacturer's rating is 65 HP or less: A-Frame and Winch Truck, Backhoe, Forklift, Hydragraphic Seeder Machine, Roller, Rubber-Tired and Track Earthmoving Equipment, Skiploader, Straw Blowers, and Trencher 31 HP up to 65 HP.

GROUP 3: Landscae Utility Operator: Small Rubber-Tired Tractor, Trencher Under 31 HP.

AREA DESCRIPTIONS:

AREA 1: ALAMEDA, BUTTE, CONTRA COSTA, KINGS, MARIN, MERCED, NAPA, SACRAMENTO, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, SOLANO, STANISLAUS, SUTTER, YOLO, AND YUBA COUNTIES

AREA 2 - MODOC COUNTY

THE REMAINING COUNTIES ARE SPLIT BETWEEN AREA 1 AND AREA 2 AS NOTED BELOW:

ALPINE COUNTY:

Area 1: Northernmost part

Area 2: Remainder

CALAVERAS COUNTY:

Area 1: Except Eastern part

Area 2: Eastern part

COLUSA COUNTY:

Area 1: Eastern part

Area 2: Remainder

DEL NORTE COUNTY:

Area 1: Extreme Southwestern corner

Area 2: Remainder

ELDORADO COUNTY:

Area 1: North Central part

Area 2: Remainder

FRESNO COUNTY

Area 1: Except Eastern part

Area 2: Eastern part

GLENN COUNTY:

Area 1: Eastern part Area 2: Remainder

HUMBOLDT COUNTY:

Area 1: Except Eastern and Southwestern parts

Area 2: Remainder

LAKE COUNTY:

Area 1: Southern part Area 2: Remainder

LASSEN COUNTY:

Area 1: Western part along the Southern portion of border

with Shasta County

Area 2: Remainder

MADERA COUNTY

Area 1: Remainder Area 2: Eastern part

MARIPOSA COUNTY

Area 1: Remainder Area 2: Eastern part

MENDOCINO COUNTY:

Area 1: Central and Southeastern parts

Area 2: Remainder

MONTEREY COUNTY

Area 1: Remainder

Area 2: Southwestern part

NEVADA COUNTY:

Area 1: All but the Northern portion along the border of

Sierra County
Area 2: Remainder

PLACER COUNTY:

Area 1: All but the Central portion

Area 2: Remainder

PLUMAS COUNTY:

Area 1: Western portion

Area 2: Remainder

SHASTA COUNTY:

Area 1: All but the Northeastern corner

Area 2: Remainder

SIERRA COUNTY:

Area 1: Western part Area 2: Remainder

SISKIYOU COUNTY:

Area 1: Central part Area 2: Remainder

SONOMA COUNTY:

Area 1: All but the Northwestern corner

Area 2: Reaminder

TEHAMA COUNTY:

Area 1: All but the Western border with mendocino & Trinity

Counties

Area 2: Remainder

TRINITY COUNTY:

Area 1: East Central part and the Northeaster border with

Shasta County
Area 2: Remainder

TULARE COUNTY;

Area 1: Remainder Area 2: Eastern part

TUOLUMNE COUNTY:

Area 1: Remainder
Area 2: Eastern Part

IRON0377-001 07/01/2021

ALAMEDA, CONTRA COSTA, SAN MATEO, SANTA CLARA & SAN FRANCISCO COUNTIES

1	Rates	Fringes
Ironworkers:		
Fence Erector\$	38.08	24.91
Ornamental, Reinforcing		
and Structural\$	45.73	33.55

PREMIUM PAY:

\$6.00 additional per hour at the following locations:

China Lake Naval Test Station, Chocolate Mountains Naval Reserve-Niland,

Edwards AFB, Fort Irwin Military Station, Fort Irwin Training Center-Goldstone, San Clemente Island, San Nicholas Island, Susanville Federal Prison, 29 Palms - Marine Corps, U.S. Marine Base - Barstow, U.S. Naval Air Facility - Sealey, Vandenberg AFB

\$4.00 additional per hour at the following locations:

Army Defense Language Institute - Monterey, Fallon Air Base, Naval Post Graduate School - Monterey, Yermo Marine Corps Logistics Center

\$2.00 additional per hour at the following locations:

Port Hueneme, Port Mugu, U.S. Coast Guard Station - Two Rock

IRON0433-005 07/01/2020

REMAINING COUNTIES

	Rates	Fringes
IRONWORKER		
Fence Erector	\$ 34.58	24.81
Ornamental, Reinforcing		
and Structural	\$ 41.00	33.45

PREMIUM PAY:

\$6.00 additional per hour at the following locations:

China Lake Naval Test Station, Chocolate Mountains Naval Reserve-Niland,

Edwards AFB, Fort Irwin Military Station, Fort Irwin Training Center-Goldstone, San Clemente Island, San Nicholas Island, Susanville Federal Prison, 29 Palms - Marine Corps, U.S. Marine Base - Barstow, U.S. Naval Air Facility - Sealey, Vandenberg AFB

\$4.00 additional per hour at the following locations:

Army Defense Language Institute - Monterey, Fallon Air Base, Naval Post Graduate School - Monterey, Yermo Marine Corps Logistics Center

\$2.00 additional per hour at the following locations:

Port Hueneme, Port Mugu, U.S. Coast Guard Station - Two Rock

LABO0067-002 06/28/2021

AREA ""A"" - ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES

AREA ""B"" - CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, STANISLAUS, AND TUOLUMNE COUNTIES

1	Rates	Fringes
Asbestos Removal Laborer		
All Counties\$	26.05	12.75
LABORER (Lead Removal)		
Area A\$	34.37	25.95
Area B\$	33.37	25.95

ASBESTOS REMOVAL-SCOPE OF WORK: Site mobilization; initial site clean-up; site preparation; removal of asbestos-containing materials from walls and ceilings; or from pipes, boilers and mechanical systems only if they are being scrapped; encapsulation, enclosure and disposal of asbestos-containing materials by hand or with equipment or machinery; scaffolding; fabrication of temporary wooden barriers; and assembly of decontamination stations.

LABO0073-002 06/28/2021

CALAVERAS AND SAN JOAQUIN COUNTIES

I	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE		
CLOSURE)		
Escort Driver, Flag Person\$	33.48	26.21
Traffic Control Person I\$	33.78	26.21
Traffic Control Person II\$	31.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0073-003 07/01/2021

	Rates	Fringes	
LABORER Mason Tender-Brick	\$ 34.09	24.41	
LABO0073-005 07/01/2021			

I	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	42.00	25.71
GROUP 2\$	41.77	25.71
GROUP 3\$	41.52	25.71
GROUP 4\$	41.07	25.71
GROUP 5\$	40.53	25.71
Shotcrete Specialist\$	42.52	25.71

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0073-007 06/25/2018

CALAVERAS AND SAN JOAQUIN COUNTIES

Rates Fringes

LABORER (CONSTRUCTION CRAFT LABORERS)

Construction Specialist	
Group\$ 30.49	23.20
GROUP 1\$ 29.79	23.20
GROUP 1-a\$ 30.01	23.20
GROUP 1-c\$ 29.84	23.20
GROUP 1-e\$ 30.34	23.20
GROUP 1-f\$ 30.37	23.20
GROUP 2\$ 29.64	23.20
GROUP 3\$ 29.54	23.20
GROUP 4\$ 23.23	23.20
See groups 1-b and 1-d under laborer classification	ons.
LABORER (GARDENERS,	
HORTICULTURAL & LANDSCAPE	
LABORERS)	
(1) New Construction\$ 29.54	23.20
(2) Establishment Warranty	
Period\$ 23.23	23.20
LABORER (GUNITE)	
GROUP 1\$ 29.75	22.31
GROUP 2\$ 29.25	22.31
GROUP 3\$ 28.66	22.31
GROUP 4\$ 28.54	22.31
LABORER (WRECKING)	
GROUP 1\$ 29.79	23.20
GROUP 2\$ 29.64	23.20

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter,

aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after

the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner"" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0073-009 07/01/2021

CALAVERAS AND SAN JOAQUIN COUNTIES

	Rates	Fringes
LABORER (Plaster Tender)	\$ 35.82	28.45
Work on a swing stage scaffold:	\$1.00 per hour a	dditional.
LAB00261-003 06/28/2021		

SAN FRANCISCO AND SAN MATEO COUNTIES

Ī	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person\$	34.48	26.21
Traffic Control Person I\$	34.78	26.21
Traffic Control Person II\$	32.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0261-005 07/01/2021

SAN FRANCISCO AND SAN MATEO COUNTIES

1	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	42.00	25.71
GROUP 2\$	41.77	25.71
GROUP 3\$	41.52	25.71
GROUP 4\$	41.07	25.71
GROUP 5\$	40.53	25.71
Shotcrete Specialist\$	42.52	25.71

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0261-009 06/25/2018

SAN FRANCISCO, AND SAN MATEO COUNTIES

F	Rates	Fringes
LABORER (CONSTRUCTION CRAFT LABORERS - AREA A:) Construction Specialist		
Group\$ GROUP 1\$ GROUP 1-a\$	30.79 31.01	23.20 23.20 23.20 23.20
GROUP 1-c\$ GROUP 1-e\$ GROUP 1-f\$ GROUP 2\$	31.34 31.37	23.20 23.20 23.20 23.20

GROUP 3\$	30.54	23.20
GROUP 4\$	24.23	23.20
See groups 1-b and 1-d under laborate	orer classification	ons.
LABORER (GARDENERS,		
HORTICULTURAL & LANDSCAPE		
LABORERS - AREA A:)		
(1) New Construction\$	30.54	23.20
(2) Establishment Warranty		
Period\$	24.23	23.20
LABORER (WRECKING - AREA A:)		
GROUP 1\$	30.79	23.20
GROUP 2\$	30.64	23.20
Laborers: (GUNITE - AREA A:)		
GROUP 1\$	30.75	22.31
GROUP 2\$	30.25	22.31
GROUP 3\$	29.66	22.31
GROUP 4\$	29.54	22.31

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite,

epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and

every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner"" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0261-011 07/01/2021

SAN FRANCISCO AND SAN MATEO COUNTIES:

Rates Fringes
MASON TENDER, BRICK......\$ 34.85 26.32

FOOTNOTES: Underground work such as sewers, manholes, catch basins, sewer pipes, telephone conduits, tunnels and cut trenches: \$5.00 per day additional. Work in live sewage: \$2.50 per day additional.

LABO0261-014 07/01/2021

SAN FRANCISCO AND SAN MATEO COUNTIES:

Rates Fringes

PLASTER TENDER......\$ 38.28 29.43

Work on a swing stage scaffold: \$1.00 per hour additional.

LABO0270-003 06/28/2021

AREA A: SANTA CLARA

AREA B: MONTEREY, SAN BENITO AND SANTA CRUZ COUNTIES

]	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE) Escort Driver, Flag Person		
Area A\$	31 18	26.21
Area B\$		26.21
Traffic Control Person I		
Area A\$	34.78	26.21
Area B\$	33.78	26.21

Traffic Control Person II		
Area A	32.28	26.21
Area B	31.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0270-004 07/01/2021

MONTEREY, SAN BENITO, SANTA CLARA, AND SANTA CRUZ COUNTIES

	Rates	Fringes
Tunnel and Shaft Lab	orers:	
GROUP 1	\$ 42.00	25.71
GROUP 2	\$ 41.77	25.71
GROUP 3	\$ 41.52	25.71
GROUP 4	\$ 41.07	25.71
GROUP 5	\$ 40.53	25.71
Shotcrete Speci	alist\$ 42.52	25.71

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0270-005 07/01/2021

183

MONTEREY AND SAN BENITO COUNTIES

	Rates	Fringes
LABORER Mason Tender-Brick	\$ 34.09	24.41
LABO0270-007 06/25/2018		
MONTEREY, SAN BENITO, AND SANTA	CRUZ, COUNTI	IES
	Rates	Fringes
LABORER (CONSTRUCTION CRAFT LABORERS - AREA B) Construction Specialist Group GROUP 1 GROUP 1-a GROUP 1-c GROUP 1-e. GROUP 1-f.	\$ 29.79 \$ 30.01 \$ 29.84 \$ 30.34	23.20 23.20 23.20 23.20 23.20 23.20
GROUP 3	\$ 29.54 \$ 23.23	23.20 23.20 23.20
LABORER (GARDENERS, HORTICULTURAL & LANDSCAPE LABORERS - AREA B)		
(1) New Construction(2) Establishment Warranty		23.20
Period		23.20
GROUP 1	\$ 29.25 \$ 28.66 \$ 28.54	22.31 22.31 22.31 22.31 23.20 23.20
FOOTNOTES: Laborers working off or with		

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who

handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building

including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner"" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0270-010 06/25/2018

SANTA CLARA COUNTY

I	Rates	Fringes
LABORER (CONSTRUCTION CRAFT		
LABORERS - AREA A:)		
Construction Specialist		
Group\$	31.49	23.20
GROUP 1\$	30.79	23.20
GROUP 1-a\$	31.01	23.20
GROUP 1-c\$	30.84	23.20
GROUP 1-e\$	31.34	23.20
GROUP 1-f\$	30.37	23.20
GROUP 2\$	30.64	23.20
GROUP 3\$	30.54	23.20

·	23.20
See groups 1-b and 1-d under laborer classification	ons.
LABORER (GARDENERS,	
HORTICULTURAL & LANDSCAPE	
LABORERS - AREA A:)	
(1) New Construction\$ 30.54	23.20
(2) Establishment Warranty	
Period\$ 24.23	23.20
LABORER (GUNITE - AREA A:)	
GROUP 1\$ 30.75	22.31
GROUP 2\$ 30.25	22.31
GROUP 3\$ 29.66	22.31
GROUP 4\$ 29.54	22.31
LABORER (WRECKING - AREA A:)	
GROUP 1\$ 30.79	23.20
GROUP 2\$ 30.64	23.20

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No

joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing

from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner"" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0270-011 07/01/2017

MONTEREY, SAN BENITO, SANTA CRUZ, SANTA CLARA COUNTIES

Rates Fringes
LABORER (Plaster Tender)......\$ 34.70 21.22

Work on a swing stage scaffold: \$1.00 per hour additional.

-----LABO0294-001 07/01/2020

FRESNO, KINGS AND MADERA COUNTIES

	Rates	Fringes	
LABORER (Brick)		00 71	
Mason Tender-Brick	\$ 32.84	23.71	
LABO0294-002 06/28/2021			

FRESNO, KINGS, AND MADERA COUNTIES

F	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person\$	33.48	26.21
Traffic Control Person I\$	33.78	26.21
Traffic Control Person II\$	31.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0294-005 07/01/2021

FRESNO, KINGS, AND MADERA COUNTIES

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1	\$ 42.00	25.71
GROUP 2	\$ 41.77	25.71
GROUP 3	\$ 41.52	25.71
GROUP 4	\$ 41.07	25.71
GROUP 5	\$ 40.53	25.71
Shotcrete Specialist	\$ 42.52	25.71

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0294-008 06/25/2018

FRESNO, KINGS, AND MADERA COUNTIES

	Rates	Fringes
LABORER (CONSTRUCTION CRAFT LABORERS - AREA B:) Construction Specialist		
Group	5 29.79 5 30.01 5 29.84 5 30.34 5 30.37	23.20 23.20 23.20 23.20 23.20 23.20 23.20

GROUP 3\$ 29.54 GROUP 4\$ 23.23	23.20 23.20
See groups 1-b and 1-d under laborer classification	ons.
LABORER (GARDENERS,	
HORTICULTURAL & LANDSCAPE	
LABORERS - AREA B:)	
(1) New Construction\$ 29.54	23.20
(2) Establishment Warranty	
Period\$ 23.23	23.20
LABORER (GUNITE - AREA B:)	
GROUP 1\$ 29.75	22.31
GROUP 2\$ 29.25	22.31
GROUP 3\$ 28.66	22.31
GROUP 4\$ 28.54	22.31
LABORER (WRECKING - AREA B:)	
GROUP 1\$ 29.79	23.20
GROUP 2\$ 29.64	23.20

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite,

epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and

every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner"" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0294-010 07/01/2021

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS & TUOLUMNE

	Rates	Fringes
Plasterer tender	.\$ 35.82	28.45
Work on a swing stage scaffold:	\$1.00 per hour ac	dditional.
LABO0294-011 07/01/2021		

FRESNO, KINGS, AND MADERA COUNTIES

	Rates	Fringes
LABORER (Plaster Tender)	.\$ 35.82	28.45
Work on a swing stage scaffold:	\$1.00 per hour ac	dditional.
LABO0304-002 06/28/2021		

ALAMEDA COUNTY

Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)	
Escort Driver, Flag Person\$ 34.48	26.21
Traffic Control Person I\$ 34.78	26.21
Traffic Control Person II\$ 32.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0304-003 07/01/2021

ALAMEDA COUNTY

I	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1\$	42.00	25.71
GROUP 2\$	41.77	25.71
GROUP 3\$	41.52	25.71
GROUP 4\$	41.07	25.71
GROUP 5\$	40.53	25.71
Shotcrete Specialist\$	42.52	25.71

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0304-004 06/25/2018

ALAMEDA COUNTY

I	Rates	Fringes
LABORER (CONSTRUCTION CRAFT		
LABORERS - AREA A:)		
Construction Specialist		
Group\$	31.49	23.20
GROUP 1\$	30.79	23.20
GROUP 1-a\$	31.01	23.20

GROUP 1-c. \$ GROUP 1-e. \$ GROUP 1-f. \$ GROUP 2. \$ GROUP 3. \$ GROUP 4. \$	31.34 30.37 30.64 30.54 24.23	23.20 23.20 23.20 23.20 23.20 23.20
See groups 1-b and 1-d under laborated	orer classificati	ons.
LABORER (GARDENERS,		
HORTICULTURAL & LANDSCAPE		
LABORERS - AREA A:)		
(1) New Construction\$	30.54	23.20
(2) Establishment Warranty		
Period\$	24 23	23.20
LABORER (GUNITE - AREA A:)	24.25	23.20
	20 75	22 21
GROUP 1\$		22.31
GROUP 2\$	30.25	22.31
GROUP 3\$	29.66	22.31
GROUP 4\$	29.54	22.31
LABORER (WRECKING - AREA A:)		
GROUP 1\$	30 79	23.20
GROUP 2\$		23.20
GROUP Z	30.04	23.20

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and

worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing

is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO0304-005 05/01/2018

ALAMEDA COUNTY

Rates Fringes
Brick Tender.....\$ 35.37 20.70

FOOTNOTES: Work on jobs where heat-protective clothing is required: \$2.00 per hour additional. Work at grinders: \$.25 per hour additional. Manhole work: \$2.00 per day additional.

LABO0304-008 07/01/2017

ALAMEDA AND CONTRA COSTA COUNTIES:

Rates Fringes
Plasterer tender.....\$ 34.70 23.11

Work on a swing stage scaffold: \$1.00 per hour additional.

LABO0324-002 06/28/2021

CONTRA COSTA COUNTY

		5
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
,	2 2 4 4 9	26.21
Escort Driver, Flag Person		20.21
Traffic Control Person I	34.78	26.21
Traffic Control Person II	32.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

Rates Fringes

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO0324-006 06/25/2018

CONTRA COSTA COUNTY

	Ra	tes Fri	nges
Tunnel and Shaft La	borers:		
GROUP 1	\$3	7.82	24.11
GROUP 2	\$3	7.59	24.11
GROUP 3	\$3	7.34	24.11
GROUP 4	\$3	6.89	24.11
GROUP 5	\$3	6.35	24.11
Shotcrete Spec	ialist\$ 3	8.34	24.11

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO0324-012 06/25/2018

CONTRA COSTA COUNTY

Rates Fringes

LABORER (CONSTRUCTION CRAFT

LABORERS - AREA A:)	
Construction Specialist	
Group\$ 31.49	23.20
GROUP 1\$ 30.79	23.20
GROUP 1-a\$ 31.01	23.20
GROUP 1-c\$ 30.84	23.20
GROUP 1-e\$ 31.34	23.20
GROUP 1-f\$ 30.37	23.20
GROUP 1-g\$ 30.99	23.20
GROUP 2\$ 30.64	23.20
GROUP 3\$ 30.54	23.20
GROUP 4\$ 24.23	23.20
See groups 1-b and 1-d under laborer classification	ns.
LABORER (GARDENERS,	
HORTICULURAL & LANDSCAPE	
LABORERS - AREA A:)	
(1) New Construction\$ 30.54	23.20
(2) Establishment Warranty	
Period\$ 24.23	23.20
LABORER (GUNITE - AREA A:)	
GROUP 1\$ 30.75	22.31
GROUP 2\$ 30.25	22.31
GROUP 3\$ 29.66	22.31
GROUP 4\$ 29.54	22.31
LABORER (WRECKING - AREA A:)	
GROUP 1\$ 30.79	23.20
GROUP 2\$ 30.64	23.20

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter;

Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to

apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including repair of voids; Precast manhole setters, cast in place manhole form setters

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner" is to be utilized under the following conditions: A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including repair of voids; Precast manhole setters, cast in place manhole form setters

LABO0324-014 05/01/2018

CONTRA COSTA COUNTY:

Rates Fringes

Brick Tender.....\$ 35.37 20.70

FOOTNOTES: Work on jobs where heat-protective clothing is required: \$2.00 per hour additional. Work at grinders: \$.25 per hour additional. Manhole work: \$2.00 per day additional.

LABO0324-018 07/01/2021

ALAMEDA AND CONTRA COSTA COUNTIES:

	I	Rates	Fringes
Plasterer	tender\$	38.28	29.43

Work on a swing stage scaffold: \$1.00 per hour additional.

LABO1130-002 06/28/2021

MARIPOSA, MERCED, STANISLAUS, AND TUOLUMNE COUNTIES

I	Rates	Fringes
LABORER (TRAFFIC CONTROL/LANE CLOSURE)		
Escort Driver, Flag Person\$	33.48	26.21
Traffic Control Person I\$	33.78	26.21
Traffic Control Person II\$	31.28	26.21

TRAFFIC CONTROL PERSON I: Layout of traffic control, crash cushions, construction area and roadside signage.

TRAFFIC CONTROL PERSON II: Installation and removal of temporary/permanent signs, markers, delineators and crash cushions.

LABO1130-003 06/26/2017

MARIPOSA, MERCED, STANISLAUS, AND TUOLUMNE COUNTIES

	Rates	Fringes
Tunnel and Shaft Laborers:		
GROUP 1	\$ 36.60	24.83
GROUP 2	\$ 36.37	24.83
GROUP 3	\$ 36.12	24.83
GROUP 4	\$ 35.67	24.83
GROUP 5	\$ 35.13	24.83
Shotcrete Specialist	\$ 37.12	24.83

TUNNEL AND SHAFT CLASSIFICATIONS

GROUP 1: Diamond driller; Groundmen; Gunite and shotcrete nozzlemen

GROUP 2: Rodmen; Shaft work & raise (below actual or excavated ground level)

GROUP 3: Bit grinder; Blaster, driller, powdermen, heading; Cherry pickermen - where car is lifted; Concrete finisher in tunnel; Concrete screedman; Grout pumpman and potman; Gunite & shotcrete gunman & potman; Headermen; High pressure nozzleman; Miner - tunnel, including top and

bottom man on shaft and raise work; Nipper; Nozzleman on slick line; Sandblaster - potman, Robotic Shotcrete Placer, Segment Erector, Tunnel Muck Hauler, Steel Form raiser and setter; Timberman, retimberman (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powderman - primer house

GROUP 4: Vibrator operator, pavement breaker; Bull gang - muckers, trackmen; Concrete crew - includes rodding and spreading, Dumpmen (any method)

GROUP 5: Grout crew; Reboundman; Swamper/ Brakeman

LABO1130-005 07/01/2018

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES

	Rates	Fringes
LABORER		
Mason Tender-Brick	\$ 31.20	22.20
LABO1130-007 06/25/2018		

MARIPOSA, MERCED, STANISLAUS, AND TUOLUMNE, COUNTIES

	Rates	Fringes
LABORER (CONSTRUCTION CRAFT LABORERS - AREA B:) Construction Specialist		
Group	\$ 30.49	23.20
GROUP 1		23.20
GROUP 1-a		23.20
GROUP 1-c	•	23.20
GROUP 1-e		23.20
GROUP 1-f		23.20
GROUP 2	.\$ 29.64	23.20
GROUP 3	.\$ 29.54	23.20
GROUP 4	.\$ 23.23	23.20
See groups 1-b and 1-d under la	aborer classific	ations.
LABORER (GARDENERS,		
HORTICULTURAL & LANDSCAPE		
LABORERS - AREA B:)		
(1) New Construction	.\$ 29.54	23.20
(2) Establishment Warranty		
Period	.\$ 23.23	23.20
LABORER (GUNITE - AREA B:)		
GROUP 1	.\$ 29.75	22.31
GROUP 2	.\$ 29.25	22.31
GROUP 3		22.31
GROUP 4	.\$ 28.54	22.31
LABORER (WRECKING - AREA B:)		

GROUP 1\$	29.79	23.20
GROUP 2\$	29.64	23.20

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Cast-in- place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker including Leade Abatement; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2"" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work;

Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. ""Sewer cleaner"" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush

shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: Final clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification ""material cleaner" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.

C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of ""form stripping, cleaning and oiling and moving to the next point of erection"".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural Nozzleman

GROUP 2: Nozzleman, Gunman, Potman, Groundman

GROUP 3: Reboundman

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

LABO1130-008 07/01/2021

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAOUIN, STANISLAUS & TUOLUMNE

Rates Fringes

Plasterer tender.....\$ 35.82 28.45

Work on a swing stage scaffold: \$1.00 per hour additional.

LABO1130-009 07/01/2021

MARIPOSA, MERCED, STANISLAUS, AND TUOLUMNE COUNTIES

Rates Fringes

LABORER (Plaster Tender)......\$ 35.82 28.45

Work on a swing stage scaffold: \$1.00 per hour additional.

PAIN0016-001 01/01/2021

ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN MATEO, SANTA CLARA, AND SANTA CRUZ COUNTIES

25.48

Rates Fringes

PREMIUMS:

EXOTIC MATERIALS - \$1.25 additional per hour.

SPRAY WORK: - \$0.50 additional per hour.

INDUSTRIAL PAINTING - \$0.25 additional per hour

[Work on industrial buildings used for the manufacture and processing of goods for sale or service; steel construction (bridges), stacks, towers, tanks, and similar structures]

HIGH WORK:

over 50 feet - \$2.00 per hour additional 100 to 180 feet - \$4.00 per hour additional Over 180 feet - \$6.00 per houir additional

Painters:....\$ 45.22

PAIN0016-003 07/01/2021

AREA 1: ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO & SANTA CLARA COUNTIES

AREA 2: CALAVERAS, MARIPOA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS & TUOLUMNE COUNTIES

	Rates	Fringes	
Drywall Finisher/Taper AREA 1		29.49 28.09	
PAIN0016-012 01/01/2019			
ALAMEDA, CONTRA COSTA, MARIPOSA SAN FRANCISCO, SAN MATEO, SANTA			
	Rates	Fringes	
SOFT FLOOR LAYER	\$ 48.60	27.43	
PAIN0016-015 01/01/2021			
CALAVERAS, MARIPOSA, MERCED, SAI COUNTIES	N JOAQUIN,	STANISLAUS & TUOLUMNE	
	Rates	Fringes	
PAINTER Brush	\$ 35.88	21.16	
FOOTNOTES: SPRAY/SANDBLAST: \$0.50 additional per hour. EXOTIC MATERIALS: \$1.25 additional per hour. HIGH TIME: Over 50 ft above ground or water level \$2.00 additional per hour. 100 to 180 ft above ground or water level \$4.00 additional per hour. Over 180 ft above ground or water level \$6.00 additional per hour.			
PAIN0016-022 01/01/2021			
SAN FRANCISCO COUNTY			
	Rates	Fringes	
PAINTER	\$ 48.84	25.48	
PAIN0169-001 06/01/2020			
FRESNO, KINGS, MADERA, MARIPOSA AND MERCED COUNTIES:			
	Rates	Fringes	
GLAZIER	\$ 40.00	26.76	

PAIN0169-005 01/01/2022

ALAMEDA CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN MATEO, SANTA CLARA & SANTA CRUZ COUNTIES

	Rates	Fringes
GLAZIER	.\$ 54.77	31.45
PAIN0294-004 01/01/2021		

FRESNO, KINGS AND MADERA COUNTIES

	Rates	Fringes
PAINTER		
Brush, Roller	\$ 31.36	20.33
Drywall Finisher/Taper	\$ 40.10	25.00

FOOTNOTE:

Spray Painters & Paperhangers recive \$1.00 additional per hour. Painters doing Drywall Patching receive \$1.25 additional per hour. Lead Abaters & Sandblasters receive \$1.50 additional per hour. High Time - over 30 feet (does not include work from a lift) \$0.75 per hour additional.

PAIN0294-005 01/01/2021

FRESNO, KINGS & MADERA

	Rates	Fringes
SOFT FLOOR LAYER	\$ 34.55	21.67
PAIN0767-001 01/01/2022		

CALAVERAS, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
GLAZIER	\$ 41.78	33.09

PAID HOLIDAYS: New Year's Day, Martin Luther King, Jr. Day, President's Day, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day, and Christmas Day.

Employee rquired to wear a body harness shall receive \$1.50 per hour above the basic hourly rate at any elevation.

PAIN1176-001 07/01/2021

HIGHWAY IMPROVEMENT

	Rates	Fringes
Parking Lot Striping/Highway		
Marking: GROUP 1	\$ 33.56	16.98 16.98 16.98
CLASSIFICATIONS		
GROUP 1: Striper: Layout and ag stripes and marking; hot thermo stripes and markings		
GROUP 2: Gamecourt & Playground	d Installer	
GROUP 3: Protective Coating, Pa	_	
PAIN1237-003 01/01/2021		
CALAVERAS; SAN JOAQUIN COUNTIES; COUNTIES:	STANISLAUS AND	TUOLUMNE
	Rates	Fringes
SOFT FLOOR LAYER	.\$ 41.81	23.39
PLAS0066-002 07/01/2019		
ALAMEDA, CONTRA COSTA, SAN MATEO	AND SAN FRANCIS	CO COUNTIES:
	Rates	Fringes
PLASTERER	.\$ 42.41	30.73
PLAS0300-001 07/01/2018		
	Rates	Fringes
PLASTERER AREA 188: Fresno AREA 224: San Benito,	.\$ 32.70	31.68
Santa Clara, Santa Cruz AREA 295: Calaveras & San	.\$ 32.88	31.68
Joaquin Couonties		31.68
AREA 337: Monterey County AREA 429: Mariposa,	.\$ 32.88	31.68
Merced, Stanislaus, Tuolumne Counties	.\$ 32.70	31.68

215

PLAS0300-005 07/01/2016

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER.	\$ 32.15	23.27
PLUM0038-001 07/01/2021		
SAN FRANCISCO COUNTY		
	Rates	Fringes
PLUMBER (Plumber, Steamfitter, Refrigeration Fitter)	\$ 79.00	46.01
PLUM0038-005 07/01/2021		
SAN FRANCISCO COUNTY		
	Rates	Fringes
Landscape/Irrigation Fitter (Underground/Utility Fitter)	\$ 67.15	32.67
PLUM0062-001 01/01/2022		
MONTEREY AND SANTA CRUZ COUNTIES	5	
	Rates	Fringes
PLUMBER & STEAMFITTER	\$ 47.85	38.10
PLUM0159-001 07/01/2019		
CONTRA COSTA COUNTY		
	Rates	Fringes
Plumber and steamfitter (1) Refrigeration (2) All other work		41.04 41.04
PLUM0246-001 01/01/2022		
FRESNO, KINGS & MADERA COUNTIES		
	Rates	Fringes
PLUMBER & STEAMFITTER	\$ 45.15	37.19
* PLUM0246-004 01/01/2017		
FRESNO, MERCED & SAN JOAQUIN COL	JNIES	
	Rates	Fringes

PIPE TRADESMAN SCOPE OF WORK:

Installation of corrugated metal piping for drainage, as well as installation of corrugated metal piping for culverts in connection with storm sewers and drains; Grouting, dry packing and diapering of joints, holes or chases including paving over joints, in piping; Temporary piping for dirt work for building site preparation; Operating jack hammers, pavement breakers, chipping guns, concrete saws and spades to cut holes, chases and channels for piping systems; Digging, grading, backfilling and ground preparation for all types of pipe to all points of the jobsite; Ground preparation including ground leveling, layout and planting of shrubbery, trees and ground cover, including watering, mowing, edging, pruning and fertilizing, the breaking of concrete, digging, backfilling and tamping for the preparation and completion of all work in connection with lawn sprinkler and landscaping; Loading, unloading and distributing materials at jobsite; Putting away materials in storage bins in jobsite secure storage area; Demolition of piping and fixtures for remodeling and additions; Setting up and tearing down work benches, ladders and job shacks; Clean-up and sweeping of jobsite; Pipe wrapping and waterproofing where tar or similar material is applied for protection of buried piping; Flagman

PLUM0342-001 07/01/2021

ALAMEDA & CONTRA COSTA COUNTIES

	Rates	Fringes
PIPEFITTER	¢ 60 05	44.00
CONTRA COSTA COUNTY PLUMBER, PIPEFITTER,	> 69.95	44.00
STEAMFITTER		
ALAMEDA COUNTY	\$ 69.95	44.00

PLUM0355-004 07/01/2021

ALAMEDA, CALAVERAS, CONTRA COSTA, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, STANISLAUS, AND TUOLUMNE COUNTIES:

	Rates	Fringes
Underground Utility Worker		
/Landscape Fitter	\$ 30.90	16.80

PLUM0393-001 07/01/2021

SAN BENITO AND SANTA CLARA COUNTIES

	Rates	Fringes	
PLUMBER/PIPEFITTER	.\$ 68.76	46.63	
PLUM0442-001 01/01/2022			
CALAVERAS, MARIPOSA, MERCED, SAN COUNTIES	JOAQUIN, STANIS	LAUS & TUOLUMNE	
	Rates	Fringes	
PLUMBER & STEAMFITTER	.\$ 48.75	33.94	
PLUM0467-001 07/01/2021			
SAN MATEO COUNTY			
	Rates	Fringes	
Plumber/Pipefitter/Steamfitter	.\$ 73.10	38.61	
ROOF0027-002 01/01/2022			
FRESNO, KINGS, AND MADERA COUNTI	ES		
	Rates	Fringes	
ROOFER	.\$ 38.81	14.81	
FOOTNOTE: Work with pitch, pitch base of pitch impregnated products or any material containing coal tar pitch, on any building old or new, where both asphalt and pitchers are used in the application of a built-up roof or tear off: \$2.00 per hour additional.			
ROOF0040-002 08/01/2021			
SAN FRANCISCO & SAN MATEO COUNTIES:			
	Rates	Fringes	
ROOFER	.\$ 46.38	20.94	
ROOF0081-001 08/01/2021			
ALAMEDA AND CONTRA COSTA COUNTIES:			
	Rates	Fringes	

Roofer.....\$ 47.17 19.86 ROOF0081-004 08/01/2020 CALAVERAS, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES: Rates Fringes ROOFER.....\$ 39.73 19.11 _____ ROOF0095-002 08/01/2020 MONTEREY, SAN BENITO, SANTA CLARA, AND SANTA CRUZ COUNTIES: Rates Fringes ROOFER Journeyman.....\$ 46.54 20.69 Kettle person (2 kettles); Bitumastic, Enameler, Coal Tar, Pitch and Mastic worker.....\$ 48.54 SFCA0483-001 01/01/2022 ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES: Rates Fringes SPRINKLER FITTER (FIRE).....\$ 70.55 _____ SFCA0669-011 04/01/2022 CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS AND TUOLUMNE COUNTIES: Rates Fringes SPRINKLER FITTER.....\$ 42.30 26.69 SHEE0104-001 07/01/2020 AREA 1: ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO, SANTA CLARA AREA 2: MONTEREY & SAN BENITO

AREA 3: SANTA CRUZ

	Rates	Fringes
SHEET METAL WORKER AREA 1: Mechanical Contracts		
under \$200,000	\$ 64.06	45.29 46.83 36.44
AREA 3	\$ 55.16	34.18
SHEE0104-003 07/01/2021		
CALAVERAS AND SAN JOAQUIN COUNTI	IES:	
	Rates	Fringes
SHEET METAL WORKER	\$ 44.34	39.22
SHEE0104-005 07/01/2021		
MARIPOSA, MERCED, STANISLAUS ANI	TUOLUMNE COUNT	IES:
	Rates	Fringes
SHEET METAL WORKER (Excluding metal deck and siding)	\$ 41.28	45.41
SHEE0104-007 07/01/2021		
FRESNO, KINGS, AND MADERA COUNTY	IES:	
	Rates	Fringes
SHEET METAL WORKER	\$ 44.07	40.79
SHEE0104-015 07/01/2020		
ALAMEDA, CONTRA COSTA, MONTEREY, MATEO, SANTA CLARA AND SANTA CRU		FRANCISCO, SAN
	Rates	Fringes
SHEET METAL WORKER (Metal Decking and Siding only)	\$ 44.45	35.55
SHEE0104-018 07/01/2020		_
CALAVERAS, FRESNO, KINGS, MADERA		CED, SAN

JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

	Rates	Fringes
Sheet metal worke decking and sidin	(Metal g only)\$ 44.45	35.55

TEAM0094-001 07/01/2021

	Rates	Fringes
Truck drivers:		
GROUP 1	.\$ 35.15	31.42
GROUP 2	.\$ 35.45	31.42
GROUP 3	.\$ 35.75	31.42
GROUP 4	\$ 36.10	31.42
GROUP 5	\$ 36.45	31.42

FOOTNOTES:

Articulated dump truck; Bulk cement spreader (with or without auger); Dumpcrete truck; Skid truck (debris box); Dry pre-batch concrete mix trucks; Dumpster or similar type; Slurry truck: Use dump truck yardage rate. Heater planer; Asphalt burner; Scarifier burner; Industrial lift truck (mechanical tailgate); Utility and clean-up truck: Use appropriate rate for the power unit or the equipment utilized.

TRUCK DRIVER CLASSIFICATIONS

GROUP 1: Dump trucks, under 6 yds.; Single unit flat rack (2-axle unit); Nipper truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump machine; Fork lift and lift jitneys; Fuel and/or grease truck driver or fuel person; Snow buggy; Steam cleaning; Bus or personhaul driver; Escort or pilot car driver; Pickup truck; Teamster oiler/greaser and/or serviceperson; Hook tender (including loading and unloading); Team driver; Tool room attendant (refineries)

GROUP 2: Dump trucks, 6 yds. and under 8 yds.; Transit mixers, through 10 yds.; Water trucks, under 7,000 gals.; Jetting trucks, under 7,000 gals.; Single-unit flat rack (3-axle unit); Highbed heavy duty transport; Scissor truck; Rubber-tired muck car (not self-loaded); Rubber-tired truck jumbo; Winch truck and ""A"" frame drivers; Combination winch truck with hoist; Road oil truck or bootperson; Buggymobile; Ross, Hyster and similar straddle carriers; Small rubber-tired tractor

GROUP 3: Dump trucks, 8 yds. and including 24 yds.; Transit mixers, over 10 yds.; Water trucks, 7,000 gals. and over; Jetting trucks, 7,000 gals. and over; Vacuum trucks under 7500 gals. Trucks towing tilt bed or flat bed pull

trailers; Lowbed heavy duty transport; Heavy duty transport tiller person; Self- propelled street sweeper with self-contained refuse bin; Boom truck - hydro-lift or Swedish type extension or retracting crane; P.B. or similar type self-loading truck; Tire repairperson; Combination bootperson and road oiler; Dry distribution truck (A bootperson when employed on such equipment, shall receive the rate specified for the classification of road oil trucks or bootperson); Ammonia nitrate distributor, driver and mixer; Snow Go and/or plow

GROUP 4: Dump trucks, over 25 yds. and under 65 yds.; Water pulls - DW 10's, 20's, 21's and other similar equipment when pulling Aqua/pak or water tank trailers; Helicopter pilots (when transporting men and materials); Lowbedk Heavy Duty Transport up to including 7 axles; DW10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTourneau Pulls, Tournorocker, Euclid and similar type equipment when pulling fuel and/or grease tank trailers or other miscellaneous trailers; Vacuum Trucks 7500 gals and over and truck repairman

GROUP 5: Dump trucks, 65 yds. and over; Holland hauler; Low bed Heavy Duty Transport over 7 axles

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

** Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$15.00) or 13658 (\$11.25). Please see the Note at the top of the wage determination for more information.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at

https://www.dol.gov/agencies/whd/government-contracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the

wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.


3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.


END OF GENERAL DECISIO"

LOCATION MAP



PUCHASING DEPARTMENT DRIVING DIRECTIONS

DRIVING DIRECTIONS CIVIC CENTER TO PURCHASING OFFICE



DIRECTIONS: DRIVE NORTH ON "M" STREET
TURN LEFT ON WEST 25TH STREET
TURN RIGHT ON "O" STREET

REGULATION VIII - FUGITIVE PM10 PROHIBITIONS



San Joaquin Valley Air Pollution Control District

COMPLIANCE ASSISTANCE BULLETIN August 2006

Regulation VIII – Fugitive PM10 Prohibitions Requirements on Paved and Unpaved Public Roads

District Rule 8061(*Paved and Unpaved Roads*) of Regulation VIII (*Fugitive PM10 Prohibitions*) specifies the design criteria for constructing new or modifying existing paved roads and the types of control measures required for limiting fugitive dust emissions from unpaved roads and shoulders. Several compliance dates and deadlines described in the rule apply specifically to city, county, and state agencies. The purpose of this bulletin is to summarize the new requirements for public agencies that own or maintain paved and unpaved roads. The entire rule may be found at www.valleyair.org/rules/1ruleslist.htm-reg8.

- Constructing New Unpaved Roads: Effective October 1, 2004, constructing a new unpaved road is
 prohibited in all urban areas unless the unpaved road is used for a temporary activity that does not exceed
 six months of use over a consecutive three-year period. Temporary activities may include construction
 access roads, special events, or traffic detours. The unpaved surface must be maintained in a stabilized
 condition at all times in order to control fugitive emissions.
- PM10-Efficient Street Sweepers: These requirements apply to the routine cleaning of existing paved public roads within urban areas. Effective July 1, 2005, an agency or its contractor may only purchase PM10-efficient street sweepers for their fleets and at least one sweeper must be placed into service by July 1, 2008. PM10-efficient street sweepers are to be used along routine street sweeper routes, which have been predetermined and prioritized by the agency as having paved curbs with the greatest actual or potential for dirt and silt loading. If an agency cannot meet these provisions due to budgetary constraints, a statement of financial hardship must be submitted to the District and the USEPA for review and approval.
- Cleaning Paved Roads after a Storm Event: Within 24 hours of discovery, the agency or contractor responsible for maintaining the roadway must remove the accumulated mud and dirt from the paved road or restrict vehicles from traveling over the mud and dirt until the materials can be removed. This requirement applies if the accumulated mud and dirt is a result of wind or water erosion and runoff, is at least one inch thick, and covers an area of at least 50 square feet. Cleanup may be performed manually with a shovel and broom, or with a conventional or PM10-efficient street sweeper, but must be performed in a manner that minimizes fugitive dust. Using a blowing device or a dry rotary brush or broom is prohibited. Redirecting traffic is one way to restrict vehicles from traveling over the mud and dirt. Upon agency notification, the District may approve an extension of the 24-hour cleanup requirement if restricting vehicles is deemed unsafe and removing the mud and dirt is not possible within 72 hours because crews are not available over a weekend or holiday.

Requirements on Paved and Unpaved Public Roads August 2006 Page 2

- Posting Speed Limit Signs on Unpaved Roads: Effective October 1, 2005, public agencies must establish a maximum speed limit of 25 miles per hour for the unpaved roads under their jurisdictions. This requirement applies to the unpaved road segments where vehicle traffic reaches or exceeds 26 annual average daily trips (AADT). At a minimum, agencies are to post at least one speed limit sign in each direction for every mile of unpaved road located within an urban area, and one sign in each direction for every two miles of unpaved road within a rural area. For example, an unpaved road located within an urban area that is ½ mile long and exceeds 26 AADT requires at least one sign posted in each direction. The unpaved surface must be maintained in a stabilized condition at all times in order to control fugitive emissions.
- Paving Existing Unpaved Roads and Paving or Stabilizing Unpaved Shoulders: On January 1, 2005, agencies provided the District with a report listing each unpaved road located within an urban area and each paved road with unpaved shoulders within urban and rural areas. On July 1, 2005, agencies provided a report listing each unpaved road located within a rural area. These reports include the length in miles and the AADT for each subject road and unpaved shoulder within the agency's jurisdiction.

As of January 1, 2005, agencies are to pave an annual average of 20 percent of the unpaved roads listed in their urban area unpaved road report, thereby paving 100 percent of these unpaved roads by January 1, 2010. This requirement does not apply to rural unpaved roads.

In urban areas, agencies are to pave or stabilize at least four-feet of unpaved shoulders on at least 50 percent of the existing paved roadways having the highest AADT. In rural areas, this is required on at least 25 percent of the existing paved roadways with the highest AADT. Compliance with these provisions must be complete by January 1, 2010.

If an agency cannot meet these provisions due to budgetary constraints, a statement of financial hardship must be submitted to the District and the USEPA for review and approval.

Incremental Progress Reports: Due on April 1 of each year, from 2006 through 2010, agencies must
report their incremental progress to the District by reporting the total miles of urban unpaved roads that
were paved over the previous calendar year, the total miles of unpaved shoulders that were paved or
stabilized over the previous calendar year, and the percentage of cumulative miles treated relative to the
original reports.

For more information please contact the Compliance Department of the District office nearest to you. Information on Regulation VIII is available on the District's website at:

www.valleyair.org



COMPLIANCE ASSISTANCE BULLETIN April 2007

Fugitive Dust Control at Construction Sites: New Requirements

Regulation VIII, Fugitive PM10 Prohibitions, of the District's Rules and Regulations apply to many activities that generate fugitive dust, and particularly to construction sites.

Fugitive dust is emitted into the air by activities that disturb the soil, such as earthmoving and vehicular/equipment traffic on unpaved surfaces. Windblown dust is also of concern where soil has been disturbed at construction sites.

The District adopted Regulation VIII in 1993 and its most recent amendments became effective on October 1, 2004. This is a basic summary of the regulation's requirements as they apply to construction sites.

These regulations affect all workers at a regulated construction site, including everyone from the landowner to the subcontractors. Violations of Regulation VIII are subject to enforcement action including fines.

Visible Dust Emissions (VDE) may not exceed 20% opacity during periods when soil is being disturbed by equipment or by wind at any time. Visible Dust Emissions opacity of 20% means dust that would obstruct an observer's view of an object by 20%. District inspectors are state certified to evaluate visible emissions. Dust control may be achieved by applying water before/during earthwork and onto unpaved traffic areas, phasing work to limit dust, and setting up wind fences to limit wind blown dust.

Soil Stabilization is required at regulated construction sites after normal working hours and on weekends and holidays. This requirement also applies to inactive construction areas such as phased projects where disturbed land is left unattended. Applying water to form a visible crust on the soil and restricting vehicle access are often effective for short-term stabilization of disturbed surface areas. Long-term methods including applying dust suppressants and establishing vegetative cover.

Carryout and Trackout occur when materials from emptied or loaded vehicles falls onto a paved surface or shoulder of a public road or when materials adhere to vehicle tires and are deposited onto a paved surface or shoulder of a public road. Should either occur, the material must be cleaned up at least daily, and immediately if it extends more than 50 feet from the exit point onto a paved road. The appropriate clean-up methods require the complete removal and cleanup of mud and dirt from the paved surface and shoulder. Using a blower device or dry sweeping with any mechanical device other than a PM10-efficient street sweeper is a violation. Larger construction sites, or sites with a high amount of traffic on one or more days, must prevent carryout and trackout from occurring by installing gravel pads, grizzlies, wheel washers, paved interior roads, or a combination thereof at each exit point from the site. In many cases, cleaning up trackout with water is also prohibited as it may lead to plugged storm drains. Prevention is the best method.

Unpaved Access and Haul Roads, as well as unpaved vehicle and equipment traffic areas at construction sites must have dust control. Speed limit signs limiting vehicle speed to 15 mph or less at construction sites must be posted every 500 feet on uncontrolled and unpaved roads.

Northern Region Office 4800 Enterprise Way Modesto, CA 95356-8718 (209) 557-6400 ◆ FAX (209) 557-6475 Central Region Office 1990 East Gettysburg Avenue Fresno, CA 93726-0244 (559) 230-6000 ◆ FAX (559) 230-6062 Southern Region Office 2700 "M" Street, Suite 275 Bakersfield, CA 93301-2373 (661) 326-6900 ◆ FAX (661) 326-6985 Storage Piles and Bulk Materials have handling, storage, and transportation requirements that include applying water when handling materials, wetting or covering stored materials, and installing wind barriers to limit VDE. Also, limiting vehicle speeds, loading haul trucks with a freeboard of six inches or greater along with applying water to the top of the load, and covering the cargo compartments are effective measures for reducing VDE and carryout from vehicles transporting bulk materials.

Demolition activities require the application of water to the exterior of the buildings and to unpaved surfaces where materials may fall. A Dust Control Plan will be required for large demolition projects. Consider all structures slated for demolition as possibly being regulated due to potential asbestos, per District Rule 4002 - *National Emission Standards for Hazardous Air Pollutants*. Contact the District well before starting because a 10 working-day notice will likely be required before a demolition can begin.

Dust Control Plans identify the dust sources and describe the dust control measures that will be implemented before, during, and after any dust generating activity for the duration of the project. Owners or operators are required to submit plans to the District at least 30 days prior to commencing the work for the following:

- Residential developments of ten or more acres of disturbed surface area.
- Non-residential developments of five or more acres of disturbed surface area.
- The relocation of more than 2,500 cubic yards per day of materials on at least three days.

Operations may not commence until the District has approved the Dust Control Plan. A copy of the plan must be on site and available to workers and District employees. All work on the site is subject to the requirements of the approved dust control plan. A failure to abide by the plan by anyone on site may be subject to enforcement action.

Owners or operators of construction projects that are at least one acre in size and where a Dust Control Plan is not required, must provide written notification to the District at least 48 hours in advance of any earthmoving activity.

Record Keeping is required to document compliance with the rules and must be kept for each day any dust control measure is used. The District has developed record forms for water application, street sweeping, and "permanent" controls such as applying long term dust palliatives, vegetation, ground cover materials, paving, or other durable materials. Records must be kept for one year after the end of dust generating activities (Title V sources must keep records for five years).

Exemptions exist for several activities. Those occurring above 3,000 feet in elevation are exempt from all Regulation VIII requirements. Further, Rule 8021 – *Construction, Demolition, Excavation, Extraction, and Other Earthmoving Activities* exempts the following construction and earthmoving activities:

- Blasting activities permitted by California Division of Industrial Safety.
- Maintenance or remodeling of existing buildings provided the addition is less than 50% of the size of the existing building or less than 10,000 square feet (due to asbestos concerns, contact the District at least two weeks ahead of time).
- Additions to single family dwellings.
- The disking of weeds and vegetation for fire prevention on sites smaller than ½ acre.
- Spreading of daily landfill cover to preserve public health and safety and to comply with California Integrated Waste Management Board requirements.

Nuisances are prohibited at all times because District Rule 4102 – *Nuisance* applies to all construction sources of fugitive dust, whether or not they are exempt from Regulation VIII. It is important to monitor dust-generating activities and implement appropriate dust control measures to limit the public's exposure to fugitive dust.

For more information please contact the Compliance Division of the District office nearest to you. Information on Regulation VIII, where you may obtain copies of record keeping forms, the Dust Control Plan template, and the Construction Notification form, is available on the District's website at:

www.valleyair.org, under Compliance Assistance/Dust Control.