






KEY NOTES (x)

1. DOOR DECAL PROVIDED AND INSTALL BY GRAPHIC VIDEOS
2. LINE OF CANOPY / SLOTT
3. DARK BRONZE ANODIZED WINDOW FRAME W/ GWY TINTED GLASS PER SOURBAMA SLOTTWORK SPECS.
4. INTERNALLY ILLUMINATED SIGN (UNDER SEPARATE PERMIT)
5. DARK BRONZE ANODIZED DOOR W/ GWY TINTED GLASS STOREFRONT SYSTEM
6. SERVICE DOOR PANT TO MATCH SURROUNDING WALL
7. PRE-FINISHED S/S METAL VACUUM COATING
8. NICHIA FIBER CEMENT WALL PANEL SYSTEM
9. WALL MOUNTED LIGHT FIXTURE COLOR BRONZE
10. SEE PANEL LOCATION.
11. ROOF LINE AND HANG UNITS
12. 1-1/2" NICHIA CORNER ECT EDGE, TIE TO ALL CORNERS
13. ROOF PANEL TIE OVERFLOW
14. OVERFLOW COLLECTION AT WALL, BLACK FLUENTS
15. 1-3/8" THICK X 6" NICHIA AGGRESSIVE HIGH TIEH CORNER WANSOOT
16. 1-1/2" NICHIA FIBER CEMENT CAP INSTALL PER MFR SPECS.
17. NICHIA ESSENTIAL "OVERHANG" FLASHING
18. PARQUET FLOOR BEYOND
19. (KNOX) KEY-BOX AT 6'-0" AFF (IF REQUIRED BY FIRE DEPARTMENT)
20. FIRE DEPARTMENT CONNECTION (IF REQUIRED)
21. ALUMINUM SHUTTING WITH SUPPORT RODS ABOVE THE SIDE ENTRY DOOR BY CIRCLE K VENDOR
22. EMERGENCY FUEL SHUT-OFF SWITCH
23. INSULATED METAL DOOR
24. NICHIA ESSENTIAL "STARTER" FLASHING 3" FROM THE HARD SURFACE
25. CO2 TANK WITH METAL LOADED CONTAINER
26. EXTERIOR FINISH TO EXTEND BACK SIDEWALK/PAVCE
27. CONTRA/EXPANSION JOINT "L.I." LOCATION
28. SLOTT - NICHIA FIBER CEMENT WALL PANEL SYSTEM


FINISH SCHEDULE

- | | |
|---|---|
| A | <ul style="list-style-type: none"> — "MACHINA TUFF BLOCK" — COLOR TO MATCH FSW 6005 TONSTY |
| B | <ul style="list-style-type: none"> — "MACHINA TUFF BLOCK" — COLOR TO MATCH FSW 6115 TOTALLY TAN |
| C | <ul style="list-style-type: none"> — "I" INSULATED, DOUBLE PANELED GRAY FINED GLASS |
| D | <ul style="list-style-type: none"> — "SHERWIN WILLIAMS FSW 4081" — "SHERWIN RED" |
| E | <ul style="list-style-type: none"> — NOT USED |
| F | <ul style="list-style-type: none"> — "MACHINA CHEERLED SML TAN" |
| G | <ul style="list-style-type: none"> — "MACHINA LEXESTONE BLUFF" |
| H | <ul style="list-style-type: none"> — "SHERWIN WILLIAMS FSW 6050 — JAWA — "LEXESTONE MANGROVE BROWN SR (USE FOR PRE-FINISHED METAL COPING) |
| I | <ul style="list-style-type: none"> — NOT USED |
| J | <ul style="list-style-type: none"> — "MACHINA TUFF BLOCK" — COLOR TO MATCH FSW 4081 <p> • USE SHERWIN WILLIAMS MANUFACTURER ONLY
 • NOT TO BE CONSIDERED TO EXHIBIT ANALOGY
 • AT THE OF CONSTRUCTION
 • REPAIRED BY CIRCLE K INSTALLED BY C.C. CRIST
 • REPAIR WILL BE WITH CRYL AND OWNERS REP
 crist@circlek.com </p> |



FRONT ELEVATION

1



GRAY TINTED SOLARBAN
SOLARGRAY GLASS



NICHIHA TUFF BLOCK TO MATCH
#SW 6095 "TOASTY"




NICHIHA TUFF BLOCK TO MATCH
#SW 6115 "TOTALLY TAN"



NICHIHA TUFF BLOCK TO MATCH
#SW 4081 "SAFETY RED"




DARK BRONZE
STOREFRONT SYSTEM




FIRESTONE MANSARD
BROWN SR/SW #6090 "JAVA"



NICHIHA FIBER CEMENT CAP
CHISELED SILL "TAN"



NICHIHA KURASTONE HIGH
FIBER CEMENT WAINSCOT
LEDGESTONE "BLUFF"



SHERWIN WILLIAMS #SW 4081
"SAFETY RED"

