February 15, 2023

City of Merced 1776 Grogan Avenue Merced, CA 95341 Tel: 209-385-6944 broughtonw@cityofmerced.org

Attention: Wally Broughton, Fleet Manager

We are pleased to provide the following quotation on the Petersen Industries Base Loader with Hardox Dump Body mounted on a new Freightliner M2 from the Sourcewell program Contract No. #40621-PII for your review.

One (1) Each TR3 Route Assistant Grapple Loader complete with the following standard equipment:

Main Information:

- 20 Ft. Boom Reach Includes 4 Ft. Telescoping Extension
- Lifts 3,200 Lbs. when Fully Extended at 20 Ft.
- At 10 Ft. Maximum Lift Capacity is 7,100 Lbs.

Controls:

 Greaseless Proportional Dual Walk-Thru Standard Lever Controls are Operational from Either Side of the Truck

H-Style Outriggers:

 Horizontal and Vertical Outriggers Act Independently of Each Other. Allows the Operator to Custom Place Around Obstructions and Traffic Patterns

Boom-Up Alarm:

 Notifies the Operator when the Boom is Over Legal Travel Height with an Audible Buzzer and Red Light

Minimal Hose Exposure:

"Enclosed Hose Recoil System" and a Bucket with No Hoses Below the Rotator

Single Cylinder Bucket:

 A Large Cylinder and Manifold Block Keep Hoses out of Work Areas, Allowing for a Stronger Bite Force, and Ensuring that Both Sides Always Work Together

Standard Bucket Features:

- All Purpose Clamshell Design, 4 Feet Wide with an Opened Width of 5 Feet
- High Impact Tempered Steel Used on Bucket Cutting Edges for Extended Life
- Reverse Curve Shape Helps Prevent Scalping of Lawns
- Continuous Rotation
- No Hoses Below Bucket Rotator

Fax: 530-243-1447



February 15, 2023 City of Merced Petersen Industries TR3 Route Assistant Grapple Loader & HDX-2030 Hardox Body Quote Page 2

Wheelbase:

 Petersen Specifically Designs their Units to have the Best Turning Radius while Keeping a Comfortable Operator Platform

Warranty:

Three Year Structural, One Year Hydraulic.

Including the following selected loader features:

- Heavy Duty Swing Motor
- Extended Pedestal
- Quadstick Mech Controls (Upgrade for TL)
- Grating Heat Shield (For Dual Controls Only)
- Reflective Tape, Outriggers
- HDHI Outrigger Strobe
- Standard Bucket 60"
- Boom-Up Warning Light/Audible Alarm
- Hose Guards Head & Valve Bank
- HD Control Box Throttle Engine Kill & Horn
- Tandem Pump in lieu of Single 18 GPM
- Loader Single Color (Enamel) TBD

Complete with HDX-2030 Hardox Dump Body including the following selected features:

- 1/8" Sides, 3/16" Floor
- PI Self-Winding Load Covering Device (Add-On)
- Single Piece Rear Door (Replaces Stnd Barn Doors)
- Wire Loom for Body Wiring
- LED Type Body Lights, 15 Each
- Amber LED Flashers in Rear, Corner Post
- ANSI Z245 Package
- Work Lights (Set of 2) (Curbside Under Body)
- Work Lights (Set of 2) (Streetside Under Body)
- Rear Camera Mounted in Rear, Marker Light-TV-550
- Body Color Black
- Route Assistant Half Trough + Cart Tipper

February 15, 2023 City of Merced Petersen Industries TR3 Route Assistant Grapple Loader & HDX-1824 Hardox Body Quote Page 3

Mounted on a new 2024 Freightliner M2 106 truck chassis complete with the following features:

- Cummins B6.7 240 HP
- Allison 3500 RDS with PTO Provision
- 37,000 GVW
- Driver's Side Air Seat
- Air Conditioning
- AM/FM
- Painted White

Price F.O.B. Merced, CA	\$257,361.64
8.25% Estimated Sales Tax	21,232.34
CA Tire Fee (6 @ \$1.75 Each)	10.50
Total	\$278,604.48

- Quotation includes delivery and on-site training.
- Normal delivery 270-300 days A.R.O. depending on chassis and component availability during production.
- Sales tax applicable at time of delivery will be shown on invoice.
- Terms: Net 15
- Quotation valid for 15 days.

Thank you for your interest in this fine product line. Should you have any questions or need additional information, please let us know. We look forward to being of service.

Sincerely,

Municipal Maintenance Equipment, Inc.

James Wheeler, General Manager