

# NFPA® 1583

## Standard on Health-Related Fitness Programs for Fire Department Members

2015 Edition



NFPA®, 1 Batterymarch Park, Quincy, MA 02169-7471, USA  
An International Codes and Standards Organization

## IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

### NOTICE AND DISCLAIMER OF LIABILITY CONCERNING THE USE OF NFPA STANDARDS

NFPA® codes, standards, recommended practices, and guides (“NFPA Standards”), of which the document contained herein is one, are developed through a consensus standards development process approved by the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus on fire and other safety issues. While the NFPA administers the process and establishes rules to promote fairness in the development of consensus, it does not independently test, evaluate, or verify the accuracy of any information or the soundness of any judgments contained in NFPA Standards.

The NFPA disclaims liability for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on NFPA Standards. The NFPA also makes no guaranty or warranty as to the accuracy or completeness of any information published herein.

In issuing and making NFPA Standards available, the NFPA is not undertaking to render professional or other services for or on behalf of any person or entity. Nor is the NFPA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

The NFPA has no power, nor does it undertake, to police or enforce compliance with the contents of NFPA Standards. Nor does the NFPA list, certify, test, or inspect products, designs, or installations for compliance with this document. Any certification or other statement of compliance with the requirements of this document shall not be attributable to the NFPA and is solely the responsibility of the certifier or maker of the statement.

### REMINDER: UPDATING OF NFPA STANDARDS

Users of NFPA codes, standards, recommended practices, and guides (“NFPA Standards”) should be aware that NFPA Standards may be amended from time to time through the issuance of Tentative Interim Amendments or corrected by Errata. An official NFPA Standard at any point in time consists of the current edition of the document together with any Tentative Interim Amendment and any Errata then in effect.

In order to determine whether an NFPA Standard has been amended through the issuance of Tentative Interim Amendments or corrected by Errata, visit the Document Information Pages on NFPA’s website. The Document Information Pages provide up-to-date, document specific information including any issued Tentative Interim Amendments and Errata.

To access the Document Information Page for a specific NFPA Standard, go to <http://www.nfpa.org/docinfo> to choose from the list of NFPA Standards or use the search feature on the right to select the NFPA Standard number (e.g., NFPA 101). In addition to posting all existing Tentative Interim Amendments and Errata, the Document Information Page also includes the option to sign-up for an “Alert” feature to receive an email notification when new updates and other information are posted regarding the document.

## IMPORTANT NOTICES AND DISCLAIMERS CONCERNING NFPA® STANDARDS

### ADDITIONAL NOTICES AND DISCLAIMERS

#### Updating of NFPA Standards

Users of NFPA codes, standards, recommended practices, and guides ("NFPA Standards") should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of Tentative Interim Amendments or corrected by Errata. An official NFPA Standard at any point in time consists of the current edition of the document together with any Tentative Interim Amendments and any Errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of Tentative Interim Amendments or corrected through the issuance of Errata, consult appropriate NFPA publications such as the National Fire Codes® Subscription Service, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org), or contact the NFPA at the address listed below.

#### Interpretations of NFPA Standards

A statement, written or oral, that is not processed in accordance with Section 6 of the Regulations Governing the Development of NFPA Standards shall not be considered the official position of NFPA or any of its Committees and shall not be considered to be, nor be relied upon as, a Formal Interpretation.

#### Patents

The NFPA does not take any position with respect to the validity of any patent rights referenced in, related to, or asserted in connection with an NFPA Standard. The users of NFPA Standards bear the sole responsibility for determining the validity of any such patent rights, as well as the risk of infringement of such rights, and the NFPA disclaims liability for the infringement of any patent resulting from the use of or reliance on NFPA Standards.

NFPA adheres to the policy of the American National Standards Institute (ANSI) regarding the inclusion of patents in American National Standards ("the ANSI Patent Policy"), and hereby gives the following notice pursuant to that policy:

**NOTICE:** The user's attention is called to the possibility that compliance with an NFPA Standard may require use of an invention covered by patent rights. NFPA takes no position as to the validity of any such patent rights or as to whether such patent rights constitute or include essential patent claims under the ANSI Patent Policy. If, in connection with the ANSI Patent Policy, a patent holder has filed a statement of willingness to grant licenses under these rights on reasonable and nondiscriminatory terms and conditions to applicants desiring to obtain such a license, copies of such filed statements can be obtained, on request, from NFPA. For further information, contact the NFPA at the address listed below.

#### Law and Regulations

Users of NFPA Standards should consult applicable federal, state, and local laws and regulations. NFPA does not, by the publication of its codes, standards, recommended practices, and guides, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

#### Copyrights

NFPA Standards are copyrighted. They are made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of safe practices and methods. By making these documents available for use and adoption by public authorities and private users, the NFPA does not waive any rights in copyright to these documents.

Use of NFPA Standards for regulatory purposes should be accomplished through adoption by reference. The term "adoption by reference" means the citing of title, edition, and publishing information only. Any deletions, additions, and changes desired by the adopting authority should be noted separately in the adopting instrument. In order to assist NFPA in following the uses made of its documents, adopting authorities are requested to notify the NFPA (Attention: Secretary, Standards Council) in writing of such use. For technical assistance and questions concerning adoption of NFPA Standards, contact NFPA at the address below.

#### For Further Information

All questions or other communications relating to NFPA Standards and all requests for information on NFPA procedures governing its codes and standards development process, including information on the procedures for requesting Formal Interpretations, for proposing Tentative Interim Amendments, and for proposing revisions to NFPA standards during regular revision cycles, should be sent to NFPA headquarters, addressed to the attention of the Secretary, Standards Council, NFPA, 1 Batterymarch Park, P.O. Box 9101, Quincy, MA 02269-9101; email: [stds\\_admin@nfpa.org](mailto:stds_admin@nfpa.org)

For more information about NFPA, visit the NFPA website at [www.nfpa.org](http://www.nfpa.org). All NFPA codes and standards can be viewed at no cost at [www.nfpa.org/freeaccess](http://www.nfpa.org/freeaccess).

Copyright © 2014 National Fire Protection Association®. All Rights Reserved.

## NFPA® 1583

### Standard on

## Health-Related Fitness Programs for Fire Department Members

### 2015 Edition

This edition of NFPA 1583, *Standard on Technical Committee on Health-Related Fitness Programs for Fire Department Members*, was prepared by the Technical Committee on Fire Service Occupational Safety and Health. It was issued by the Standards Council on November 11, 2014, with an effective date of December 1, 2014, and supersedes all previous editions.

This edition of NFPA 1583 was approved as an American National Standard on December 1, 2014.

### Origin and Development of NFPA 1583

The initial edition of NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, contained language requiring that the fire department develop a physical fitness program for its members. In the early 1990s, the technical committee responsible for NFPA 1500 began the development of a specific document to support that requirement. A recommended practice was prepared by the committee and processed through the standards system but never issued.

In June 1997, a new Technical Committee on Fire Service Occupational Medical and Health revived the project, but with a new focus. That focus was to provide a fire fighter with a comprehensive document focused on maintaining a healthy lifestyle, with a fitness component. The first edition was issued in 2000 as NFPA 1583, *Standard on Health-Related Fitness Programs for Fire Fighters*.

The multiple stress factors and rigors of their profession require fire fighters to be medically and physically fit in order to perform required tasks. The committee considers this standard to be a companion document to NFPA 1582, *Standard on Comprehensive Occupational Medical Program for Fire Departments*, and a tool to be used in conjunction with the Joint Labor Management Wellness-Fitness Initiative, developed by the International Association of Fire Fighters (IAFF) and the International Association of Fire Chiefs (IAFC).

The 2008 edition of the document was updated to reflect current practices in health-related fitness programs for fire department members and to editorially conform to the *Manual of Style for NFPA Technical Committee Documents*. The title was being changed to *Standard on Health-Related Fitness Programs for Fire Department Members*.

The revisions introduced the concept that, while a health and fitness program should require mandatory participation, it should be nonpunitive. The section on peer fitness trainers was expanded to include requirements for their qualifications and responsibilities. The relationship between the health and fitness coordinator (HFC) and the fire department physician was clarified.

A requirement was added that the health and fitness coordinator design an individualized exercise and fitness training program for a member returning to full duty from a debilitating injury, illness, or any other extended leave.

Annex materials were reorganized to focus on the fire department providing an adequate facility rather than a prescriptive list of equipment. Included were a suggestion that the HFC have a background in functional anatomy, exercise physiology, exercise testing and prescription, exercise supervision, and leadership rather than a long list of qualifications, and a self-assessment tool for use by members to monitor their individual fitness levels.

For the 2015 edition, the committee has updated several requirements to reflect changes in accepted practices in the health-related fitness programs currently being used. Some changes involve cardiovascular risk reduction, nutritional requirements, and inclusion of the fire department physician as part of the health and fitness consultation. The committee also added the reference to the IAFF/IAFC/ACE Peer Fitness Trainer certification in order to provide the end users of this document with a nationally established certification that can be used by fire departments to establish a minimum certification for fitness trainers.

## Technical Committee on Fire Service Occupational Safety and Health

**Randy J. Krause, Chair**  
Port of Seattle Fire Department, WA [E]

**Murrey E. Loflin, Nonvoting Secretary**  
National Institute for Occupational Safety & Health, WV [RT]

**Lawrence T. Bennett**, University of Cincinnati, OH [SE]  
**David T. Bernzweig**, Columbus (OH) Division of Fire,  
OH [L]

Rep. Columbus Firefighters Union

**Sandy Bogucki**, Yale University Emergency Medicine,  
CT [SE]

**James E. Brinkley**, International Association of Fire  
Fighters, DC [L]

Rep. International Association of Fire Fighters

**Dennis R. Childress**, Orange County Fire Authority,  
CA [U]

Rep. California State Firefighters Association

**Thomas J. Cuff, Jr.**, Firemens Association of the State of  
New York, NY [U]

**Michael L. Finkelman**, East Meadow, NY [U]

Rep. Association of Fire Districts/State of New York

**Christopher A. Garrett**, Owasso Fire Department,  
OK [M]

Rep. International Fire Service Training Association

**Todd A. Harms**, Phoenix Fire Department, AZ [E]

**Thomas Hillenbrand**, UL LLC, IL [RT]

**Scott D. Kerwood**, Hutto Fire Rescue, TX [E]

Rep. International Association of Fire Chiefs

**J. Roger Lackore**, Oshkosh Corporation, WI [M]

Rep. Fire Apparatus Manufacturers Association

**Michael A. Laton**, Honeywell First Responder Products,  
OH [M]

Rep. International Safety Equipment Association

**Tamara DiAnda Lopes**, Reno Fire Department, NV [U]

**Jarett Metheny**, Midwest City Fire Department, OK [L]

Rep. Oklahoma State Firefighters Association

**Ryan Pietzsch**, Volunteer Firemen's Insurance Services,  
Inc., PA [I]

**David J. Prezant**, Fire Department City of New York,  
NY [E]

Rep. Fire Department City of New York

**Stephen Raynis**, Fire Department City of New York,  
NY [U]

**Mario D. Rueda**, Los Angeles City Fire Department,  
CA [U]

**Daniel G. Samo**, Northwestern Memorial Hospital,  
IL [SE]

**Andrew G. Schwartz**, Lion Apparel, Inc., OH [M]

**Denise L. Smith**, Skidmore College, NY [SE]

**Donald F. Stewart**, Medocracy Inc./Fairfax County Fire  
& Rescue, VA [E]

**Philip C. Stittleburg**, La Farge Fire Department, WI [U]

Rep. National Volunteer Fire Council

**Susan Tamme**, Tampa Fire Rescue Department, FL [L]

Rep. International Association of Women in Fire  
& Emergency Services

**Fred C. Terry**, U.S. Department of the Air Force, FL [U]

**Phillip C. Vorlander**, Waunakee, WI [M]

Rep. National Incident Management System  
Consortium

**Teresa Wann**, Santa Ana College, CA [SE]

**Kim D. Zagaris**, State of California, CA [E]

### Alternates

**Robert Albanese**, Fire Department City of New York,  
NY [U]

(Alt. to S. Raynis)

**Kurt Becker**, Clayton, Missouri Fire Department, MO [L]

(Alt. to J. E. Brinkley)

**Brett R. Bowman**, City of Manassas Fire & Rescue  
Department, VA [E]

(Alt. to S. D. Kerwood)

**Michael Cacciola**, Fire Department City of New York,  
NY [E]

(Alt. to D. J. Prezant)

**Bradd K. Clark**, Ocala Fire Rescue, FL [M]

(Alt. to C. A. Garrett)

**Steven D. Corrado**, UL LLC, NC [RT]

(Alt. to T. Hillenbrand)

**Fabrice Czarnecki**, Northwestern Memorial Physicians  
Group, IL [SE]

(Alt. to D. G. Samo)

**Hayley Fudge**, Lion Apparel, Inc., OH [M]

(Alt. to A. G. Schwartz)

**Randall W. Hanifen**, University of Cincinnati, OH [SE]

(Alt. to L. T. Bennett)

**Robert D. Neamy**, Gardnerville, NV [M]

(Alt. to P. C. Vorlander)

**Jack E. Reall**, Columbus (OH) Division of Fire, OH [L]

(Alt. to D. T. Bernzweig)

**Gregory Reynar**, Los Angeles City Fire Department,  
CA [U]

(Alt. to M. D. Rueda)

**Michael L. Young**, Volunteer Firemen's Insurance  
Services, Inc., PA [I]

(Alt. to R. Pietzsch)

### Nonvoting

**Thomas R. Hales**, National Institute for Occupational  
Safety & Health, OH [RT]

**William R. Hamilton**, U.S. Department of Labor, DC [E]

**Andrew Levinson**, U.S. Department of Labor, DC [E]

Rep. Occupational Safety & Health Administration

**Kendall Holland**, NFPA Staff Liaison



*This list represents the membership at the time the Committee was balloted on the final text of this edition. Since that time, changes in the membership may have occurred. A key to classifications is found at the back of the document.*

**NOTE:** Membership on a committee shall not in and of itself constitute an endorsement of the Association or any document developed by the committee on which the member serves.

**Committee Scope:** This Committee shall have primary responsibility for documents on occupational safety and health in the working environment of the fire service. The Committee shall also have responsibility for documents related to medical requirements for fire fighters, and the professional qualifications for Fire Department Safety Officer.



## Contents

<b>Chapter 1 Administration</b> .....	1583- 5	<b>Chapter 6 Fitness Assessment</b> .....	1583- 7
1.1 Scope .....	1583- 5	6.1 General .....	1583- 7
1.2 Purpose .....	1583- 5	6.2 Fitness Assessment .....	1583- 7
1.3 Application .....	1583- 5	6.3 Pre-Assessment Questionnaire .....	1583- 7
<b>Chapter 2 Referenced Publications</b> .....	1583- 5	6.4 Fitness Assessment Components .....	1583- 7
2.1 General .....	1583- 5	<b>Chapter 7 Exercise and Fitness Training</b>	
2.2 NFPA Publications .....	1583- 5	<b>Program</b> .....	1583- 7
2.3 Other Publications .....	1583- 5	7.1 Program Components .....	1583- 7
2.4 References for Extracts in Mandatory		7.2 Program Participation .....	1583- 8
Sections .....	1583- 5	<b>Chapter 8 Health Promotion Education</b> .....	1583- 8
<b>Chapter 3 Definitions</b> .....	1583- 5	8.1 General Requirements .....	1583- 8
3.1 General .....	1583- 5	<b>Chapter 9 Data Collection</b> .....	1583- 8
3.2 NFPA Official Definitions .....	1583- 5	9.1 General .....	1583- 8
3.3 General Definitions .....	1583- 5	9.2 Statistical Summary .....	1583- 8
<b>Chapter 4 Organization</b> .....	1583- 6	9.3 Data Collected .....	1583- 8
4.1 Program Overview .....	1583- 6	<b>Annex A Explanatory Material</b> .....	1583- 8
4.2 Program Components .....	1583- 6	<b>Annex B Sample Fitness Plan</b> .....	1583-13
4.3 Roles and Responsibilities .....	1583- 6	<b>Annex C Self-Assessment Tool</b> .....	1583-18
4.4 Logistics .....	1583- 7	<b>Annex D Informational References</b> .....	1583-20
4.5 Program Referrals .....	1583- 7	<b>Index</b> .....	1583-21
<b>Chapter 5 Health and Fitness Coordinator and</b>			
<b>Peer Fitness Trainers</b> .....	1583- 7		
5.1 Assignment .....	1583- 7		
5.2 Qualifications for Health and Fitness			
Coordinator .....	1583- 7		
5.3 Peer Fitness Trainers .....	1583- 7		



## NFPA 1583

### Standard on

## Health-Related Fitness Programs for Fire Department Members

### 2015 Edition

**IMPORTANT NOTE:** This NFPA document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading "Important Notices and Disclaimers Concerning NFPA Standards." They can also be obtained on request from NFPA or viewed at [www.nfpa.org/disclaimers](http://www.nfpa.org/disclaimers).

**NOTICE:** An asterisk (\*) following the number or letter designating a paragraph indicates that explanatory material on the paragraph can be found in Annex A.

A reference in brackets [ ] following a section or paragraph indicates material that has been extracted from another NFPA document. As an aid to the user, the complete title and edition of the source documents for extracts in mandatory sections of the document are given in Chapter 2 and those for extracts in informational sections are given in Annex D. Extracted text may be edited for consistency and style and may include the revision of internal paragraph references and other references as appropriate. Requests for interpretations or revisions of extracted text shall be sent to the technical committee responsible for the source document.

Information on referenced publications can be found in Chapter 2 and Annex D.

## Chapter 1 Administration

**1.1\* Scope.** This standard establishes the minimum requirements for the development, implementation, and management of a health-related fitness program (HRFP) for members of the fire department involved in emergency operations.

### 1.2 Purpose.

**1.2.1** The purpose of this standard is to provide the minimum requirements for a health-related fitness program for fire department members that enhances the members' ability to perform occupational activities efficiently and safely and reduces the risk of injury, disease, and premature death.

**1.2.2\*** This document is intended to help fire departments develop a health-related fitness program for fire department members that requires mandatory participation but is nonpunitive.

**1.2.3** This document is not intended to establish physical performance criteria.

### 1.3 Application.

**1.3.1** The requirements of this standard apply to organizations providing rescue, fire suppression, emergency medical services, hazardous materials mitigation, special operations, and other emergency services, including public, military, private, and industrial fire departments.

**1.3.2** This standard does not apply to industrial fire brigades that might also be known as emergency brigades, emergency

response teams, fire teams, plant emergency organizations, or mine emergency response teams.

## Chapter 2 Referenced Publications

**2.1 General.** The documents or portions thereof listed in this chapter are referenced within this standard and shall be considered part of the requirements of this document.

**2.2 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 2013 edition.

NFPA 1582, *Standard on Comprehensive Occupational Medical Program for Fire Departments*, 2013 edition.

### 2.3 Other Publications.

*Merriam-Webster's Collegiate Dictionary*, 11th edition, Merriam-Webster, Inc., Springfield, MA, 2003.

### 2.4 References for Extracts in Mandatory Sections.

NFPA 600, *Standard on Facility Fire Brigades*, 2015 edition.

NFPA 1451, *Standard for a Fire and Emergency Service Vehicle Operations Training Program*, 2013 edition.

NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 2013 edition.

NFPA 1561, *Standard on Emergency Services Incident Management System and Command Safety*, 2014 edition.

NFPA 1582, *Standard on Comprehensive Occupational Medical Program for Fire Departments*, 2013 edition.

NFPA 1710, *Standard for the Organization and Deployment of Fire Suppression Operations, Emergency Medical Operations, and Special Operations to the Public by Career Fire Departments*, 2010 edition.

## Chapter 3 Definitions

**3.1 General.** The definitions contained in this chapter shall apply to the terms used in this standard. Where terms are not defined in this chapter or within another chapter, they shall be defined using their ordinarily accepted meanings within the context in which they are used. *Merriam-Webster's Collegiate Dictionary*, 11th edition, shall be the source for the ordinarily accepted meaning.

### 3.2 NFPA Official Definitions.

**3.2.1\* Approved.** Acceptable to the authority having jurisdiction.

**3.2.2\* Authority Having Jurisdiction (AHJ).** An organization, office, or individual responsible for enforcing the requirements of a code or standard, or for approving equipment, materials, an installation, or a procedure.

**3.2.3 Shall.** Indicates a mandatory requirement.

**3.2.4 Should.** Indicates a recommendation or that which is advised but not required.

### 3.3 General Definitions.

**3.3.1 Debilitating Illness or Injury.** A condition that temporarily or permanently prevents a member of the fire department from engaging in normal duties and activities as a result of illness or injury. [1500, 2013]

**3.3.2 Emergency Operations.** Activities of the fire department relating to rescue, fire suppression, emergency medical



care, and special operations, including response to the scene of the incident and all functions performed at the scene. [1500, 2013]

**3.3.3 Facility Fire Brigade.** An organized group of employees at a facility who are knowledgeable, trained, and skilled in at least basic fire-fighting operations, and whose full-time occupation might or might not be the provision of fire suppression and related activities for their employer. [600, 2015]

**3.3.4 Fire Chief.** The highest ranking officer in charge of a fire department. [1710, 2010]

**3.3.5\* Fire Department.** An organization providing rescue, fire suppression, emergency medical care, special operations, and related services.

**3.3.6 Fire Department Member.** See 3.3.17, Member.

**3.3.7 Fire Department Physician.** The licensed doctor of medicine or osteopathy who has been designated by the fire department to provide professional expertise in the areas of occupational safety and health as they relate to emergency services. [1582, 2013]

**3.3.8\* Fire Suppression.** The activities involved in controlling and extinguishing fires. [1500, 2013]

**3.3.9\* Hazard.** A condition that presents the potential for harm or damage to people, property, or the environment.

**3.3.10 Health and Fitness Coordinator.** The person who, under the supervision of the fire department physician, has been designated by the department to coordinate and be responsible for the health and fitness programs of the department. [1500, 2013]

**3.3.11\* Health and Safety Officer.** The member of the fire department assigned and authorized by the fire chief as the manager of the safety and health program. [1500, 2013]

**3.3.12 Health Promotion.** Preventive activities that identify real and potential health risks in the work environment and that inform, motivate, and otherwise help people to adopt and maintain healthy practices and lifestyles.

**3.3.13\* Health-Related Fitness Program (HRFP).** A comprehensive program designed to promote the member's ability to perform occupational activities and to reduce or eliminate injuries and premature death.

**3.3.14 Infectious Disease.** An illness or disease resulting from invasion of a host by disease-producing organisms such as bacteria, viruses, fungi, or parasites. [1500, 2013]

**3.3.15 Medical Evaluation.** The analysis of information for the purpose of making a determination of medical certification. Medical evaluation includes a medical examination. [1582, 2013]

**3.3.16 Medical Examination.** An examination performed or directed by the fire department physician. [1582, 2013]

**3.3.17\* Member.** A person involved in performing the duties and responsibilities of a fire department under the auspices of the organization. [1500, 2013]

**3.3.18 Member Assistance Program (MAP).** A generic term used to describe the various methods used in the fire department for the control of alcohol and other substance abuse, stress, and personal problems that adversely affect member performance. [1500, 2013]

**3.3.19\* Morbidity.** The state of being diseased.

**3.3.20 Occupational Injury.** An injury sustained during the performance of the duties, responsibilities, and functions of a fire department member. [1500, 2013]

**3.3.21 Procedure.** An organizational directive issued by the authority having jurisdiction or by the department that establishes a specific policy that must be followed. [1561, 2014]

**3.3.22 Punitive.** Inflicting or aiming to inflict punishment or sanctions.

**3.3.23 Qualified Person.** A person who, by possession of a recognized degree, certificate, professional standing, or skill, and who, by knowledge, training, and experience, has demonstrated the ability to deal with problems related to the subject matter, the work, or the project. [1451, 2013]

**3.3.24 Risk.** A measure of the probability and severity of adverse effects that result from exposure to a hazard. [1451, 2013]

**3.3.25\* Standard Operating Procedure.** A written organizational directive that establishes or prescribes specific operational or administrative methods to be followed routinely for the performance of designated operations or actions.

## Chapter 4 Organization

### 4.1 Program Overview.

**4.1.1\*** The fire department shall establish and provide a health-related fitness program (HRFP) that enables members to develop and maintain a level of health and fitness to safely perform their assigned functions.

**4.1.2** The fire chief shall have the ultimate responsibility for the fire departments health-related fitness program as required by NFPA 1500.

**4.1.3** When this standard is adopted by a jurisdiction, the authority having jurisdiction shall set a date or dates for achieving compliance with the requirements of this standard and shall be permitted to establish a phase-in schedule for compliance with specific requirements of this standard.

**4.1.4** Nothing in this standard shall restrict any jurisdiction from exceeding the requirements set forth herein.

**4.1.5** The fire department shall incorporate the requirements of this standard in its risk management plan.

**4.2 Program Components.** The health-related fitness program shall include the following components:

- (1) Assignment of a qualified health and fitness coordinator
- (2) Periodic fitness assessment for all members
- (3) Exercise training program that is available to all members
- (4) Education and counseling regarding health promotion for all members
- (5) Process for collecting and maintaining health-related fitness program data

### 4.3 Roles and Responsibilities.

**4.3.1** Each member of the fire department shall cooperate with, participate in, and comply with the provisions of the health-related fitness program.

**4.3.2** The fire department shall require the structured participation of all members in the health-related fitness program.



#### 4.4 Logistics.

**4.4.1** The fire department shall be responsible for providing the opportunity and means for implementation of the health-related fitness program.

**4.4.2\*** The fire department shall provide the opportunity and means for regular exercise training.

**4.4.2.1\*** Fire departments with assigned work shifts shall allow members to participate during scheduled work times.

**4.4.2.2** Fire departments without assigned work shifts shall provide members with the opportunity to participate at times that do not conflict with other commitments.

#### 4.5 Program Referrals.

**4.5.1** The fire department shall be responsible for providing educational resources and professional referrals as needed.

**4.5.2** The fire department shall be financially responsible for fees associated with referrals only to the extent departmental policy, procedures, standard guidelines, or statutory obligations dictate.

### Chapter 5 Health and Fitness Coordinator and Peer Fitness Trainers

#### 5.1 Assignment.

**5.1.1** The fire chief shall appoint a health and fitness coordinator (HFC).

**5.1.2\*** The health and fitness coordinator shall be either a member of the fire department or a qualified outside agent.

**5.1.3\*** The health and fitness coordinator shall have access to the fire department physician and other subject matter experts for consultation.

**5.1.4** The health and fitness coordinator shall be the administrator of all components of the health-related fitness program.

**5.1.5\*** The health and fitness coordinator shall act as a direct liaison between the fire department physician or other subject matter expert and the fire department.

**5.1.6\*** The health and fitness coordinator shall act as a direct liaison to the fire department's health and safety officer.

#### 5.2\* Qualifications for Health and Fitness Coordinator.

**5.2.1\*** The health and fitness coordinator shall have access to appropriate educational materials and formal certification from a professional organization, relevant educational experience, appropriate academic degrees, completion of course work relevant to the program components, or attendance at workshops related to health and fitness.

**5.2.2** The health and fitness coordinator shall maintain the continuing education requirements dictated by the coordinator's certifying body or as described in the fire department's job description, whichever sets forth the higher standard.

#### 5.3 Peer Fitness Trainers.

**5.3.1** Peer fitness trainers shall work under the direction of the health and fitness coordinator to oversee safe participation in health-related fitness programs.

**5.3.2** Peer fitness trainers shall implement and oversee fitness programs for academy recruits as directed by the department health and fitness coordinator.

**5.3.3\*** Peer fitness trainers shall have the level of training and certification required by the fire department and shall maintain their recertification requirements as prescribed by the certifying organization.

### Chapter 6 Fitness Assessment

#### 6.1 General.

**6.1.1** All members shall participate in a periodic fitness assessment under supervision of the fire department health and fitness coordinator.

**6.1.1.1** Members shall discuss any physical limitations or concerns with the health and fitness coordinator in order to assist with the development of an individual exercise prescription.

**6.1.1.2** Any medical condition or disease process that can limit a member's ability to safely participate in the annual fitness assessment should be addressed by the fire department physician or the member's treating physician, as appropriate.

**6.1.1.3** The member's medical confidentiality shall be respected by the health and fitness coordinator.

**6.1.2** The fitness assessment shall be conducted at least annually.

#### 6.2 Fitness Assessment.

**6.2.1** All members shall be cleared annually for participation in the fitness assessment by the fire department physician as directed by NFPA 1582.

**6.2.2\*** If a member has an acute medical problem or a newly acquired chronic medical condition, the fitness assessment shall be postponed until that person has recovered from this condition and is cleared as required by 6.2.1.

**6.3 Pre-Assessment Questionnaire.** The health and fitness coordinator shall administer to all members a pre-assessment questionnaire that seeks to identify contraindications for participation in the fitness assessment and department exercise training program.

**6.4\* Fitness Assessment Components.** The annual fitness assessments shall consist of the following components:

- (1) Aerobic capacity
- (2) Body composition
- (3) Muscular strength
- (4) Muscular endurance
- (5) Flexibility

### Chapter 7 Exercise and Fitness Training Program

**7.1\* Program Components.** The fire department's exercise and fitness training program, administered by the department health and fitness coordinator, shall consist of the following components:

- (1) Educational program that describes the components and benefits of exercise on performance and health



- (2) Individualized exercise prescription based on the results of the fitness assessment
- (3) Warm-up and cool-down exercise guidelines
- (4) Aerobic exercise program
- (5) Muscular resistance (strength, endurance) exercise program
- (6) Flexibility exercise program
- (7) Healthy back exercise program
- (8) Safety and injury prevention program

## 7.2 Program Participation.

**7.2.1** The fire department physician shall clear all members for participation in the exercise and fitness training program as directed by NFPA 1582.

**7.2.2** After a member returns to full duty from a debilitating injury, illness, or any other extended leave, the health and fitness coordinator shall design an individualized exercise and fitness training program under direction of the department physician or other attending health care professional, in order to facilitate restoration of the members fitness to an optimal level.

## Chapter 8 Health Promotion Education

**8.1\* General Requirements.** The fire department shall provide health promotion education as an integral part of the health-related fitness program.

**8.1.1\*** The fire department shall provide for the education of members regarding health risk reduction, cardiovascular risk reduction, general health maintenance, fitness, and the prevention of occupational injuries, illnesses, accidents, or fatalities.

**8.1.2\*** The fire department, under the direction of the fire department physician, shall provide education regarding all of the topics in 8.1.1.

**8.1.3** Materials on the matters in 8.1.1 shall be made available to all members on an ongoing basis, with resource materials updated periodically to ensure current information.

**8.1.4** The fire department shall provide education and guidance regarding access to the departments member assistance program (MAP) as required by NFPA 1500.

**8.1.5** The fire department shall encourage all members to obtain ongoing health care from their primary care providers.

## Chapter 9 Data Collection

**9.1\* General.** The fire department shall ensure that a confidential fitness program file is established and maintained for each member.

**9.2 Statistical Summary.** Group statistical data shall be permitted to be used for administrative purposes as long as it is coded so as not to reveal any member's personal information.

**9.3\* Data Collected.** The individual health-related fitness program file shall record the following:

- (1) Demographic information
- (2) Pre-assessment questionnaire
- (3) Fitness assessment
- (4) Program participation data

## Annex A Explanatory Material

*Annex A is not a part of the requirements of this NFPA document but is included for informational purposes only. This annex contains explanatory material, numbered to correspond with the applicable text paragraphs.*

**A.1.1** Although this standard is intended primarily for members involved in emergency operations, fire departments are encouraged to apply the components of the health-related fitness program to all employees.

**A.1.2.2** The intent of this program is to promote health and fitness in a "mandatory, nonpunitive" manner. "Mandatory, nonpunitive" implies a program with universal participation; however, failure to achieve defined or individual fitness objectives should not be the basis for any employment sanctions, discipline, or other punitive actions.

**A.3.2.1 Approved.** The National Fire Protection Association does not approve, inspect, or certify any installations, procedures, equipment, or materials; nor does it approve or evaluate testing laboratories. In determining the acceptability of installations, procedures, equipment, or materials, the authority having jurisdiction may base acceptance on compliance with NFPA or other appropriate standards. In the absence of such standards, said authority may require evidence of proper installation, procedure, or use. The authority having jurisdiction may also refer to the listings or labeling practices of an organization that is concerned with product evaluations and is thus in a position to determine compliance with appropriate standards for the current production of listed items.

**A.3.2.2 Authority Having Jurisdiction (AHJ).** The phrase "authority having jurisdiction," or its acronym AHJ, is used in NFPA documents in a broad manner, since jurisdictions and approval agencies vary, as do their responsibilities. Where public safety is primary, the authority having jurisdiction may be a federal, state, local, or other regional department or individual such as a fire chief; fire marshal; chief of a fire prevention bureau, labor department, or health department; building official; electrical inspector; or others having statutory authority. For insurance purposes, an insurance inspection department, rating bureau, or other insurance company representative may be the authority having jurisdiction. In many circumstances, the property owner or his or her designated agent assumes the role of the authority having jurisdiction; at government installations, the commanding officer or departmental official may be the authority having jurisdiction.

**A.3.3.5 Fire Department.** The term *fire department* includes any public, governmental, private, industrial, or military organization providing these services.

**A.3.3.8 Fire Suppression.** Fire suppression includes all activities performed at the scene of a fire incident or training exercise that expose fire department members to the dangers of heat, flame, smoke, and other products of combustion, explosion, or structural collapse. [1500, 2013]

**A.3.3.9 Hazard.** Hazards include the characteristics of facilities, equipment, systems, property, hardware, or other objects and the actions and inactions of people that create such hazards.

**A.3.3.11 Health and Safety Officer.** This individual can also be the incident safety officer or that role can be assigned to another individual as a separate function.



**A.3.3.13 Health-Related Fitness Program (HRFP).** The health-related fitness program includes fitness assessment, exercise training, and health promotion activities.

**A.3.3.17 Member.** A fire department member can be a full-time or part-time employee, can be a paid or unpaid volunteer, can occupy any position or rank within the fire department, and might or might not engage in emergency operations.

**A.3.3.19 Morbidity.** Morbidity refers to the number of sick persons or cases of disease in relationship to a specific population.

**A.3.3.25 Standard Operating Procedure.** The intent of standard operating procedures is to establish directives that must be followed. Standard operating guidelines allow flexibility in application.

**A.4.1.1** The fire department needs to recognize that its members are its most valuable resource. The occupational safety and health program has provided direction on performing assigned functions in a safe manner. The health-related fitness program provides another process, one that allows members to enhance and maintain their optimum level of health and fitness throughout their tenure with the fire department. Education, one provision of a health-related fitness program, allows a means for improving health and fitness throughout the organization. The organization needs to provide the recognition and support to ensure the promotion and success of this process. Health and fitness needs to become a value within the organization, just as safety is a value.

Data suggest a correlation between the following:

- (1) A proactive approach to health and fitness and a decrease in debilitating occupational injuries
- (2) A reduction in workers compensation claims and a decrease in acute and chronic health problems of fire fighters

Combining the health-related fitness program with a proactive occupational safety and health program provides a fire department with the level of quality needed for its members.

The purpose of the health-related fitness program is consistent with the medical requirements and occupational safety and health standards, which is to improve the health fitness and overall well-being of fire-fighting personnel. Compliance with the standards of NFPA 1500 has demonstrated that, even in the fire service, benefits will ultimately be manifested in cost savings, decreased sick times, and reduced workers compensation and disability expenses.

A commitment of time and financial resources is necessary to fulfill requirements of this standard. The fire department should afford individual fire fighters the means, the facility, and the time, as part of their work-time function, to pursue the health-related goals. The initial investment of the fire service on behalf of its most valuable resource, the fire fighter, will pay significant dividends in the future.

**A.4.4.2** The fire department should provide an adequate facility for overall fitness, including flexibility, aerobic fitness, and muscular strength, where exercise equipment is centrally located. Such a facility can be developed from the following:

- (1) Use of a gym in a commercial facility, high school, university, or other educational institution or private or governmental agency (e.g., military base)
- (2) In-house facility equipped through purchased or donated exercise equipment, which can include appropriate equipment obtained from the following resources:

- (a) Made in local apprenticeship programs (e.g., welders or pipefitters)
- (b) Made at and donated by correctional or educational institutions
- (c) Donated by gyms or rehabilitation facilities
- (d) Purchased on a shared cost agreement with the governing city, based on a reduced industrial insurance cost for a fitness program

The fire department should maintain equipment owned or leased by the fire department.

**A.4.4.2.1** The fire department can allocate time on duty for physical fitness training. Scheduling of this time can vary due to emergency calls, training, and other activities.

**A.5.1.2** The fire department can choose to acquire the services of an outside agent to serve as the health and fitness coordinator. This health and fitness coordinator should meet or exceed the training and educational background listed in A.5.2.1. The fire department should ensure that such an outside agent is familiar with the unique physical stresses present on the fireground.

Appropriate outside agents can be found at local colleges or universities in the exercise science, kinesiology, physical fitness, or fire technology departments. The private sector can also provide qualified personnel to serve as health and fitness coordinators. Such sources include hospital-based fitness programs, medical facilities, or private companies that provide fitness assessment and wellness programs.

**A.5.1.3** Examples of subject matter experts for consultation are exercise physiologists, athletic trainers, and representatives of university health and wellness programs and executive wellness programs.

**A.5.1.5** The data generated through the health-related fitness program can show a correlation between fire fighter fitness and occupational safety and health. Nonidentifying data should be shared to facilitate this correlation. The health and fitness coordinator should confer with the health and safety officer regarding health-related fitness policies and procedures, fitness safety, accident and injury prevention, health promotion, and injury rehabilitation.

**A.5.1.6** Communication between the health and fitness coordinator and the department's health and safety officer will ensure that data collection and other requirements of the occupational safety and health program are maintained.

**A.5.2** There are no broadly accepted educational standards for health and fitness personnel in the United States. While it would be an unrealistic and unattainable goal to require that all health and fitness coordinators have a baccalaureate or graduate degree in a related discipline, it is important to note the level of formal training such a degree connotes.

**A.5.2.1** A number of professional organizations, including those listed in Table A.5.2.1, provide training and educational experiences as well as certification programs for interested persons. It is in the best interests of fire departments to avail themselves of these professional services as time and resources allow.

The health and fitness coordinator should have a background in functional anatomy, exercise physiology, exercise testing and prescription, exercise supervision, and leadership.

**A.5.3.3** A minimal level of certification [IAFF/IAFC/ACE Peer Fitness Trainer (PFT)] can be obtained from American



**Table A.5.2.1 Professional Organizations Providing Training**

Organization	Training Program
American College of Sports Medicine	Personal Trainer, Health and Fitness Instructor, Exercise Specialist
American Council on Exercise (ACE)	Personal Trainer
International Association of Fire Fighters (IAFF)/International Association of Fire Chiefs (IAFC)/American Council on Exercise (ACE)	Peer Fitness Trainer (PFT)
National Strength and Conditioning Association (NSCA)	Certified Strength and Conditioning Specialist (CSCS) or Certified Personal Trainer (CPT)
National Academy of Sports Medicine (NASM)	Personal Trainer

Council on Exercise (ACE) as recommended by the IAFF/IAFC *Wellness-Fitness Initiative*.

**A.6.2.2** This requirement is consistent with NFPA 1582 regarding postponement of medical evaluation for acute medical problems.

**A.6.4** The IAFF in conjunction with the IAFC has developed a *Wellness-Fitness Initiative* for the fire service. The initiative gives a department a template for developing a comprehensive fitness program. (Annex C provides a self-assessment tool for determining fitness levels.) The following examples are from the IAFF/IAFC *Wellness-Fitness Initiative* as well as other fitness assessment protocols, which vary in terms of ease of administration, safety, cost, and predictive value:

- (1) Aerobic capacity, including the following:
  - (a) 1 mile (1.6 km) walk
  - (b) 1.5 mile (2.4 km) run/walk
  - (c) 12-minute run
  - (d) Step test (various)
  - (e) Stairclimbing machine
  - (f) Cycle ergometer (various)
  - (g) Treadmill (various)
- (2) Body composition as follows:
  - (a) Skinfold (various)
  - (b) Circumference (various)
  - (c) Bioimpedance (BIA)
  - (d) Hydrostatic weighing
  - (e) Body mass index (optional)
  - (f) Waist-to-hip ratio (optional)
- (3) Muscular strength as follows:
  - (a) Handgrip dynameter
  - (b) Static bicep curl with dynameter
  - (c) Static leg press with dynameter
  - (d) Bench press (1 rep maximum or percent of body weight)
  - (e) Leg press (1 rep maximum or percent of body weight)

- (4) Muscular endurance, including the following:
  - (a) Push-ups
  - (b) Modified push-ups
  - (c) Pull-ups
  - (d) Bent knee sit-ups
  - (e) Crunches/curl-ups given time or cadence
- (5) Flexibility, including the following:
  - (a) Sit and reach
  - (b) Lateral and rotation movement
  - (c) Trunk extension
  - (d) Shoulder elevation

**A.7.1** Annex B provides further information about each component of the fire department's exercise and fitness training program to assist the health and fitness coordinator in setting up and administering such a program.

**A.8.1** Health education is now the driving force of health promotion and disease prevention. In the fall of 1993, the Centers for Disease Control (CDC) formally added "and Prevention" to its name. At that time the CDC director announced that prevention's time had come in America. Coincident with this, third-party payers had begun to recognize the value of education about prevention and began to reimburse for preventive services and risk-reduction counseling. Organizations that establish health care guidelines in this country, such as the U.S. Preventive Services Task Force and American Academy of Family Physicians, unanimously agree that most clinical evaluation time for the average nonpregnant adult should be spent on counseling. It is in that spirit that this technical committee is promoting health education as a major part of the health-related fitness program.

**A.8.1.1** It is understood that the degrees of resources vary greatly between fire departments. Despite such differences, adequate low-cost opportunities are universally available to satisfy this standard.

The fire department is encouraged to use an opportunistic team approach in the dissemination of informational materials, fostering, for example, collaboration between the fire department physician, the health and safety officer, and the health and fitness coordinator. Information obtained from the physician could be complemented by that supplied by guest speakers at fire department meetings. The balance of information could be available in the form of pamphlet materials kept in an accessible display case at the firehouse. Most materials are available free of charge through public medical organizations, public health agencies, or private advocacy groups, or can be found on the Internet and downloaded free of charge.

**A.8.1.2** Educational materials can be in print or electronic form and administered in a formal or informal manner on the following topics:

- (1) Alcohol and substance abuse prevention
- (2) Pap smears, annual gynecological exams, colonoscopies, mammograms, and prostate-specific antigen (PSA) tests
- (3) Smoking cessation programs
- (4) Cancer risks, including skin cancer (the most common form of cancer), colon cancer, prostate cancer, breast cancer, and lung cancer
- (5) Diet and nutrition education, including cholesterol, weight management, diabetes, and effects of obesity
- (6) Infectious diseases, including recommendations for the prevention of influenza, hepatitis, tetanus, pneumonia,



- tuberculosis, varicella (chicken pox), measles, and rubella, as well as immunization recommendations for given age groups
- (7) Sexually transmitted diseases, including recommendations for prevention, diagnosis, and treatment of HIV, hepatitis, herpes, and chlamydia
- (8) Cardiovascular risk reduction
- (9) Sleep hygiene and fatigue management

**A.9.1** The primary purpose for maintaining a health-related fitness program file for each participant is to document health-related fitness information for exercise prescription and periodic comparison to previous results. Comparison of new data to previous results will show an individual's progress in attaining a higher level of fitness. Consequently, from analysis and comparison of data, an individual's exercise prescription can be modified. In addition to measuring a participant's progress and providing information for modification of an individual's fitness program, analysis of the organization's set

of files, or database, will provide information about organizational progress in developing a health-related fitness program and the need for program modification. Along with providing valuable information about the success of the health-related fitness program, maintenance of the database and its subsequent analysis will provide statistics for program justification.

Electronic data processing is often employed to facilitate management of such a database. BSDI has been recognized by the IAFF/IAFC *Wellness-Fitness Initiative* as the publisher of appropriate software for documenting health-related fitness information.

**A.9.3** It is recommended that the health-related fitness program file contain demographic information such as age, gender, ethnicity, years of service, and job assignment, as well as exercise frequency, intensity, duration, and mode information. To ensure consistency and continuity of the process, data should be collected on a standard form such as that shown in Figure A.9.3.

1583-12

# HEALTH-RELATED FITNESS PROGRAMS FOR FIRE DEPARTMENT MEMBERS

## PERSONAL AND DEMOGRAPHIC INFORMATION

Date of submission (mm/dd/yy): \_\_\_\_\_ Age: \_\_\_\_\_ Gender: ☐ Male ☐ Female

Fire department confidential identification code: \_\_\_\_\_

Fire-fighter confidential identification code number: \_\_\_\_\_

Ethnicity: ☐ African American ☐ Asian ☐ Hispanic ☐ Native American ☐ Filipino  
☐ Caucasian ☐ Other

Job assignment: ☐ Structural fire fighting ☐ Administrative officer ☐ Field officer

No. of years in service: \_\_\_\_\_

Smoking/Tobacco usage (packs per day): ☐ <1 ☐ 1 ☐ 2 ☐ 3 or more ☐ None

Height (in whole inches): \_\_\_\_\_ Weight (in whole pounds): \_\_\_\_\_

## FITNESS ASSESSMENT

### Mode of Testing

### Results

#### Aerobic Capacity

☐ 1.5 mile walk/run (field test)

☐ Other \_\_\_\_\_ Completed in \_\_\_\_\_ min \_\_\_\_\_ sec

☐ Step test

Test duration \_\_\_\_\_

Step height \_\_\_\_\_ VO<sub>2</sub> max \_\_\_\_\_

☐ Other \_\_\_\_\_

☐ Submaximal treadmill test

☐ Other \_\_\_\_\_ Heart rate \_\_\_\_\_ Blood pressure \_\_\_\_\_

☐ Submaximal cycle ergometer test

☐ Other \_\_\_\_\_ Heart rate \_\_\_\_\_ Blood pressure \_\_\_\_\_

Pre-exercise heart rate \_\_\_\_\_ Post-exercise heart rate \_\_\_\_\_

Pre-exercise blood pressure \_\_\_\_\_ Post-exercise blood pressure \_\_\_\_\_

#### Flexibility

☐ Trunk flexion (sit and reach test)

☐ Other \_\_\_\_\_ Most distal point reached \_\_\_\_\_

#### Muscular Strength

☐ Grip strength test

(one repetition maximum) Right hand \_\_\_\_\_ kg

☐ Other \_\_\_\_\_ Left hand \_\_\_\_\_ kg

FIGURE A.9.3 Sample Health-Related Fitness Program Form Showing Demographic and Assessment Information.



Mode of Testing	Results
<b>Muscular Endurance</b>	
<input type="checkbox"/> Push-up test [1 minute (max)] <input type="checkbox"/> Other	Maximal number of push-ups performed consecutively without resting _____
<input type="checkbox"/> Sit-up test [1 minute (max)] <input type="checkbox"/> Other	Maximal number of sit-ups performed within 1 minute _____
<b>Body Composition Testing</b>	
Skinfold assessment	Site #1 _____ Site #2 _____ Site #3 _____ Percent of body fat _____
Body mass index (BMI)	Member's weight divided by height <sup>2</sup> = <input type="checkbox"/> 20–24.9 kg/m <sup>2</sup> <input type="checkbox"/> 25–29.9 kg/m <sup>2</sup> <input type="checkbox"/> 30–34.9 kg/m <sup>2</sup> <input type="checkbox"/> over 35 kg/m <sup>2</sup>
Waist-to-hip ratio	Waist circumference _____ Hip circumference _____ Waist-to-hip ratio _____
Hydrostatic weighing	Body density _____
Bioimpedance (BIA)	Body density _____
© 2014 National Fire Protection Association	
NFPA 1583 (p. 2 of 2)	

FIGURE A.9.3 Continued

## Annex B Sample Fitness Plan

*This annex is not a part of the requirements of this NFPA document but is included for informational purposes only.*

**B.1 Components and Benefits of Fitness.** The health-related components of fitness focus on the importance of maintaining and increasing an individual's fitness levels, creating positive lifestyle changes, and enhancing job performance. The motor-related components of fitness improve an individual's athletic endeavors or area(s) of motor performance. Health-related and motor-related components of fitness include the following:

- (1) Health-related components
  - (a) Aerobic capacity
  - (b) Muscular strength
  - (c) Muscular endurance
  - (d) Flexibility
  - (e) Body composition
- (2) Motor-related components
  - (a) Coordination
  - (b) Agility
  - (c) Power
  - (d) Balance
  - (e) Speed

**B.2 Individualized Exercise Prescription Based on the Fitness Assessment.** The components of a basic exercise prescription should include the following:

- (1) *Mode:* type of exercise
- (2) *Intensity:* difficulty of exercise
- (3) *Duration:* length of exercise session
- (4) *Frequency:* number of sessions per day or week
- (5) *Progression:* gradual increases in workload to promote a training adaptation

The individualized exercise prescription should take into consideration the following concepts:

- (1) *Overload.* To create a training effect, the exercise performed must exceed the load the individual normally experiences. Excessive overload can lead to training injuries; therefore, it is best to underestimate workload and err on the side of safety.
- (2) *Progression.* As adaptations to the load take place, the load must be progressively increased in order to continue adaptations and improvements. Programs should progress gradually to avoid overtraining and injuries.
- (3) *Specificity.* Overload training leads to adaptations in the muscles and the physiological systems. The adaptations are specific to the manner in which the person trains. This principle of training will be very important for individuals who need to target a specific aspect of fitness.



(4) *Targeting the Improvement of Health and Fitness.* Programs designed to improve health will not necessarily improve fitness. However, any properly designed exercise training program designed to improve fitness will also have a positive impact on overall health. The *Surgeon General's Report on Physical Activity and Health* states that physical activity need not be strenuous to improve health, although greater health and fitness benefits can be achieved by increasing the amount of physical activity. Since a high level of physical fitness is essential for safely performing fire-fighting duties, a fitness program designed for public safety personnel should promote health and a higher level of physical fitness. The workout regimen should include exercises to improve aerobic capacity and muscular fitness components (i.e., strength, endurance, flexibility).

### B.3 Warm-Up and Cool-Down Exercise.

**B.3.1 Pre-Exercise (Warm-Up).** Each workout session should include at least a 5- to 10-minute warm-up period. The purpose of the warm-up is to increase body temperature while improving the flow of blood and oxygen to the muscles. A warm-up prepares the body for the more strenuous exercise to follow, decreases risk of injury, and improves performance.

**B.3.2 Post-Exercise (Cool-Down).** A 10- to 15-minute cool-down period should follow each workout. This period includes a gradual tapering of exercise intensity followed by stretching. The purpose of the cool-down is to assist in the return of blood to the heart, thereby reducing cardiac stress. Tapering should be followed by stretching of the affected muscles to promote flexibility and reduce muscle soreness.

### B.4 Aerobic Fitness.

**B.4.1 Significance.** Aerobic exercise has many benefits, including increased aerobic capacity, muscular endurance, improved bone density, and improved body composition. The *Surgeon General's Report on Physical Activity and Health* found that inactivity is hazardous to health. Aerobic exercise generally reduces coronary risk factors, muscle fatigue, injuries, and morbidity. Repeatedly, research has shown the need for fire fighters to have high levels of aerobic fitness in order to perform their job.

#### B.4.2 Definitions.

**B.4.2.1 Aerobic Fitness.** Enhancement of the body's ability to take in, transport, and utilize oxygen; improved stamina or ability to carry out muscular activity for a prolonged period of time. Aerobic fitness, also referred to as cardiovascular fitness and cardiorespiratory endurance, is generally measured by the maximal oxygen consumption test ( $\text{VO}_2$  max).

**B.4.2.2 American College of Sports Medicine (ACSM).** A national organization of exercise physiologists and health practitioners who review the body of studies on exercise physiology and present exercise testing guidelines as well as exercise prescription recommendations and position statements.

**B.4.2.3 Interval Training.** A method of training in which periods of high-intensity effort (work interval) are alternated with periods of lower training intensity or rest (rest interval). These intervals are performed repeatedly for a given number of repetitions. For example, a 1-minute jog (work interval) followed by a 1-minute walk (rest interval), performed a total of 10 times (10 repetitions).

**B.4.2.4 Karvonen's Formula.** A formula used to predict the heart rates that represent approximately 60 to 85 percent of

$\text{VO}_2$  max. This rate is considered an appropriate range to promote aerobic fitness improvements.

**B.4.2.5 Maximal Oxygen Consumption Level ( $\text{VO}_2$  max).** The maximal amount of oxygen that can be consumed and utilized per minute. It is measured in milliliters per kilogram of body weight per minute. Direct or gas exchange  $\text{VO}_2$  measurement is considered the best indicator of aerobic fitness. Indirect  $\text{VO}_2$  testing is a more common method of assessing aerobic fitness, which typically utilizes a formula to predict  $\text{VO}_2$  from time and workload.

#### B.4.3 Aerobic Exercise Prescription.

**B.4.3.1 Mode.** Activities that utilize large muscle groups in a rhythmical continuous manner (e.g., walking, running, swimming, cycling, rowing, stair climbing, skating, dancing, cross-country skiing, rope skipping, racquetball) are all endurance-based activities. Training can also be carried out in an interval-style fashion. Employing a variety of training modes will reduce the chance of workout boredom and overuse injuries.

Selection of exercise mode should take into consideration the following:

- (1) Individual preferences
- (2) Availability of proper equipment or facilities
- (3) Risk of injury versus benefit of activity
- (4) Specificity to occupational demands

Since fire fighters need to support their own body weight and the additional load of protective clothing and breathing apparatus, the most job-specific activities will be those that are weight-bearing, such as walking or stair stepping, in contrast to non-weight-bearing activities such as cycling.

**B.4.3.2 Intensity.** How hard an individual exercises can be determined by monitoring exercise heart rate, perceived exertion, or caloric expenditure. The American College of Sports Medicine (ACSM) recommends exercising at a heart rate between 70 and 90 percent of maximal heart rate or 60 to 85 percent of  $\text{VO}_2$  max, or heart rate reserve. Karvonen's formula (see B.4.4) can be used to calculate the heart rate range that represents approximately 60 to 85 percent of one's  $\text{VO}_2$  max. An alternative to this approach calculates a straight percentage (70 percent to 90 percent) of maximal heart rate. If the maximal heart rate is unknown, it can be predicted by subtracting age from the constant 220.

A second calculation method uses the perception of exertion to determine proper intensity of exercise; exercise should be "somewhat hard" to "hard."

A third method for determining exercise intensity calculates the number of calories burned per minute for a given exercise or for a total exercise period. Generally speaking, activities that burn fewer than 10 calories per minute would represent a low-to-moderate intensity, and activities that burn more than 10 calories per minute would be considered high intensity.

**B.4.4 Karvonen's Formula.** To predict training heart rate, use the following formula [Source: ACSM's *Guidelines for Exercise Testing and Prescription* (Chapter 7)]:

$$HR_{\text{trn}} = HR_{\text{max}} - HR_{\text{rest}} \times \% \text{ intensity} + HR_{\text{rest}} \quad [\text{B.4.4}]$$

where:

$HR_{\text{trn}}$  = Training heart rate  
 $HR_{\text{max}}$  = Maximum heart rate =  $220 - \text{age}$   
 $HR_{\text{rest}}$  = Resting heart rate

When determining the proper intensity of exercise, the following must be considered:

- (1) Level of fitness
- (2) Medications that affect heart rate
- (3) Environmental conditions
- (4) Risk of cardiovascular or orthopedic injury
- (5) Individual objectives and preferences
- (6) Job specificity

Studies evaluating fire fighters' heart rate response to fire-ground activities find that heart rates range from 80 to 90 percent of maximal heart rate or 70 to 80 percent of  $\text{VO}_2$  max. Therefore, a fire fighter should consider progressing to a program that includes some high-intensity efforts.

**B.4.5 Duration.** The duration of the workout can be determined by time, distance, or calories expended. Exercise duration is integrally related to exercise intensity, and together they determine the total number of calories burned in an exercise session. Total caloric expenditure can also be used to help determine exercise intensity and duration.

The ACSM recommends 20 to 60 minutes of continuous activity, excluding the warm-up and cool-down periods. Unfit individuals can benefit from multiple sessions of less than 10 minutes until they are able to withstand training of a longer duration.

**B.4.6 Frequency.** Exercise frequency is related to the intensity and duration of the exercise program as well as to individual time constraints and goals. Persons with very low fitness levels will benefit from multiple workouts per day, because they have to exercise at a low intensity and short duration due to lack of fitness. Two to three short workouts per day could be most appropriate. The ACSM recommends a minimum of three aerobic workouts per week to improve fitness and two sessions per week to maintain current fitness levels. Workouts should be performed on nonconsecutive days in order to allow adequate recovery between sessions. Weight training exercises can be performed on the days following the aerobic workout.

**B.4.7 Weekly Caloric Expenditure.** One goal of an exercise program can be a reduction in body fat. The total weekly caloric expenditure, which is determined by exercise intensity, duration, frequency, and mode, can also be used as a tool to determine the exercise prescription. The ACSM recommends a minimal caloric expenditure of 300 calories per exercise session performed three times a week or 200 calories per session performed four times a week. The *Surgeon General's Report on Physical Activity and Health* recommends an accumulated exercise expenditure of 1000 calories per week to improve health. A more optimal level to improve performance is an expenditure of 2000 calories a week.

**B.4.8 Rate of Progression.** According to the ACSM, the following considerations should be made when determining the proper rate of progression for an individual:

- (1) Medical, health, and coronary risk status
- (2) Functional capacity
- (3) Musculoskeletal conditions
- (4) Age
- (5) Individual goals and preferences
- (6) Specificity to occupational demands

Progressions can come in the form of increases in intensity, duration, and frequency, or a change in mode of exercise (e.g., running instead of cycling). Progressions should be gradual to avoid training injuries.

## B.5 Muscle Fitness.

**B.5.1 Significance.** Components of muscle fitness include muscular strength, endurance, and flexibility. The demands of fire fighting require an above-average level of muscular strength and endurance. Increases in bone, muscle, and connective tissue strength and density decrease the risk of soft tissue injuries. Fire fighters have to be able to pull, drag, and carry heavy loads. Improved muscular fitness will improve job performance and decrease the likelihood of injuries.

### B.5.2 Definitions.

**B.5.2.1 Maximal Voluntary Contraction (MVC).** Maximal amount of weight that can be lifted in a single voluntary muscular contraction.

**B.5.2.2 Muscular Endurance.** The ability of the muscle to perform repeated contraction for a prolonged period of time; the ability of the muscle to persist.

**B.5.2.3 Muscular Strength.** The maximal amount of force a muscle or group of muscles can exert in a single contraction; the ability to apply force.

**B.5.2.4 National Strength and Conditioning Association (NSCA).** A national association of exercise physiologist and health professionals who review the body of information generated on muscle fitness training and provide recommendations and position statements for exercise testing protocols and training programs.

**B.5.2.5 Repetition Maximal (RM).** The maximal number of repetitions that can be completed with a given weight. For example, if 150 lb (68 kg) is a 10 RM load on the bench press, a person could lift 150 lb (68 kg) at least 10 times but no more than 10 times, using proper lifting form.

**B.5.2.6 Repetition (Rep).** The lifting and then lowering of a weight.

**B.5.2.7 Rest Interval.** The period of rest that could include stretching or light activity between sets and different exercises. (See B.4.2.3, *Interval Training*.)

**B.5.2.8 Set.** A series of repetitions completed without rest.

### B.5.3 Muscular Fitness Exercise Prescription.

**B.5.3.1 Mode.** Free weights, machine weights, circuit training, and calisthenics using body weight or tools and equipment from the fireground (e.g., hose, ladder, bundles), or anything that provides a resistance that the muscles have to overcome can be used to improve muscle fitness. The exercise modalities given here will be separated into the following four groups:

- (1) *Free Weights.* Use of free weights (e.g., dumbbells and barbells) requires a balance between the individual and the weight during lifting, which results in a greater use of muscles and the development of better coordination during forceful exertions. Balancing the individual and the weight improves strength transfer to real-life movements, whether for recreational, sport, or work activities. Free weights generally are less expensive to purchase and maintain. A spotter is necessary in several lifts, and the risk of injury can be more serious.
- (2) *Circuit Weight Training.* This regimen is a type of interval training in which strength, local muscle endurance, cardiorespiratory endurance, and reductions in body fat can be accomplished. Free weights, machine weights, and

calisthenics can be used in a circuit. Participants perform a series of exercises organized to work all the major muscle groups. The lifting or work period will be 15 to 30 seconds long, and rest intervals between exercises will vary from 15 seconds to 1 minute, depending on which element of fitness is to be emphasized.

- (3) **Machine Weights.** Machine weights provide improved convenience of lifting and safety, and they are easier to learn to use than free weights. Additionally, spotters are not necessary. Machine weights do not simulate the real-life lifting situation as well as free weights, but they do improve muscular fitness, which in turn should improve a fire fighter's ability to lift effectively and safely on the fireground. Machine weights are more expensive to purchase and maintain than free weights.
- (4) **Calisthenics.** Calisthenics use an individual's body weight to provide resistance to the muscles. Although no special equipment is required and calisthenics are generally quite safe to perform, resistance is limited by an individual's body weight. Therefore, calisthenics are not necessarily as effective for improvements in strength. Job-specific tasks such as pulling a hose or raising a ladder are very specific to job tasks. However, they are not as convenient or safe to use for all training purposes. The load or intensity is often difficult to control or manipulate.

**B.5.3.2 Exercise Selection.** A combination of all of the modes of training described in B.5.3.1 can be the most beneficial, especially for a fire fighter who needs to train specifically for job tasks but who also desires a safe and convenient exercise program. Regardless of what mode of training is used, a program should be balanced and complete. A minimum of one exercise should be included for each of the following movements:

- (1) Upper-body push
- (2) Upper-body pull
- (3) Lower-body thrust and extension using the hip and knee joint
- (4) Knee flexion (hamstrings)
- (5) Anterior trunk (abdominal)
- (6) Posterior trunk (lower back)

**B.5.3.3 Intensity.** Using the principle of repetition maximal (RM), the weight or resistance should be such that at least 5 repetitions can be completed, but no more than 20 repetitions can be performed, with a given weight (5–20 RM).

Exceptions would occur during warm-up sets and sets performed by novice lifters, as well as those returning from an injury or individuals with a low fitness level. These types of sets can be performed with lighter loads that would allow more repetitions as follows:

- (1) To emphasize the development of strength, a weight that allows 5 to 8 repetitions, or is a 5–8 RM load, should be used. Complete 3 to 6 sets of each exercise.
- (2) To emphasize the development of muscular endurance, a weight that allows a minimum of 10 repetitions, or a 10 RM load, should be used. Complete 3 to 6 sets of each exercise.
- (3) To emphasize proper warm-up, a light weight that allows 8 to 10 repetitions should be used. Complete 1 to 2 warm-up sets for each exercise.

**B.5.3.4 Duration.** The total volume of training (i.e., number of exercises, repetitions, and sets completed) should determine exercise duration, which can last from 20 to 90 minutes. The mode of training can also be a factor in determining

duration. Circuit training and the use of weight machines can provide a faster workout.

**B.5.3.5 Rest Interval Between Workouts.** A minimum of 48 hours between workouts of the same muscle should be allowed. Exceptions include the forearms, calf, and abdominal muscles, which can be exercised more frequently.

**B.5.3.6 Rest Interval Between Sets and Exercises.** More rest between sets and exercises is needed at the beginning of a program, after an injury, during a multijoint lift (e.g., squat), or when lifting heavier weights to emphasize strength. The following guidelines can be used to determine rest intervals between sets and exercises:

- (1) **Strength:** 2 to 3 minutes of rest between sets and exercises
- (2) **Endurance:** 30 seconds to 2 minutes of rest between sets
- (3) **Circuit program:** 15 to 30 seconds of rest between exercises

**B.5.3.7 Training Frequency.** The ACSM recommends that a minimum of 2 days per week be devoted to muscular fitness training. According to NSCA, improvements can be achieved at a frequency of 2 days per week, but 3 alternating days per week is superior to other training frequencies. Generally speaking, persons who are in good health, have a good training background, and desire muscular endurance and hypertrophy should engage in more frequent training. Persons of questionable health, limited training background, or engaging in heavy training using multijoint exercises designed to increase strength and high-intensity power should train less frequently. Two or more training sessions a week are required to maintain or make gains. The frequency of training depends on all of the following factors:

- (1) Initial level of conditioning
- (2) Individual goals
- (3) Health status of the athlete
- (4) Volume and load of exercises
- (5) Type of movement performed (multijoint vs. single-joint)

**B.5.3.8 Rate of Progression.** All exercise programs should start gradually in order to ease through the initial stages of the body's adaptation to the stress of exercise. Resistance training is no exception, as it follows the same stages described in the aerobic training section. (See B.4.8.) However, the method of increasing the workout will include one or more of the following factors:

- (1) Increased resistance (weight)
- (2) Increased repetitions
- (3) Increased sets
- (4) Decreased rest interval between sets
- (5) Increased frequency of training
- (6) Change in exercises or training mode

## B.6 Flexibility.

**B.6.1 Significance.** Flexibility measures the range of motion in a joint, which depends on the extensibility of soft tissues (e.g., muscles, tendons, ligaments). Lack of flexibility can hinder physical performance or contribute to an increased risk of injury. Benefits of stretching include the following:

- (1) Relaxation from stress and tension
- (2) Improved circulation
- (3) Relief of lower back pain
- (4) Relief of muscle soreness
- (5) Improved coordination
- (6) Improved job performance
- (7) Reduced risk of injury



## B.6.2 Definitions.

**B.6.2.1 Static Stretch.** A slow, gradual, constant stretch in which the end position is held for 10 seconds or longer. Static stretching is easy to learn, safe, and effective and is the recommended stretching mode for fire fighters.

**B.6.2.2 Ballistic Stretch.** A bouncing movement in which the end position is not held. Ballistic stretching involves a dynamic movement to create a rapid stretch of the muscles. It involves the same types of stretches utilized in static stretching, but it uses rapid or bouncing movements to elongate the muscle. Ballistic stretching can produce injuries to muscles or connective tissue, especially when a previous injury is involved.

**B.6.2.3 Dynamic Stretch.** Stretching utilizing movement, but including sports-specific movements or simulating a movement pattern used in an activity. Dynamic stretching can be beneficial to include in warm-up after muscles are warm and static stretching has been completed. Ballistic or dynamic stretching should not be substituted for the static mode.

**B.6.2.4 Proprioceptive Neuromuscular Facilitation Stretch (PNF).** Alternation of muscle contraction and relaxation of both the agonist (muscle being stretched) and antagonist (muscle in opposition to the stretch) muscles, resulting in further relaxation of the muscle being stretched. This interaction results in a decrease in resistance and an increase in the range of motion. This type of stretching generally requires a partner and more time to learn. The partner must be experienced in PNF techniques in order to prevent injuries. Some studies indicate that PNF is superior to static stretching in improving range of motion.

## B.6.3 Flexibility Exercise Prescription.

**B.6.3.1 Mode.** The static stretching technique is safe and effective and is therefore the recommended method of improving flexibility. If personnel trained in the PNF method of training are available, stretching can be even more effective. To stretch the muscle statically and slowly, the muscle should be stretched to a point of tension, not pain, and held for at least 10 seconds. After the initial 10 seconds, the stretch should be lengthened a little further, and held another 10 seconds or longer. Each stretch should be repeated two to three times.

**B.6.3.2 Intensity.** Individuals should stretch to the point of tension, not pain. "No pain, no gain" definitely does not apply here. The stretch should be felt in the belly of the muscle and not at the joint.

**B.6.3.3 Duration.** Each stretch should be held at least 10 seconds, then progressed to 30 seconds or longer. Completing a stretching program for the whole body will take approximately 10 to 15 minutes.

**B.6.3.4 Frequency.** Stretching can and should be done daily. After the initial warm-up, stretching exercises will prepare the body for the more strenuous workout to follow. Stretching after a workout improves flexibility and decreases muscle soreness. A minimum of three stretching workouts a week will generally improve flexibility.

**B.6.3.5 Progression.** To progress in the flexibility program, increases should be made in the duration of the stretch to more than 10 seconds, in the number of repetitions (up to five repetitions), or in the frequency of stretching. Flexibility can be maintained by stretching at least three times a week, especially before and after workouts. Conducting weight training

activities using a full range of motion in each exercise will also help maintain flexibility.

**B.6.3.6 Stretching Tips.** The following tips can be helpful in making stretching safe and effective:

- (1) Always warm up muscles with an activity that elevates heart rate and muscle temperature before stretching.
- (2) Cold muscles should not be stretched.
- (3) The breath should not be held while stretching. Relaxing and slow breathing should be encouraged.
- (4) Proper technique and posture/body alignment should be used when stretching.
- (5) Stretching a muscle should be discontinued if a dull ache or burning sensation that could indicate a tissue tear is experienced.

## B.7 Healthy Back Exercise Program.

**B.7.1 Significance.** Approximately 5 million Americans suffer from acute or chronic back pain, which accounts for over 90 million lost production days annually. A report by M. Karter in the *NFPA Journal* found that lower back sprains and strains were the most common type of injury. The physical demands placed on fire fighters put them at great risk especially if they are not adequately conditioned.

The following are common causes of lower back pain and injury:

- (1) Weak abdominal and/or lower back muscles
- (2) Inflexible lower back, hamstrings, and hip flexor
- (3) Improper posture and body mechanics

**B.7.2 Mode.** Strengthening and stretching exercises and exercises that improve aerobic fitness to lessen or prevent fatigue are general prescriptions in a healthy back exercise program. Specific exercises to strengthen the lower back, abdominal region, and the muscles in the trunk region are essential. The trunk region is often the weakest link in the body. It is responsible for transferring muscle forces from upper body to lower body, and vice versa, as well as for stabilizing and controlling movements of the spinal column. If lower back pain is consistent or severe, exercising should be discontinued, and the member should be examined by a physician.

**B.7.3 Intensity.** All exercises should be carried out at a low to moderate intensity. Proper form, not high intensity, should be emphasized. Each exercise should be completed in a slow, controlled manner. All stretching should follow the prescription for static stretching.

**B.7.4 Duration.** Exercise should continue for 10 to 20 minutes, depending on the number of exercises and stretches.

**B.7.5 Frequency.** Healthy back exercises should be carried out three to five times a week. As mentioned previously, these exercises can be inserted into any warm-up routine.

**B.7.6 Progression.** Stretches can be progressed by holding longer and gradually stretching further. Calisthenics and trunk strengthening exercises can be increased by completing more repetitions, or sets, or by adding light weights. The frequency of training can also be increased. Ten minutes of stretching and trunk strengthening exercises three times a week will maintain levels; 30 minutes a week to lessen the risk of a back injury is an excellent time investment. Cardiovascular and weight training exercises will also contribute to maintenance of a healthy back.

**B.7.7 Improper Body Mechanics.** Improper posture or lifting mechanics are often the result of weak and inflexible muscles. Strengthening the trunk region and improving flexibility will improve body mechanics.

Virtually all lifting tasks involve the legs; therefore, the legs should be strengthened. However, it is crucial for a fire fighter to employ proper lifting techniques even when the load is relatively light. Lifting free weights can help in learning how to lift properly, but specific lifting procedures should be followed for various fireground tasks. The feet should be approximately shoulder width apart, legs bent at the hips and knees, lower back flat or slightly bowed inward, chest and buttocks out, head erect. The power to lift should come from the legs and lower trunk, not the upper body.

**B.7.8 Using Weight Belts.** Recommendations for strength training involving the use of weight belts are as follows:

- (1) For exercises not stressing the back, a belt should not be worn.
- (2) For exercises directly stressing the back, a belt should not be worn during lighter sets but always worn for near maximal and maximal sets.
- (3) It should never be assumed that a weight belt will afford protection against improper lifting technique.

**B.8 Safety and Injury Prevention.** The following are general guidelines for prevention of injuries while exercising:

- (1) Warm-up and stretching exercises should be performed before a workout. The exercise intensity and stretch should be gradually tapered after a workout.
- (2) Members should not overestimate their abilities when beginning an exercise program. Starting out slow and easy and gradually increasing the exercise intensity, duration, or frequency is paramount. Members need to remember that they do not get out of shape overnight and that they cannot get into shape overnight. They need to be patient.
- (3) Chronic muscle soreness and fatigue are signs of overtraining. They indicate the need to reduce the workout stimulus, to increase the recovery period between workouts, or both. The body's messages should be heeded.
- (4) Properly fitting exercise equipment and clothing should always be worn.
- (5) Performing the same workout routine should be avoided. Variety not only reduces boredom but also avoids overuse-type injuries. Periodically changing the modes of exercise, the intensity, and the duration of workouts is required. Changing the exercise stimulus also issues a new challenge to the body, resulting in continued improvements.

## Annex C Self-Assessment Tool

*This annex is not a part of the requirements of this NFPA document but is included for informational purposes only.*

**C.1 General.** A self-assessment gives the member valuable feedback on their individual fitness level, ability to recover from exertion, and overall physical capacity as it pertains to the job. It is an evaluation that the member can safely perform in private to provide individualized feedback on personal level of fitness, level of improvement, and physical capacity for exercise. The exercises, weights, repetitions, and aerobic equipment chosen for use in a self-assessment should be similar to the actual job.

A self-assessment can be performed at the workout location with minimal equipment. An assessment should be customized for the member to measure accurately his or her individual ability to perform actual, essential job tasks specific to the routine duties of the department. The information collected from the assessment is valuable to uniformed personnel because it can be compared to previous and future assessments. If an individual's heart rate at 1 minute exceeds 90 percent of the estimated maximum, that individual could lack the reserve necessary to perform safely on the fireground. Similarly, if an individual is unable to complete the repetitions of a particular exercise, that individual could be unable to sufficiently complete the essential task that the exercise simulates. This information should be used to motivate the member to improve any deficiencies noted during the evaluation.

A personalized exercise prescription is a major component of the wellness program. The personalized exercise prescription should be a progressive plan that accounts for an individual's current level of fitness as determined from the self-assessment, job duties, time restrictions, physical capabilities, nutritional status, and self-improvement.

**C.2 Example of Circuit Self-Assessment Test.** One type of self-assessment is a circuit test. A member who is going to perform a circuit self-assessment test should be medically cleared to participate in the assessment. The member should warm up properly prior to beginning the assessment, then follow the protocol below.

Prior to performing the self-assessment, assemble the following equipment:

- (1) Heart rate monitor
- (2) Dumbbells [pairs of 15 lb, 20 lb, 30 lb, and 35 lb (7 kg, 9 kg, 14 kg, and 16 kg)]
- (3) Treadmill (capable of 5 mph and 15 percent grade)
- (4) Lat pulldown machine [set at 80 lb (36 kg)]
- (5) Flat bench

Place the equipment conveniently close to the treadmill as you will be returning to this piece of equipment throughout the assessment.

Wet the heart receiver and put it on your chest. Tighten it to a comfortable setting. Turn on the watch and be sure it is receiving your heart rate.

Now you are ready to begin the assessment. Remember that you will be recording both your time and your heart rate. Therefore you should move at as brisk a pace as you feel comfortable between events.

Get your self-assessment worksheet (see Figure C.2) and mark the date. Keep this sheet with you as you proceed so you can record your heart rate immediately after each event. Once the test has begun, move from one station to the next with no more than 30 seconds between events. Movements with weights should be through the full range of motion, and both the concentric and eccentric contractions.

The steps of the self-assessment are as follows:

- (1) Straddle the treadmill and start the belt. Be sure to set the exercise time for 20 minutes so it can run continually during your evaluation. Set the speed for 3.5 mph while you increase the incline to 15 percent. As soon as the belt reaches 2 mph you can step on the treadmill. Once the incline reaches 15 percent, increase the speed to 5.0 mph. As soon as the speed hits 5.0 mph begin timing your assessment.



## SELF-ASSESSMENT WORKSHEET

Name: \_\_\_\_\_

Exercise	Date			
	Start Time			
	Finish Time			
	Heart Rate			
Treadmill at 15 percent and 5 mph for 1 min.				
DB curls with 15 lb, 24 reps (standing — both arms)				
Treadmill at 15 percent and 3.5 mph for 1 min.				
DB rows with 30 lb, 24 reps (each arm)				
Treadmill at 15 percent and 3.5 mph for 1 min.				
DB military press with 20 lb, 24 reps (standing — alternating arms)				
Treadmill at 15 percent and 3.5 mph for 1 min.				
DB carry with 35 lb, 10 reps (pickup/carry 6 ft)				
Treadmill at 15 percent and 3.5 mph for 1 min.				
Lat pulldown at 80 lb, 24 reps (close grip/palms towards face)				
1 minute of recovery (sitting quietly)				
2 minutes of recovery (sitting quietly)				
3 minutes of recovery (sitting quietly)				
4 minutes of recovery (sitting quietly)				
5 minutes of recovery (sitting quietly)				

© 2014 National Fire Protection Association

FIGURE C.2 Self-Assessment Worksheet.

- (2) Run on the treadmill at 5.0 mph on a 15 percent grade for 1 minute. At the end of 1 minute, reduce the speed to 3.5 mph and step off the treadmill. Record your heart rate and move to the 15 lb dumbbells.
- (3) Pick up the 15 lb dumbbells and perform 24 biceps curls with both arms simultaneously. Do not swing your arms or upper body. Be sure to move through the full range of motion. After the 24th repetition, record your heart rate and move back to the treadmill.
- (4) Walk on the treadmill for 1 minute at 3.5 mph on a 15 percent grade. After 1 minute, record your heart rate and move on to the dumbbell (DB) row.
- (5) Place your left knee and left arm on the flat bench and pick up the 30 lb dumbbell with your right hand. Keeping your chest parallel to the ground, pull the dumbbell upward and into your lower chest. Perform 24 repetitions with your right arm. Then place your right knee and right arm on the bench and perform 24 repetitions with your left arm. Record your heart rate and move on to the treadmill.
- (6) Walk on the treadmill for 1 minute at 3.5 mph on a 15 percent grade. After 1 minute, record your heart rate and move on to the DB military press.
- (7) Pick up the 20 lb dumbbells and in a standing position perform 24 repetitions (with each arm) of alternating military press. Record your heart rate and move on to the treadmill.
- (8) Walk on the treadmill for 1 minute at 3.5 mph on a 15 percent grade. After 1 minute, record your heart rate and move on to the DB carry.
- (9) Bend down using your legs and pick up both 35 lb dumbbells (one in each hand). Carry the dumbbells to a mark 6 ft away and set them down on the ground. Turn, pick up the dumbbells, and return to where you started. Complete 10 repetitions, with each time you set down the dumbbells counting as one repetition. Record your heart rate and return to the treadmill.
- (10) Walk on the treadmill for 1 minute at 3.5 mph on a 15 percent grade. After 1 minute, record your heart rate and move on to the lat pulldown.
- (11) Sit down with knees secured and grasp the straight lat pulldown bar with your hands close together and your palms facing you. Pull down in front of your body until the bar reaches your chin. Perform 24 repetitions, being sure to go all the way up. Record your total time and heart rate.
- (12) Sit in a quiet location and record your heart rate every minute for 5 minutes.

**C.3 Interpreting Your Results.** Interpret your results as follows:

- (1) Determine 85 percent of your estimated maximum heart rate, which will be the target exercise heart rate, using the following simple Karvonen Method equation:  
 $\text{Target exercise heart rate} = 0.85 (220 - \text{age})$   
*Example:* The target exercise heart rate of a 40-year-old individual would be 153. [ $\text{Target exercise heart rate} = 0.85 (220 - 40) = 153$ ]

- (2) Observe your heart rate throughout the test to see if it ever goes over your 85 percent value. If your heart rate is near maximal, it could indicate that you need to work on your cardiovascular conditioning. This indicates that you could have very little reserve if some greater demand occurs on the fireground.
- (3) For each event, evaluate whether you completed the required number of repetitions. If you could not complete the required number of repetitions, you need to work on your muscular strength and/or endurance in these muscle groups.
- (4) Observe your total time and compare it to your last total time. If your total time for this test is less than your last test and your heart rate response is the same or less, your fitness level has improved.
- (5) Observe your 5-minute recovery. A heart rate that recovers quickly is indicative of aerobic fitness. If your 5-minute heart rate is less than your last test, your fitness level has improved.

## Annex D Informational References

**D.1 Referenced Publications.** The documents or portions thereof listed in this annex are referenced within the informational sections of this standard and are not part of the requirements of this document unless also listed in Chapter 2 for other reasons.

**D.1.1 NFPA Publications.** National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169-7471.

NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 2013 edition.

NFPA 1582, *Standard on Comprehensive Occupational Medical Program for Fire Departments*, 2013 edition.

Karter, M., and P. LeBlanc, 1997 Fire Fighter Injury Report, *NFPA Journal*, November/December 1998.

### D.1.2 Other Publications.

**D.1.2.1 American College of Sports Medicine Publications.** American College of Sports Medicine, P.O. Box 1440, Indianapolis, IN 46206-1440.

*ACSM's Guidelines for Exercise Testing and Prescription*, Lippincott Williams Wilkins, 7th edition, 2005.

**D.1.2.2 IAFF/IAFC Publications.** International Association of Fire Fighters, 1750 New York Avenue, NW, Washington, DC 20006; International Association of Fire Chiefs, 4025 Fair Ridge Drive, Fairfax, VA 22033-2868.

*The Fire Service Joint Labor Management Wellness-Fitness Initiative*, Second edition, 1999.

**D.1.2.3 U.S. Government Publications.** U.S. Government Printing Office, Washington, DC 20402.

*Surgeon General's Report on Physical Activity and Health*, 1996.

### D.2 Informational References. (Reserved)

### D.3 References for Extracts in Informational Sections.

NFPA 1500, *Standard on Fire Department Occupational Safety and Health Program*, 2013 edition.



# Index

Copyright © 2014 National Fire Protection Association. All Rights Reserved.

The copyright in this index is separate and distinct from the copyright in the document that it indexes. The licensing provisions set forth for the document are not applicable to this index. This index may not be reproduced in whole or in part by any means without the express written permission of NFPA.

<b>-A-</b>		<b>Health Promotion Education</b> ..... Chap. 8
<b>Administration</b> ..... Chap. 1		General Requirements ..... 8.1, A.8.1
Application ..... 1.3		<b>Health-Related Fitness Program (HRFP)</b>
Purpose ..... 1.2		Definition..... 3.3.13, A.3.3.13
Scope..... 1.1, A.1.1		
<b>Approved</b>		<b>-I-</b>
Definition ..... 3.2.1, A.3.2.1		<b>Infectious Disease</b>
<b>Authority Having Jurisdiction (AHJ)</b>		Definition ..... 3.3.14
Definition ..... 3.2.2, A.3.2.2		<b>Informational References</b> ..... Annex D
<b>-D-</b>		<b>-M-</b>
<b>Data Collection</b> ..... Chap. 9		<b>Medical Evaluation</b>
Data Collected ..... 9.3, A.9.3		Definition ..... 3.3.15
General ..... 9.1, A.9.1		<b>Medical Examination</b>
Statistical Summary ..... 9.2		Definition ..... 3.3.16
<b>Debilitating Illness or Injury</b>		<b>Member</b>
Definition..... 3.3.1		Definition..... 3.3.17, A.3.3.17
<b>Definitions</b> ..... Chap. 3		<b>Member Assistance Program (MAP)</b>
		Definition ..... 3.3.18
<b>-E-</b>		<b>Morbidity</b>
<b>Emergency Operations</b>		Definition..... 3.3.19, A.3.3.19
Definition..... 3.3.2		<b>-O-</b>
<b>Exercise and Fitness Training Program</b> ..... Chap. 7		<b>Occupational Injury</b>
Program Components..... 7.1, A.7.1		Definition ..... 3.3.20
Program Participation ..... 7.2		<b>Organization</b> ..... Chap. 4
<b>Explanatory Material</b> ..... Annex A		Logistics..... 4.4
		Program Components ..... 4.2
<b>-F-</b>		Program Overview ..... 4.1
<b>Facility Fire Brigade</b>		Program Referrals ..... 4.5
Definition..... 3.3.3		Roles and Responsibilities..... 4.3
<b>Fire Chief</b>		<b>-P-</b>
Definition..... 3.3.4		<b>Procedure</b>
<b>Fire Department</b>		Definition ..... 3.3.21
Definition ..... 3.3.5, A.3.3.5		<b>Punitive</b>
<b>Fire Department Member</b>		Definition ..... 3.3.22
Definition..... 3.3.6		<b>-Q-</b>
<b>Fire Department Physician</b>		<b>Qualified Person</b>
Definition..... 3.3.7		Definition ..... 3.3.23
<b>Fire Suppression</b>		<b>-R-</b>
Definition ..... 3.3.8, A.3.3.8		<b>Referenced Publications</b> ..... Chap. 2
<b>Fitness Assessment</b> ..... Chap. 6		General ..... 2.1
Fitness Assessment ..... 6.2		NFPA Publications ..... 2.2
Fitness Assessment Components ..... 6.4, A.6.4		Other Publications..... 2.3
General ..... 6.1		References for Extracts in Mandatory Sections ..... 2.4
Pre-Assessment Questionnaire..... 6.3		<b>Risk</b>
<b>-H-</b>		Definition ..... 3.3.24
<b>Hazard</b>		<b>-S-</b>
Definition ..... 3.3.9, A.3.3.9		<b>Sample Fitness Plan</b> ..... Annex B
<b>Health and Fitness Coordinator</b>		<b>Self-Assessment Tool</b> ..... Annex C
Definition ..... 3.3.10		<b>Shall</b>
<b>Health and Fitness Coordinator and Peer Fitness Trainers</b> ..... Chap. 5		Definition..... 3.2.3
Assignment ..... 5.1		<b>Should</b>
Peer Fitness Trainers ..... 5.3		Definition..... 3.2.4
Qualifications for Health and Fitness Coordinator..... 5.2, A.5.2		<b>Standard Operating Procedure</b>
<b>Health and Safety Officer</b>		Definition..... 3.3.25, A.3.3.25
Definition ..... 3.3.11, A.3.3.11		
<b>Health Promotion</b>		
Definition ..... 3.3.12		



## Sequence of Events for the Standards Development Process

*As soon as the current edition is published, a Standard is open for Public Input*

### Step 1: Input Stage

- Input accepted from the public or other committees for consideration to develop the First Draft
- Committee holds First Draft Meeting to revise Standard (23 weeks)  
Committee(s) with Correlating Committee (10 weeks)
- Committee ballots on First Draft (12 weeks)  
Committee(s) with Correlating Committee (11 weeks)
- Correlating Committee First Draft Meeting (9 weeks)
- Correlating Committee ballots on First Draft (5 weeks)
- First Draft Report posted

### Step 2: Comment Stage

- Public Comments accepted on First Draft (10 weeks)
- If Standard does not receive Public Comments and the Committee does not wish to further revise the Standard, the Standard becomes a Consent Standard and is sent directly to the Standards Council for issuance
- Committee holds Second Draft Meeting (21 weeks)  
Committee(s) with Correlating Committee (7 weeks)
- Committee ballots on Second Draft (11 weeks)  
Committee(s) with Correlating Committee (10 weeks)
- Correlating Committee First Draft Meeting (9 weeks)
- Correlating Committee ballots on First Draft (8 weeks)
- Second Draft Report posted

### Step 3: Association Technical Meeting

- Notice of Intent to Make a Motion (NITMAM) accepted (5 weeks)
- NITMAMs are reviewed and valid motions are certified for presentation at the Association Technical Meeting
- Consent Standard bypasses Association Technical Meeting and proceeds directly to the Standards Council for issuance
- NFPA membership meets each June at the Association Technical Meeting and acts on Standards with "Certified Amending Motions" (certified NITMAMs)
- Committee(s) and Panel(s) vote on any successful amendments to the Technical Committee Reports made by the NFPA membership at the Association Technical Meeting

### Step 4: Council Appeals and Issuance of Standard

- Notification of intent to file an appeal to the Standards Council on Association action must be filed within 20 days of the Association Technical Meeting
- Standards Council decides, based on all evidence, whether or not to issue the Standards or to take other action

## Committee Membership Classifications<sup>1,2,3,4</sup>

The following classifications apply to Committee members and represent their principal interest in the activity of the Committee.

1. M *Manufacturer*: A representative of a maker or marketer of a product, assembly, or system, or portion thereof, that is affected by the standard.
2. U *User*: A representative of an entity that is subject to the provisions of the standard or that voluntarily uses the standard.
3. IM *Installer/Maintainer*: A representative of an entity that is in the business of installing or maintaining a product, assembly, or system affected by the standard.
4. L *Labor*: A labor representative or employee concerned with safety in the workplace.
5. RT *Applied Research/Testing Laboratory*: A representative of an independent testing laboratory or independent applied research organization that promulgates and/or enforces standards.
6. E *Enforcing Authority*: A representative of an agency or an organization that promulgates and/or enforces standards.
7. I *Insurance*: A representative of an insurance company, broker, agent, bureau, or inspection agency.
8. C *Consumer*: A person who is or represents the ultimate purchaser of a product, system, or service affected by the standard, but who is not included in (2).
9. SE *Special Expert*: A person not representing (1) through (8) and who has special expertise in the scope of the standard or portion thereof.

NOTE 1: "Standard" connotes code, standard, recommended practice, or guide.

NOTE 2: A representative includes an employee.

NOTE 3: While these classifications will be used by the Standards Council to achieve a balance for Technical Committees, the Standards Council may determine that new classifications of member or unique interests need representation in order to foster the best possible Committee deliberations on any project. In this connection, the Standards Council may make such appointments as it deems appropriate in the public interest, such as the classification of "Utilities" in the National Electrical Code Committee.

NOTE 4: Representatives of subsidiaries of any group are generally considered to have the same classification as the parent organization.

## **Submitting Public Input / Public Comment through the Electronic Submission System (e-Submission):**

As soon as the current edition is published, a Standard is open for Public Input.

Before accessing the e-Submission System, you must first sign-in at [www.NFPA.org](http://www.NFPA.org). *Note: You will be asked to sign-in or create a free online account with NFPA before using this system:*

- a. Click in the gray Sign In box on the upper left side of the page. Once signed-in, you will see a red “Welcome” message in the top right corner.
- b. Under the Codes and Standards heading, Click on the Document Information pages (List of Codes & Standards), and then select your document from the list or use one of the search features in the upper right gray box.

*OR*

- a. Go directly to your specific document page by typing the convenient short link of [www.nfpa.org/document#](http://www.nfpa.org/document#), (Example: NFPA 921 would be [www.nfpa.org/921](http://www.nfpa.org/921)) Click in the gray Sign In box on the upper left side of the page. Once signed in, you will see a red “Welcome” message in the top right corner.

To begin your Public Input, select the link The next edition of this standard is now open for Public Input (formally “proposals”) located on the Document Information tab, the Next Edition tab, or the right-hand Navigation bar. Alternatively, the Next Edition tab includes a link to Submit Public Input online

At this point, the NFPA Standards Development Site will open showing details for the document you have selected. This “Document Home” page site includes an explanatory introduction, information on the current document phase and closing date, a left-hand navigation panel that includes useful links, a document Table of Contents, and icons at the top you can click for Help when using the site. The Help icons and navigation panel will be visible except when you are actually in the process of creating a Public Input.

Once the First Draft Report becomes available there is a Public comment period during which anyone may submit a Public Comment on the First Draft. Any objections or further related changes to the content of the First Draft must be submitted at the Comment stage.

To submit a Public Comment you may access the e-Submission System utilizing the same steps as previous explained for the submission of Public Input.

For further information on submitting public input and public comments, go to: <http://www.nfpa.org/publicinput>

## **Other Resources available on the Doc Info Pages**

**Document information tab:** Research current and previous edition information on a Standard

**Next edition tab:** Follow the committee’s progress in the processing of a Standard in its next revision cycle.

**Technical committee tab:** View current committee member rosters or apply to a committee

**Technical questions tab:** For members and Public Sector Officials/AHJs to submit questions about codes and standards to NFPA staff. Our Technical Questions Service provides a convenient way to receive timely and consistent technical assistance when you need to know more about NFPA codes and standards relevant to your work. Responses are provided by NFPA staff on an informal basis.

**Products/training tab:** List of NFPA’s publications and training available for purchase.

**Community tab:** Information and discussions about a Standard

## Information on the NFPA Standards Development Process

**I. Applicable Regulations.** The primary rules governing the processing of NFPA standards (codes, standards, recommended practices, and guides) are the NFPA *Regulations Governing the Development of NFPA Standards (Regs)*. Other applicable rules include NFPA *Bylaws*, NFPA *Technical Meeting Convention Rules*, NFPA *Guide for the Conduct of Participants in the NFPA Standards Development Process*, and the NFPA *Regulations Governing Petitions to the Board of Directors from Decisions of the Standards Council*. Most of these rules and regulations are contained in the *NFPA Standards Directory*. For copies of the *Directory*, contact Codes and Standards Administration at NFPA Headquarters; all these documents are also available on the NFPA website at “[www.nfpa.org](http://www.nfpa.org).”

The following is general information on the NFPA process. All participants, however, should refer to the actual rules and regulations for a full understanding of this process and for the criteria that govern participation.

**II. Technical Committee Report.** The Technical Committee Report is defined as “the Report of the responsible Committee(s), in accordance with the Regulations, in preparation of a new or revised NFPA Standard.” The Technical Committee Report is in two parts and consists of the First Draft Report and the Second Draft Report. (See *Regs* at 1.4)

**III. Step 1: First Draft Report.** The First Draft Report is defined as “Part one of the Technical Committee Report, which documents the Input Stage.” The First Draft Report consists of the First Draft, Public Input, Committee Input, Committee and Correlating Committee Statements, Correlating Input, Correlating Notes, and Ballot Statements. (See *Regs* at 4.2.5.2 and Section 4.3) Any objection to an action in the First Draft Report must be raised through the filing of an appropriate Comment for consideration in the Second Draft Report or the objection will be considered resolved. [See *Regs* at 4.3.1(b)]

**IV. Step 2: Second Draft Report.** The Second Draft Report is defined as “Part two of the Technical Committee Report, which documents the Comment Stage.” The Second Draft Report consists of the Second Draft, Public Comments with corresponding Committee Actions and Committee Statements, Correlating Notes and their respective Committee Statements, Committee Comments, Correlating Revisions, and Ballot Statements. (See *Regs* at Section 4.2.5.2 and 4.4) The First Draft Report and the Second Draft Report together constitute the Technical Committee Report. Any outstanding objection following the Second Draft Report must be raised through an appropriate Amending Motion at the Association Technical Meeting or the objection will be considered resolved. [See *Regs* at 4.4.1(b)]

**V. Step 3a: Action at Association Technical Meeting.** Following the publication of the Second Draft Report, there is a period during which those wishing to make proper Amending Motions on the Technical Committee Reports must signal their intention by submitting a Notice of Intent to Make a Motion. (See *Regs* at 4.5.2) Standards that receive notice of proper Amending Motions (Certified Amending Motions) will be presented for action at the annual June Association Technical Meeting. At the meeting, the NFPA membership can consider and act on these Certified Amending Motions as well as Follow-up Amending Motions, that is, motions that become necessary as a result of a previous successful Amending Motion. (See 4.5.3.2 through 4.5.3.6 and Table 1, Columns 1-3 of *Regs* for a summary of the available Amending Motions and who may make them.) Any outstanding objection following action at an Association Technical Meeting (and any further Technical Committee consideration following successful Amending Motions, see *Regs* at 4.5.3.7 through 4.6.5.3) must be raised through an appeal to the Standards Council or it will be considered to be resolved.

**VI. Step 3b: Documents Forwarded Directly to the Council.** Where no Notice of Intent to Make a Motion (NITMAM) is received and certified in accordance with the Technical Meeting Convention Rules, the standard is forwarded directly to the Standards Council for action on issuance. Objections are deemed to be resolved for these documents. (See *Regs* at 4.5.2.5)

**VII. Step 4a: Council Appeals.** Anyone can appeal to the Standards Council concerning procedural or substantive matters related to the development, content, or issuance of any document of the Association or on matters within the purview of the authority of the Council, as established by the *Bylaws* and as determined by the Board of Directors. Such appeals must be in written form and filed with the Secretary of the Standards Council (See *Regs* at 1.6). Time constraints for filing an appeal must be in accordance with 1.6.2 of the *Regs*. Objections are deemed to be resolved if not pursued at this level.

**VIII. Step 4b: Document Issuance.** The Standards Council is the issuer of all documents (see Article 8 of *Bylaws*). The Council acts on the issuance of a document presented for action at an Association Technical Meeting within 75 days from the date of the recommendation from the Association Technical Meeting, unless this period is extended by the Council (See *Regs* at 4.7.2). For documents forwarded directly to the Standards Council, the Council acts on the issuance of the document at its next scheduled meeting, or at such other meeting as the Council may determine (See *Regs* at 4.5.2.5 and 4.7.4).

**IX. Petitions to the Board of Directors.** The Standards Council has been delegated the responsibility for the administration of the codes and standards development process and the issuance of documents. However, where extraordinary circumstances requiring the intervention of the Board of Directors exist, the Board of Directors may take any action necessary to fulfill its obligations to preserve the integrity of the codes and standards development process and to protect the interests of the Association. The rules for petitioning the Board of Directors can be found in the *Regulations Governing Petitions to the Board of Directors from Decisions of the Standards Council* and in 1.7 of the *Regs*.

**X. For More Information.** The program for the Association Technical Meeting (as well as the NFPA website as information becomes available) should be consulted for the date on which each report scheduled for consideration at the meeting will be presented. For copies of the First Draft Report and Second Draft Report as well as more information on NFPA rules and for up-to-date information on schedules and deadlines for processing NFPA documents, check the NFPA website ([www.nfpa.org/aboutthecodes](http://www.nfpa.org/aboutthecodes)) or contact NFPA Codes & Standards Administration at (617) 984-7246.



# STAY UP-TO-DATE. JOIN NFPA® TODAY!

☒ **YES** Please enroll me as a member of NFPA for the term checked below. Activate all benefits, and ship my *Member Kit* including the *Benefits Guide* and other resources to help me make the most of my NFPA membership. Please allow three to four weeks for the kit to arrive.

## BILLING INFORMATION:

Name \_\_\_\_\_ Title \_\_\_\_\_  
Organization \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip/Postal Code \_\_\_\_\_  
Country \_\_\_\_\_  
Phone \_\_\_\_\_ E-mail \_\_\_\_\_

Priority Code: 8J-MIS-1Z

## PLEASE ANSWER THE FOLLOWING QUESTIONS:

### Job Title (check one)

- ☐ Architect, Engineer, Consultant, Contractor (C17)  
☐ Facilities Safety Officer (F14)  
☐ Fire Chief, Other Fire Service (A11)  
☐ Loss Control, Risk Manager (L11)  
☐ Inspector, Building Official, Fire Marshal (F03)  
☐ Owner, President, Manager, Administrator (C10)  
☐ Other (please specify): (G11) \_\_\_\_\_

### Type of Organization (check one)

- ☐ Architecture, Engineering, Contracting (A14)  
☐ Commercial Firm (Office, Retail, Lodging, Restaurant) (G13)  
☐ Electrical Services, Installation (J11)  
☐ Fire Service, Public and Private (AA1)  
☐ Government (C12)  
☐ Industrial Firm (Factory, Warehouse) (C11)  
☐ Institutional (Health Care, Education, Detention, Museums) (B11)  
☐ Insurance, Risk Management (B12)  
☐ Utilities (G12)  
☐ Other (please specify): (G11) \_\_\_\_\_

## TERMS AND PAYMENT:

- ☐ 1 year (\$165)  
☐ 2 years (\$300) **SAVE \$30**  
☐ 3 years (\$430) **SAVE \$65**

Annual membership dues include a \$45 subscription to *NFPA Journal*®. Regular membership in NFPA is individual and non-transferable. NFPA Journal is a registered trademark of the National Fire Protection Association, Quincy, MA 02169. Voting privileges begin after 180 days of individual membership. Prices subject to change.

## PAYMENT METHOD:

Check One:

- ☐ Payment Enclosed (Make check payable to NFPA.)  
☐ Purchase Order (Please attach this form to your P.O.)  
☐ Bill Me Later (Not available on International memberships.)

Charge My: ☐ VISA ☐ MasterCard ☐ AmEx ☐ Discover

Card # \_\_\_\_\_

Expiration Date \_\_\_\_\_

Name on Card \_\_\_\_\_

Signature \_\_\_\_\_

International members: Please note prepayment is required on all International orders. Be sure to enclose a check or select your preferred credit card option.

## 4 EASY WAYS TO JOIN

**Fax:** 1-800-593-6372, Outside the U.S. +1-508-895-8301  
**Mail:** NFPA Membership Services Center,  
11 Tracy Drive, Avon, MA 02322-9908  
**Online:** nfpa.org  
**Call:** 1-800-344-3555  
Outside the U.S. call +1-617-770-3000

12/14-D

## 100% MONEY-BACK GUARANTEE

If anytime during your first year you decide membership is not for you, let us know and you'll receive a 100% refund of your dues.



## **"Member-Only" Benefits Keeps You Up-To-Date!**

**FREE! Technical Support** — Technical Support by Phone/Email. Get fast, reliable answers to all code-related questions—from electrical safety for employee workplaces to carbon dioxide extinguishing systems—from NFPA's team of fire protection specialists.

**NFPA Journal®** — THE journal of record for fire protection, this bi-monthly publication will keep you abreast of the latest fire prevention and safety practices, as well as new technologies and strategies for protecting life and property from fire.

**NFPA Update** — This easy-to-read monthly e-newsletter will keep you up-to-date on important association programs such as the annual meeting; bring you times of interest from NFPA's regional offices; and alert you to nationwide events and opportunities you won't want to miss.

**NFPA News** — From new standards for dry cleaning plants to warning equipment for household carbon monoxide, this monthly online update keeps you abreast of additions of changes that could impact how you do your work.

**NFPA Standards Directory** — The NFPA Standards Directory is your complete guide to NFPA's code-making process. Simply access your online NFPA member profile for document revision guidelines, the revision cycle schedule, and forms for submitting Proposals and Comments. Your online NFPA member profile and access to the NFPA Standards Directory is automatically generated once you join NFPA.

**FREE! Section Membership** — Share YOUR expertise with others in any of 16 industry-specific sections covering your own field of interest.

**Member Kit** — Includes Membership Certificate, Pin, Decals, ID Card, and Camera-ready Logo Art. Display the NFPA member logo proudly on your business correspondence, literature, website, and vehicles.

**10% Discounts** — Save hundreds of dollars each year on the many products and services listed in the NFPA Catalog, including codes and standards publications, handbooks, training videos, and other education materials to increase your knowledge and skills.

Voting Rights — Your chance to help shape the future direction of fire prevention codes and standards. Voting rights go into effect 180 days from the start of individual membership.

**Conference Invitation** — Invitation to the NFPA Conference and Expo. Attend this important meeting at discounted rates as a member of NFPA.

**Join NFPA today!**  
**[www.nfpa.org](http://www.nfpa.org)**

NFPA® and NFPA Journal® are registered trademarks of the National Fire Protection Association, Quincy, MA 02169-7471